

# TECHNICAL INFORMATION

## Basacote Plus 12M 15-8-12 (+2+TE)

### E145 - FULLY COATED FERTILIZER

Technical data:	
EC - FERTILIZER	
15,0 % total nitrogen (N)	
8,0 % ammoniacal nitrogen (NH <sub>4</sub> -N)	
7,0 % nitrate nitrogen (NO <sub>3</sub> -N)	
- % carbamide nitrogen (NH <sub>2</sub> -N)	
- % Isodur-N	
- % Crotodur-N	
- % MU-N	
8,0 % phosphate (P <sub>2</sub> O <sub>5</sub> ) soluble in neutral ammonium	3,5 % P
5,6 % phosphate (P <sub>2</sub> O <sub>5</sub> ), water soluble	2,4 % P
12,0 % potassium oxide (K <sub>2</sub> O), water soluble	10,0 % K
2,0 % total magnesium oxide (MgO)	1,2 % Mg
1,4 % magnesium oxide (MgO), water soluble	0,8 % Mg
15,8 % total sulfur trioxide (SO <sub>3</sub> )	6,3 % S
15,0 % sulfur trioxide (SO <sub>3</sub> ), water soluble	6,0 % S
0,02 % total boron (B)	
0,05 % total copper (Cu)	
0,40 % total iron (Fe)	
0,06 % total manganese (Mn)	
0,02 % total zinc (Zn)	
- % nitrification inhibitor 3,4-dimethylpyrazolephosphate (DMPP) related to total of NH <sub>4</sub> -N and NH <sub>2</sub> -N	
<b>low in chlorine</b>	



COMPO EXPERT GmbH  
 Krögerweg 10  
 48155 Münster  
 Germany  
 E-Mail: info@compo-expert.com

Physical properties:	
physical appearance:	solid, granulated
colour:	green
bulk density:	1150 ± 100 kg / m <sup>3</sup>
granulometry:	90 % = 2,5 - 3,55 mm
average granule size (d50) :	3 ± 0,3 mm
pH ( 1:10 in water)	4,5 - 5,5
Percentage of coated granules:	100

**Recommendation for application:**

Thanks to its even granulation the fertilizer can be applied easily with spreaders or by hand. Application is possible during the whole vegetation period. Watering-in promotes the immediate effect.

**Description of fertilizer properties:**

Controlled release NPK complex fertilizer fully coated. For nurseries, ornamentals and planting whole fertilisation. Basacote Plus contains all nutrients required for healthy growth of plants. As a result, additional fertilizer applications are not necessary. Mixing into substrate is recommended directly before use (maximum storage time 10 days). The product lasts 12 months under temperate conditions and constant temperature of 21°C.

