

Calypso

Version 2/NZ 102000007569 1/11 Revision Date: 10.08.2022 Print Date: 10.08.2022

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name	Calypso
Product code (UVP)	05302064

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use	Insecticide

EPA-Nr.	HSR000715

1.3 Details of the supplier of the safety data sheet

Supplier	Bayer New Zealand Limited Crop Science Division B:HIVE Building 74 Taharoto Rd Smales Farm Takapuna Auckland, 0622 New Zealand
Telephone	0800 428 246
Telefax	(09) 441 8645

1.4 Emergency telephone no.	
-----------------------------	--

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classified as hazardous according to the criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2020 as amended

6.1 D H302	Harmful if swallowed.
6.7 B H351	Suspected of causing cancer.
6.8 B H361	Suspected of damaging fertility or the unborn child.

Calypso

Version 2/NZ 102000007569 2/11 Revision Date: 10.08.2022 Print Date: 10.08.2022

6.9 B H373 May cause damage to organs through prolonged or repeated exposure.
9.1 A H410 Very toxic to aquatic life with long lasting effects.
9.2 C H423 Harmful to the soil environment.
9.3 B H432 Toxic to terrestrial vertebrates.
9.4 C H443 Harmful to terrestrial invertebrates.

2.2 Label elements

Labelling in accordance with the Hazardous Substances (Safety Data Sheets) Notice 2020 as amended

Hazard label for supply/use required.



Signal word: Warning

Hazard statements

H302	Harmful if swallowed.
11002	

- H351 Suspected of causing cancer.
- H361 Suspected of damaging fertility or the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H410 Very toxic to aquatic life with long lasting effects.
- H423 Harmful to the soil environment.
- H432 Toxic to terrestrial vertebrates.
- H443 Harmful to terrestrial invertebrates.

Precautionary statements

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P301 + P312	IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.
P391	Collect spillage.
P501	Dispose of contents/container in accordance with local regulation.
P501	Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No additional hazards known beside those mentioned.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Suspension concentrate (=flowable concentrate)(SC)

Calypso Version 2/NZ

102000007569

3/11 Revision Date: 10.08.2022 Print Date: 10.08.2022

Thiacloprid 480 g/l

Hazardous components

Chemical name	CAS-No.	Conc. [%]
Thiacloprid	111988-49-9	40.3
1,2-Benzisothiazol-3(2H)-one	2634-33-5	> 0.01 - < 0.05
reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	55965-84-9	> 0.0002 - < 0.0015
Urea	57-13-6	> 1

Further information

1,2-Benzisothiazol- 3(2H)-one	M-Factor: 10 (acute)
----------------------------------	----------------------

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.		
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.		
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.		
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.		
Ingestion	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.		
4.2 Most important symptoms and effects, both acute and delayed			
Symptoms	If large amounts are ingested, the following symptoms may occur:		
	Nausea, Vomiting, Diarrhoea, Salivation, Headache, Dizziness, Confusion, Restlessness, Bradycardia, tachycardia, Coma, hypotension, Respiratory paralysis		
	Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s).		

4.3 Indication of any immediate medical attention and special treatment needed



Calypso

Version 2/NZ 102000007569

Treatment

Treat symptomatically. Monitor: respiratory and cardiac functions. Oxygen or artificial respiration if needed. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

Contact the National Poisons and Hazardous Chemicals Information center in Dunedin, PO Box 913, Dunedin. Phone 0800 POISON (0800 764 766).

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing modia

5.1 Extinguishing media	
Suitable	Water spray, Carbon dioxide (CO2), Foam, Sand
5.2 Special hazards arising from the substance or mixture 5.3 Advice for firefighters	In the event of fire the following may be released:, Hydrogen chloride (HCI), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NOx), Sulphur oxides
5.5 Advice for menginers	
Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.	
6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water.	
6.3 Methods and materials for containment and cleaning up		
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.	
6.4 Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.	

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.



Calypso Version 2/NZ 102000007569	5/11 Revision Date: 10.08.2022 Print Date: 10.08.2022
Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).
7.2 Conditions for safe stora	ge, including any incompatibilities
Requirements for storage areas and containers	Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight.
Advice on common storage	Keep away from food, drink and animal feedingstuffs.
Suitable materials	HDPE (high density polyethylene)
7.3 Specific end use(s)	Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Thiacloprid	111988-49-9	0.34 mg/m3 (TWA)		OES BCS*
Urea	57-13-6	10 mg/m3 (TWA)		OES BCS*

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	Wear respirator with an org (protection factor 10) confo Respiratory protection shous short duration activities, which been taken to reduce expose	not enclosed, and if contact may occur: ganic vapours and gas filter mask rming to EN140 type A or equivalent. uld only be used to control residual risk of nen all reasonably practicable steps have sure at source e.g. containment and/or ways follow respirator manufacturer's ring and maintenance.
Hand protection	breakthrough time which ar Also take into consideration the product is used, such a contact time. Wash gloves when contam inside, when perforated or v	Nitrile rubber > 480 min



Calypso Version 2/NZ 102000007569

	Protective index Directive	Class 6 Protective gloves complying with EN 374.
Eye protection	Wear goggles (conforming	to EN166, Field of Use = 5 or equivalent).
Skin and body protection	type suit. Wear two layers of clothing cotton overalls should be w should be professionally lau If chemical protection suit is	nt exposure, consider a higher protective wherever possible. Polyester/cotton or orn under chemical protection suit and undered frequently. s splashed, sprayed or significantly ate as far as possible, then carefully
General protective measures	If product is handled while Complete suit protecting ag	not enclosed, and if contact may occur: jainst chemicals

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	suspension
Colour	white to light beige
Odour	weak, characteristic
Odour Threshold	No data available
рН	6.5 - 8.5 (100 %) (23 °C)
Melting point/range	No data available
Boiling point/boiling range	ca. 100 °C
Flash point	No flash point - Determination conducted up to the boiling point.
Flammability	No data available
Auto-ignition temperature	
Minimum ignition energy	No data available
Minimum ignition energy Self-accelarating decomposition temperature (SADT)	No data available No data available
Self-accelarating decomposition temperature	
Self-accelarating decomposition temperature (SADT)	No data available
Self-accelarating decomposition temperature (SADT) Upper explosion limit	No data available
Self-accelarating decomposition temperature (SADT) Upper explosion limit Lower explosion limit	No data available No data available No data available
Self-accelarating decomposition temperature (SADT) Upper explosion limit Lower explosion limit Vapour pressure	No data available No data available No data available No data available
Self-accelarating decomposition temperature (SADT) Upper explosion limit Lower explosion limit Vapour pressure Evaporation rate	No data available No data available No data available No data available No data available
Self-accelarating decomposition temperature (SADT) Upper explosion limit Lower explosion limit Vapour pressure Evaporation rate Relative vapour density	No data available No data available No data available No data available No data available No data available

Calypso Version 2/NZ 102000007569



7/11 Revision Date: 10.08.2022 Print Date: 10.08.2022

Water solubility	miscible
Partition coefficient: n- octanol/water	Thiacloprid: log Pow: 1.26 (20 °C)
Viscosity, dynamic	No data available
Viscosity, kinematic	No data available
Oxidizing properties	No data available
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity 10.2 Chemical stability	Stable under normal conditions. Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity	LD50 (Rat) > 300 - < 500 mg/kg
Acute inhalation toxicity	LC50 (Rat) > 0.989 - < 2.199 mg/l Exposure time: 4 h Determined in the form of a respirable aerosol. Irritating to respiratory system.
Acute dermal toxicity	LD50 (Rat) > 4,000 mg/kg
Skin corrosion/irritation	No skin irritation (Rabbit)
Serious eye damage/eye irritation	No eye irritation (Rabbit)
Respiratory or skin sensitisation	Skin: Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Buehler test



Calypso

Version 2/NZ 102000007569

Skin: Sensitising (Guinea pig) OECD Test Guideline 406, Magnusson & Kligman test

Assessment STOT Specific target organ toxicity - single exposure

Thiacloprid: May cause drowsiness or dizziness.

Assessment STOT Specific target organ toxicity – repeated exposure

Thiacloprid did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Thiacloprid was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Thiacloprid caused at high dose levels an increased incidence of tumours in rats in the following organ(s): Thyroid, Uterus (including cervix).

Thiacloprid caused at high dose levels an increased incidence of tumours in mice in the following organ(s): ovaries. The tumours seen with Thiacloprid were caused through a non-genotoxic mechanism, which is not relevant at low doses. The mechanism that triggers tumours in rodents is not relevant for the low exposures encountered under normal use conditions.

Assessment toxicity to reproduction

Thiacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. Thiacloprid caused difficulties in parturition in rats. The mechanism of action for this effect is not considered to be relevant to man.

Assessment developmental toxicity

Thiacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Thiacloprid are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	
Toxicity to fish	LC50 (Lepomis macrochirus (Bluegill sunfish)) 80.7 mg/l Exposure time: 96 h
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) >= 85.1 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient.
	LC50 (Chironomus riparius (non-biting midge)) 0.032 mg/l Exposure time: 24 h



Calypso

Version 2/NZ 102000007569 **9/11** Revision Date: 10.08.2022 Print Date: 10.08.2022

Toxicity to aquatic plants	IC50 (Desmodesmus subspicatus (green algae)) 96.7 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient.	
12.2 Persistence and degrad	ability	
Biodegradability	Thiacloprid: Not rapidly biodegradable	
Кос	Thiacloprid: Koc: 615	
12.3 Bioaccumulative potential		
Bioaccumulation	Thiacloprid: Does not bioaccumulate.	
12.4 Mobility in soil		
Mobility in soil	Thiacloprid: Slightly mobile in soils	
12.5 Results of PBT and vPvB assessment		
PBT and vPvB assessment	Thiacloprid: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).	
12.6 Endocrine disrupting properties		
Assessment	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.	
12.7 Other adverse effects		
Additional ecological information	No other effects to be mentioned.	

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product	Dispose of this product only by using according to the label, or at an approved landfill or other approved facility.
Contaminated packaging	Triple rinse containers. Recycle if possible. If allowed under local authority, burn if circumstances, especially wind direction permit, otherwise crush and bury in an approved local authority facility. Do not use container for any other purpose.

SECTION 14: TRANSPORT INFORMATION

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

ADR/RID/ADN 14.1 UN number

Calypso

Version 2/NZ 102000007569



10/11 Revision Date: 10.08.2022 Print Date: 10.08.2022

14.2 Proper shipping name 14.3 Transport hazard class(es) 14.4 Packaging Group 14.5 Environm. Hazardous Mark Hazchem Code	PESTICIDE, LIQUID, TOXIC, N.O.S. (THIACLOPRID SOLUTION) 6.1 III YES 2X
IMDG	2902
14.1 UN number	PESTICIDE, LIQUID, TOXIC, N.O.S.
14.2 Proper shipping name	(THIACLOPRID SOLUTION)
14.3 Transport hazard class(es)	6.1
14.4 Packaging Group	III
14.5 Marine pollutant	YES
IATA	2902
14.1 UN number	PESTICIDE, LIQUID, TOXIC, N.O.S.
14.2 Proper shipping name	(THIACLOPRID SOLUTION)
14.3 Transport hazard class(es)	6.1
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	NO

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

HSNO approval-Nr.	HSR000715
HSNO Controls	See www.epa.govt.nz
ACVM Reg.	P5664
ACVM Condition	See www.foodsafety.govt.nz

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration



Calypso

Version 2/NZ 102000007569 11/11 Revision Date: 10.08.2022 Print Date: 10.08.2022

ECx EINECS ELINCS EN EU IATA IBC	Effective concentration to x % European inventory of existing commercial substances European list of notified chemical substances European Standard European Union International Air Transport Association International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.

Reason for Revision:

The following sections have been revised: Section 2: Hazards Identification.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.