

# **SAFETY DATA SHEET**

# X-TREE Wet and Dry® Herbicide

Date of Issue: 12 October 2021

#### 1. SUBSTANCE/PREPARATION AND COMPANY IDENTIFICATION

Chemical name of active ingredient(s): Triclopyr as the butoxy ethyl ester.

Ethyl Esters of Fatty Acids derived from Canola Oil.

Recommended use: Herbicide

Supplier: UPL New Zealand Limited PO Box 51584, Pakuranga

Auckland

Phone 0800 100 325 www.upl-ltd.com/nz

Emergency telephone number: 0800 CHEM CALL (0800 243 622) 24 Hours

#### 2. HAZARDS IDENTIFICATION



**Hazard Classification:** 

Required identification Details:

6.1E, 6.4A, 6.5B, 6.9B, 9.1A, 9.2A

**Signal Word: WARNING**Keep out of reach of Children.
Read label before use.

Any person purchasing, handling or disposing of this product must be suitably qualified when: (a) applied in a wide dispersive manner; or (b) used by a commercial contractor.

May be harmful if swallowed. May cause eye irritation.

May be harmful in contact with skin. May cause an allergic skin reaction.

May cause damage to kidneys through prolonged or repeated oral

exposure.

Very toxic to aquatic organisms. Very toxic to the soil environment.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/preparation Information on hazardous ingredients

Common nameCAS No%Triclopyr butoxyethyl ester64700-56-718.8Vegetable oil methyl estersVarious80.7Surfactant0.5

### 4. FIRST-AID MEASURES

**Effects and symptoms:**Inhalation:
Harmful if swallowed or inhaled. Irritating to skin and eyes.
Avoid inhalation. Vapours may cause headache, dizziness and

Issued by UPL New Zealand Limited Page 1 of 5

nausea. Move person to fresh air. If person is not breathing call 111 or an ambulance, and then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask, etc). Call National Poison Center 0800 Poison (0800 764 766) or Doctor for treatment

advice.

**Ingestion:** Avoid ingestion. May cause nausea, headache, cramps, vomiting.

Call the National Poison Centre or doctor

immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison Center or Doctor. Never give anything by mouth to an

unconscious person.

**Skin contact:** Avoid skin contact. May cause irritation to the skin.

Immediately get under a safety shower. Wash affected skin areas thoroughly with soap and water. Remove and wash contaminated

clothing thoroughly. Do not take clothing

home to be laundered. Get prompt medical attention.

**Eye contact:** Avoid contact with the eyes. May cause irritation to the eyes.

Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing eyes. Call National Poison Centre or doctor

for treatment advice.

Notes to a physician: No specific antidote known. Treat symptomatically

#### 5. FIRE-FIGHTING MEASURES

Hazchem: 2>

**Extinguishing media:** Water fog, Carbon dioxide, dry chemical, foam.

**Hazardous thermal** 

(de)composition products: lodide compounds, nitrogen oxides.

**Protection of fire-fighters:** Remain upwind. Use water spray to cool containers exposed to fire.

Wear full protective clothing and self-contained breathing apparatus.

Do not breathe smoke or gases.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:**Wear protective clothing and personal protective equipment as

described in section 8. Keep unprotected persons and animals out of

the area.

**Environmental precautions:** Keep material out of lakes, streams, ponds and sewer drains.

Methods for cleaning up: Dyke to confine spill and absorb with inert absorbent materials such

as clay, sand or soil. Shovel or pump waste into a drum and label

contents for disposal.

Do not touch or walk through spilled material. Wear the protective

equipment recommended above. Stop leak when safe to do so. Dyke

area and prevent entry into waterways, and drains.

Small spills/leaks: Absorb with material such as sand, soil or sawdust. Collect spilled product and place in sealable container for disposal. Spill residues may be cleaned using water and detergent. Contain and absorb wash water for disposal. Absorb and collect washings and place in the same sealable container for disposal.

Large spills/leaks: dike the area of large spills and report

them to 0800 CHEMCALL.

#### 7. HANDLING AND STORAGE

Issued by UPL New Zealand Limited Page 2 of 5

Handling: Avoid contact with eyes and skin. Keep away from sparks, open

flame and direct sunlight.

Do not handle material near food, feed or drinking water.

Keep out of reach of children.

**Storage:** Store away from sparks, heat and flames. Store in original container

tightly closed and in a locked, dry, cool, well ventilated area, away from feed, seeds and foodstuffs. Keep out of direct sunlight. Storage must be generally in accordance with NZS8409 Management of

Agrichemicals.

See the HAZNOTE for further information.

Packaging materials: HDPE Plastic – 20, 200, 1000 Litres

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Workplace Exposure Guidelines** 

Occupation exposure limits:

Not established

Exposure Standards outside the workplace:

None established

**Engineering measures** 

Exposure control measures: Provide general and/or local ventilation to control

airborne levels.

Personal Protective Equipment
Detail specifications for equipment:

Respiratory system:

Skin and body:

None required if airborne concentrations are limited.

When mixing or applying, wear protective clothing.

Hands:

Use gloves chemically resistant (e.g. nitrile or neoprene) when

prolonged or frequently repeated contact could occur.

**Eyes:** Use safety glasses.

General hygiene: Do not eat, drink or smoke when using. Wash hands and face

before meals and after work.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Colour, Odour. Yellowish brown liquid. Aromatic odour.

pH: Not established

Vapour Pressure: Not established for substance. Triclopyr butoxyethyl ester =

3.6x10<sup>-6</sup> mm Hg @ 25<sup>o</sup>C

**Boiling Point:** 

Vapour Density: Not available.

Freezing/melting point:

**Solubility:** Emulsifiable.

Specific Gravity/Density: 0.94

Flashpoint: >130°C (PMCC)

Information for flammable material:

**Viscosity:** 

Octanol/water partition coefficient:

Explosive Properties: Not explosive Oxidation Properties: Not an oxidizer

#### 10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid:

Materials to avoid: Oxidising agents, acids and alkali.

**Hazardous Decomposition** 

**Products:** lodide compounds, nitrogen oxides and cyanide.

Hazardous polymerization: Not subject to polymerization

Issued by UPL New Zealand Limited

Page 3 of 5

#### 11. TOXICOLOGICAL INFORMATION

 $LD_{50} > 2000 \text{ mg/kg}$ **Acute toxicity – Oral:**  $LD_{50} > 1000 mg/kg$ **Acute toxicity - Dermal:** Not established Acute toxicity - Inhalation:

Not classified Skin irritation: **Irritating Eye irritation:** 

Sensitization: Moderate sensitizer

Specific organ toxicity (repeated and

single exposure)

Chronic toxicity

Mutagenicity: Not classified Reproduction toxicity: Not classified Carcinogenicity: Not classified

#### 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** Triclopyr butoxyethyl ester is rapidly hydrolysed to tricoplyr

acid in soil and water.

Bioconcentration potential for the active ingredient Triclopyr butoxyethyl ester is moderate (BCF between 100 and 3000 or

Log<sub>Pow</sub> between 3 and 5).

Measured log octanol / water patrician coefficient (Log Pow) is 4.09.

Aquatic: Fish  $LC_{50} = 0.36$  mg/L in most sensitive spp. Tested.

Algae 24-hour  $EC_{50} = 0.1$  mg/L in the most sensitive spp.

tested.

Highly toxic to plant life. Not bio-accumulative

Bioaccumulative potential:

Mobility in soil:

Other adverse effects:

#### 13. DISPOSAL CONSIDERATIONS

#### CONTAINER DISPOSAL: Methods of disposal:



Non-refillable containers 20 litres or less:

Ensure container is completely empty. Rinse empty container with an oil-based product such as kerosene, then triple rinse with soap and water. Recycle through the Agrecovery™ programme. If this is not possible, bury in landfill.

Do not dispose of this product or equipment cleaning kerosene down drains or

Dispose of equipment cleaning kerosene onto ground away from susceptible crops and plants.

PRODUCT DISPOSAL: Ensure unwanted product is used by another operator strictly in accordance with label directions.

Refillable containers 20 litres or larger:

Refill the containers with X-TREE® Wet & Dry herbicide only. Do not reuse this container for any other purpose. Cleaning before refilling is not recommended as any water will cause an emulsion to form when refilled. Keep sealed after emptying to prevent rain from entering.

## 14. TRANSPORT INFORMATION - International transport regulations

Issued by UPL New Zealand Limited Page 4 of 5

**UN number:** 3082

**Class or Division:** 9

**Packing Group:** Ш **Marine Pollutant:** 

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (triclopyr).

> Marine pollutant **Dangerous Goods**

INTERNATIONAL AIR TRANSPORT ASSOCIATION

(IATA):

#### 15. REGULATORY INFORMATION

**ACVM Registered Number: HSNO Approval Code:** 

HSR101226

#### 16. OTHER INFORMATION

Additional information: Original Issue Date: 17 May 2017

Revision Date: 12 October 2021

Replaces: ES448

#### Disclaimer EXCLUSION OF LIABILITY: PLEASE READ

This Safety Data Sheet is based on the most recent information available. To the extent permitted by law, users of this information accept that neither the manufacturer, UPL New Zealand Limited as distributor, nor any other distributor have any liability or responsibility whatsoever for any loss, damage or injury whether in contract or tort, whether direct, indirect or consequential howsoever arising in connection with the supply of these information.

X-TREE® is a registered trademark of UPL New Zealand Ltd.

Issued by UPL New Zealand Limited Page 5 of 5 Product: X-TREE Wet and Dry (ES620)