AGPRO SAFETY DATA SHEET DIRECT AGPRO COPPER OXYCHLORIDE 800WP

Issue Date: 06/04/2018

09 273 3457

1. SUBSTANCE IDENTIFICATION:

AGPRO Copper Oxychloride 800WP

SUPPLIER NAME: AGPRO NZ Limited

SUPPLIER CODE: None

SUPPLIER ADDRESS: 10 Polaris Place, East Tamaki, Auckland.

SUPPLIER PHONE: 09 273 3456 SUPPLIER FAX:

EMERGENCY PHONE: 0800 POISON
CHEMICAL FAMILY: Copper Salt
USE: Fungicide

2. HAZARDS IDENTIFICATION:

HAZARD CLASSES: 6.1D, 6.4A, 6.5B, 6.9B, 9.1A, 9.3C

Refer to Section 15 for EPA Requirements.

3. COMPOSITION / INFORMATION ON INGREDIENTS:

COMMON NAME CAS NUMBER CONCENTRATION

Cupric Oxychloride 1332-40-7 800g/kg
Dispersing Agent, Inert carrier <200g/kg

4. FIRST - AID MEASURES:

EYE CONTACT: Immediately flush with flowing water for at least 15 minutes. Seek medical attention.

SKIN CONTACT: Wash with plenty of soap and flowing water for at least 15 minutes while removing contaminated clothing. Wash

clothing before reuse.

INHALATION: If ill-effects occur, move the victim to fresh air. If ill-effects persist, consult a doctor.

INGESTION: Do not induce vomiting. Seek medical advice.

NOTES TO DOCTOR: Treat symptomatically.

5. FIRE FIGHTING MEASURES:

FLASHPOINT: None. FLAMMABLE LIMITS: None.

EXTINGUISHING MEDIA: Dry chemical, water spray (fog), foam or carbon dioxide.

THERMAL DECOMPOSITION PRODUCTS:

SPECIAL FIRE FIGHTING METHODS: Vapours may be toxic. Self contained breathing apparatus required. Do not allow contaminated

runoff to enter drains.

UNUSUAL FIRE OR EXPLOSION HAZARDS: None.

6. ACCIDENTAL RELEASE MEASURES:

Use appropriate protective equipment. Clear area of unnecessary personnel. Spills may be slippery and should be cleaned up immediately. Large spill: Dike and pump as much as possible to a salvage container. Absorb the remaining liquid and any small spills with clay granules, sand or other absorbent material and sweep to a waste container. Cover the spill area with water and absorb. Minimise runoff into waterways or drains.

7. HANDLING AND STORAGE:

Store in original container, tightly closed, away from foodstuffs, seeds, fertilisers and pesticides in a cool, well-ventilated place. Keep out of reach of children. Wash protective clothing daily after work.

AGPRO SAFETY DATA SHEET AGPRO COPPER OXYCHLORIDE 800WP

Issue Date: 06/04/2018

8. EXPOSURE CONTROLS / PERSONAL PROTECTION:

EXPOSURE LIMITS: Not established by OSHA.

EYE PROTECTION: Where eye contact is likely, use chemical splash goggles.

RESPIRATORY PROTECTION: No special protection needed.

PROTECTIVE CLOTHING: Where contact is likely, wear chemical-resistant (such as nitrile or butyl) gloves, coveralls, socks and

chemical-resistant footwear.

VENTILATION: General (mechanical) room ventilation is considered satisfactory.

HYGENE PRECAUTIONS: Do not eat, drink or smoke while working with this product. Remove clothing that becomes soaked or

contaminated and wash before reuse. Wash hands before breaks and after work.

9. PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE / STATE / ODOUR: Green to Bluish powder. Odourless

BOILING POINT: Not Applicable pH: 6-9

0.5-0.6g/mL @ 25°C **BULK DENSITY:** SETTING POINT: Not Available. **DECOMPOSITION TEMP:** Not Available. **AUTOIGNITION TEMP:** Not Applicable. FLASHPOINT: Not Applicable. VAPOUR DENSITY: Not Applicable. **EXPLOSION PROPERTIES:** Not Applicable. **VAPOUR PRESSURE:** Not Applicable.

SOLUBILITY: Insoluble.

OTHER DATA:

OCTANOL / WATER PARTITION COEFFICIENT: Not Available.

10. STABILITY AND REACTIVITY:

CONDITIONS TO AVOID: Stable under normal conditions, however avoid excessive temperatures.

MATERIALS TO AVOID: Aci

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of copper & chlorine.

11. TOXICOLOGICAL INFORMATION:

ORAL: Warning: May be harmful if swallowed LD50 (rats) >2000 mg/kg.

DERMAL: Warning: May cause mild skin irritation and an allergic skin reaction, avoid skin contact.

INHALATION: Warning: May be harmful if inhaled.

EYE: Warning: Causes serious eye irritation.

ORGAN: Warning: May cause organ damage.

12. ECOLOGICAL INFORMATION:

AQUATIC TOXICITY: Warning: Very toxic to aquatic life with long lasting effects.

SOIL TOXICITY: N/A

TERRESTRIAL VERTEBRATES: Harmful to terrestrial vertebrates.

13. DISPOSAL CONSIDERATIONS:

Empty bag and add residue to spray tank. Burn the container if circumstances, especially wind direction permit. Otherwise bury in a landfill. Avoid contamination of any water supply with chemical or empty container. Do not use the container for any other purpose. Do not contaminate streams, rivers or waterways with the chemical or the used container.

14. TRANSPORT INFORMATION:

PROPER SHIPPING NAME: Environmentally Hazardous Substance, Solid, NOS (Copper 50%)

DG CLASS: 9
UN NUMBER: 3077
HAZCHEM: 2X
PACK GROUP: III

AGPRO SAFETY DATA SHEET AGPRO COPPER OXYCHLORIDE 800WP

Issue Date: 06/04/2018

15. REGULATORY INFORMATION:

APPROVED HANDLER: This product must be under the control of an approved handler when used in a wide dispersive

manner or by a contractor.

See the EPA Website for more details: www.epa.govt.nz
EPA Approval Code: HSR000740
ACVM Pesticide Number: P005105

16. OTHER INFORMATION:

The data given here is based on current knowledge and experience. The purpose of this safety data sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.