

## **SAFETY DATA SHEET**

# Section 1. Identification of the material and the supplier

Product: Castle MF999

Product sizes: 200L

Product Use: Morpholine Free Citrus Wax; Hi Gloss Fast Dry.

Restriction of Use: Refer to Section 15

New Zealand Supplier: Horticentre Ltd Address: 10 Firth Street Drury, 2113

Telephone: +64 9 294 8453 Fax Number: +64 9 294 7272

**Emergency Telephone:** 0800 764 766 (National Poison Centre)

Date of SDS Preparation: 22 August 2022

#### Section 2. Hazards Identification

Classified as hazardous according to health criteria of Safe Work Australia which meets New Zealand jurisdiction criteria as per EPA Hazardous Substances (Classification) Notice 2020.

EPA Approval No: Surface Coatings and Colourants (Subsidiary) - HSR002670

#### **Pictograms**



Signal Word: Warning

<b>GHS Classification and Category</b>	Hazard Code	Hazard Statement	
Skin irritation Cat. 2	H315	Causes skin irritation.	
Eye irritation Cat. 2	H319	Causes serious eye irritation.	

<b>Prevention Code</b>	Prevention Statement
P103	Read label before use.
P264	Wash hands thoroughly after handling.
P280	Wear protective clothing as detailed in Section 8.

Response Code	Response Statement
P362	Take off contaminated clothing and wash before re-use.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P305 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove
P351+P338	contact lenses, if present and easy to do. Continue rinsing.

Product Name: Castle MF999 SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 22 August 2022 Tel: 64 9 475 5240 www.techcomp.co.nz

Page 1

P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Storage Code	Storage Statement
None allocated	

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

## Section 3. Composition / Information on Ingredients

Ingredients	Wt%	CAS NUMBER.
Ammonium hydroxide	<1	1336-21-6
Potassium hydroxide	<1	1310-58-3
Ingredients determined to be Non-	To Balance	
Hazardous		

#### Section 4. First Aid Measures

#### Routes of Exposure:

water. Continue flushing until advised to stop by the Poisons Information Centre or a Doctor; or for at least 15 minutes and transport to Doctor or

Hospital.

If on Skin 

If skin or hair contact occurs, immediately remove contaminated clothing

and flush skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre or a Doctor; or for

15 minutes and transport to Doctor or Hospital.

If Swallowed Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a

glass of water to drink. Never give anything by the mouth to an

unconscious patient. If vomiting occurs give further water. Seek medical

advice.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if

breathing becomes difficult.

## Most important symptoms and effects, both acute and delayed

Symptoms:

Inhalation: Not applicable. Ingested: Not applicable.

Skin: Causes skin irritation.

Eye: Causes serious eye irritation.

Advice to Doctor: Treat symptomatically.

## Section 5. Fire Fighting Measures

Hazard Type	The product is non-flammable and non-combustible.	
Hazards from	Oxides of carbon and nitrogen, smoke and other toxic fumes.	
products		
Suitable	If material is involved in a fire use water fog (or if unavailable fine water	
Extinguishing	spray), alcohol resistant foam, standard foam, dry agent (carbon	
media	dioxide, dry chemical powder).	
<b>Precautions for</b>	Wear protective gear.	
firefighters and		

Product Name: Castle MF999 SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 22 August 2022 Tel: 64 9 475 5240 www.techcomp.co.nz

special protective	
clothing	
HAZCHEM CODE	None allocated

#### Section 6. Accidental Release Measures

#### **SMALL SPILLS**

Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapours or dust. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

#### **LARGE SPILLS**

Clear area of all unprotected personnel. Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.

# Section 7. Handling and Storage

#### **Precautions for Handling:**

- Read label before use.
- Avoid inhalation of vapour, mist or aerosols.
- Avoid eye contact and skin contact.
- Wash hands thoroughly after handling.
- Wear protective clothing as detailed in Section 8.

## **Precautions for Storage:**

- Store in a cool, dry, well-ventilated place and out of direct sunlight.
- Store away from foodstuffs.
- Store away from incompatible materials described in Section 10.
- Store away from sources of heat and/or ignition.
- Keep container standing upright.
- Keep containers closed when not in use check regularly for leaks.

## **Section 8 Exposure Controls / Personal Protection**

#### **WORKPLACE EXPOSURE STANDARDS (provided for guidance only)**

TWA STEL
Substance ppm mg/m³ ppm mg/m³

Potassium hydroxide [1310-58-3] Ceiling 2

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 13TH EDITION.

#### **Engineering Controls**

Ensure ventilation is adequate to maintain air concentrations below Exposure Standards. Use only in well ventilated areas. Use with local exhaust ventilation or while wearing appropriate respirator.

### **Personal Protection Equipment**



Product Name: Castle MF999 SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 22 August 2022 Tel: 64 9 475 5240 www.techcomp.co.nz

Page 3

Eyes	Use safety goggles.
Skin	Wear gloves. Available information suggests that gloves made from should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.
Respiratory	Not required.
Hygiene	Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and skin contact. Avoid inhalation of vapour, mist or aerosols. Ensure that eyewash stations and safety showers are close to the workstation location.

# Section 9 Physical and Chemical Properties

Annonyongo	Liquid
Appearance	Liquid
Colour	Dark Brown
Odour	Faint ethanol / ammonia
Odour Threshold	Not available
pH	8.2 – 9.2
<b>Boiling Point</b>	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Not flammable
Upper and Lower	Not available
Explosive Limits	
Vapour Pressure	Not available
Vapour Density	Not available
Specific Gravity	1.035 - 1.050
Solubilities	Miscible in water.
Log Pow	Not available
Auto-ignition	Not available
Temperature	
Decomposition	Not available
Temperature	
Viscosity, kinematic	Not available
<b>Particle Characteristics</b>	Not available

# Section 10. Stability and Reactivity

Stability of Substance	This material is thermally stable when stored and used as directed.
Hazardous reactions	No known hazardous reactions.
Conditions to Avoid	Elevated temperatures and sources of ignition.
Incompatible Materials	Oxidising agents.
<b>Hazardous Decomposition</b>	Oxides of carbon and nitrogen, smoke and other toxic fumes.
Products	

# Section 11 Toxicological Information

### **Acute Effects:**

Swallowed	Not triggered however swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract. Acute toxicity estimate (based on ingredients): >2,000 mg/Kg
Dermal	Not applicable. Acute toxicity estimate (based on ingredients): >2,000 mg/Kg

Product Name: Castle MF999

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd
Date of SDS: 22 August 2022

Tel: 64 9 475 5240 www.techcomp.co.nz

Inhalation	Not triggered however material may be an irritant to mucous membranes and respiratory tract. Acute toxicity estimate (based on ingredients): LC50 > 20.0 mg/L for vapours or LC50 > 5.0 mg/L for dust and mist or LC50 > 20,000 ppm for gas
Eye	Causes serious eye irritation.
Skin	Causes skin irritation.

#### **Chronic Effects:**

Carcinogenicity	Not applicable.
Reproductive	Not applicable.
Toxicity	
Germ Cell	Not applicable.
Mutagenicity	
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

## **Section 12. Ecotoxicological Information**

**Acute aquatic hazard:** This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >100 mg/L.

**Long-term aquatic hazard:** This material has been classified as non-hazardous. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): >100 mg/L, where the substance is not rapidly degradable and/or BCF < 500 and/or log Kow < 4.

Persistence and degradability	No information available.
Bioaccumulation	No information available.
Mobility in Soil	No information available.
Other adverse effects	No information available.

#### **Section 13. Disposal Considerations**

**Disposal methods:** If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

**Precautions or conditions to avoid:** None known.

## Section 14 Transport Information

# This product is NOT classified as a Dangerous Good for transport in NZ; NZS 5433:2020

### Section 15 Regulatory Information

Classified as hazardous according to health criteria of Safe Work Australia which meets New Zealand jurisdiction criteria as per EPA Hazardous Substances (Classification) Notice 2020.

EPA Approval No: Surface Coatings and Colourants (Subsidiary) - HSR002670

<b>HSWA &amp; EPA Controls</b>	Trigger Quantity	
Certified Handler	Not required	
Location Certificate	Not required	
Tracking Trigger Quantities	Not required	
Signage Trigger Quantities	Not required	
Emergency Response Plan	Not required	
Secondary Containment	Not required	

Product Name: Castle MF999 SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 22 August 2022 Tel: 64 9 475 5240 www.techcomp.co.nz

Restriction of Use	None
1100011001011 01 000	110116

Section 16	Other Information	
Glossary		
Cat	Category	
EC <sub>50</sub>	Median effective concentration.	
EEL	Environmental Exposure Limit.	
EPA	Environmental Protection Authority	
HSNO	Hazardous Substances and New Organisms.	
LC <sub>50</sub>	Lethal concentration that will kill 50% of the test organisms	
	inhaling or ingesting it.	
LD <sub>50</sub>	Lethal dose to kill 50% of test animals/organisms.	
LEL	Lower explosive level.	
OSHA	American Occupational Safety and Health Administration.	
TEL	Tolerable Exposure Limit.	
TLV	Threshold Limit Value-an exposure limit set by responsible	
	authority.	
UEL	Upper Explosive Level	
WES	Workplace Exposure Limit	

#### References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2020
- 5. HSW (Hazardous Substances) Regulations 2017

#### Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, if further information is required.

Issue Date: 22 August 2022 Review Date: 22 August 2027

Product Name: Castle MF999 SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 22 August 2022 Tel: 64 9 475 5240 www.techcomp.co.nz