

Folicur WG

Version 3 / NZ

Revision Date: 10.08.2022

102000006969 Revision Date: 10.06.2022 Print Date: 10.08.2022

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

**Trade name** Folicur WG **Product code (UVP)** 04287673

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide EPA-Nr. HSR007887

1.3 Details of the supplier of the safety data sheet

**Supplier** Bayer New Zealand Limited

Crop Science Division B:HIVE Building 74 Taharoto Rd Smales Farm Takapuna Auckland, 0622 New Zealand

**Telephone** 0800 428 246

**Telefax** (09) 441 8645

1.4 Emergency telephone no.

**Emergency Number** 0800 734 607 (24hr)

Global Incident Response

Hotline (24h)

+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

# **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1 Classification of the substance or mixture

Classified as hazardous according to the criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2020 as amended

6.4 A

H320 Causes eye irritation.

6.9 B

H373 May cause damage to organs through prolonged or repeated exposure.

9.1 A

H410 Very toxic to aquatic life with long lasting effects.



Folicur WG 2/11

 Version 3 / NZ
 Revision Date: 10.08.2022

 102000006969
 Print Date: 10.08.2022

#### 2.2 Label elements

# Labelling in accordance with the Hazardous Substances (Safety Data Sheets) Notice 2020 as amended

Hazard label for supply/use required.





# Signal word: Warning Hazard statements

H320 Causes eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

# **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray. P337 + P313 If eye irritation persists: Get medical advice/ attention.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local regulation.

## 2.3 Other hazards

No additional hazards known beside those mentioned.

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

# 3.2 Mixtures

#### Chemical nature

Water dispersible granules (WG) Tebuconazol 25,0 %

### Hazardous components

| Chemical name  | CAS-No.     | Conc. [%]  |
|--|-------------|------------|
| Tebuconazole   | 107534-96-3 | 25.00      |
| Methylene-linked condensation product of arylsulphonic, sodium salts | 90387-57-8  | > 1 – < 25 |
| Sodium carbonate   | 497-19-8    | <= 5       |

# **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures

**General advice** Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.



**Folicur WG**Version 3 / NZ
102000006969

Revision Date: 10.08.2022
Print Date: 10.08.2022

**Inhalation** Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

**Skin contact** Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation

develops and persists.

**Ingestion** Rinse mouth. Do NOT induce vomiting. Call a physician or poison

control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. In case of ingestion gastric lavage should be

considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium

sulphate is always advisable. There is no specific antidote.

Contact the National Poisons and Hazardous Chemicals Information center in Dunedin, PO Box 913, Dunedin. Phone 0800 POISON (0800 764 766).

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Water spray, Carbon dioxide (CO2), Foam, Sand

5.2 Special hazards arising from the substance or

iroiii uie

mixture

In the event of fire the following may be released:, Hydrogen chloride (HCI), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective

In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

**equipment for firefighters** of fire, wear self-contained breathing apparatus.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

**SECTION 6: ACCIDENTAL RELEASE MEASURES** 

6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment. Remove all sources of ignition.

6.2 Environmental

precautions

Do not allow to get into surface water, drains and ground water.



Print Date: 10.08.2022

Folicur WG
Version 3 / NZ
Revision Date: 10.08.2022

102000006969

## 6.3 Methods and materials for containment and cleaning up

objects thoroughly, observing environmental regulations. Keep in

suitable, closed containers for disposal.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

# **SECTION 7: HANDLING AND STORAGE**

#### 7.1 Precautions for safe handling

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion

Dust may form explosive mixture in air. Keep away from heat and

sources of ignition.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be

destroyed (burnt).

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized

persons only. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feeding stuffs.

Suitable materials Black mild steel sheet with interior coating

**7.3 Specific end use(s)** Refer to the label and/or leaflet.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

| Components       | CAS-No.     | Control parameters    | Update | Basis    |
|------------------|-------------|-----------------------|--------|----------|
| Tebuconazole     | 107534-96-3 | 0.2 mg/m3<br>(SK-ABS) |        | OES BCS* |
| Sodium carbonate | 497-19-8    | 10 mg/m3<br>(TWA)     |        | OES BCS* |

<sup>\*</sup>OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

#### 8.2 Exposure controls

## Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** If product is handled while not enclosed, and if contact may occur:

Wear respirator with a particle filter mask (protection factor 4) conforming to European norm EN149FFP1 or equivalent.



Folicur WG

Version 3 / NZ

Revision Date: 10.08.2022

102000006969 Print Date: 10.08.2022

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

**Hand protection** Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the

contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot

be removed. Wash hands frequently and always before eating,

drinking, smoking or using the toilet.

Material Nitrile rubber
Rate of permeability > 480 min
Glove thickness > 0.4 mm
Protective index Class 6

Directive Protective gloves complying with EN

374.

**Eye protection** Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**Skin and body protection** Wear standard coveralls and Category 3 Type 5 suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully

remove and dispose of as advised by manufacturer.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1 Information on basic physical and chemical properties

**Form** water-dispersible granules

**Colour** white

Odour weak, characteristic
Odour Threshold No data available

**pH** 8.0 - 9.0 (1 %) (23 °C) (deionized water)

Melting point/rangeNo data availableBoiling PointNo data availableFlash pointNo data available

**Flammability** The product is not highly flammable.

Auto-ignition temperature No data available

**Thermal decomposition** 140 °C Heating rate:3 K/minEndothermic.

> 230 °C Heating rate: 5 K/min Decomposition energy: 118 kJ/kg,



Print Date: 10.08.2022

Folicur WG
Version 3 / NZ
Revision Date: 10.08.2022

Ignition temperature 247 °C

Minimum ignition energy > 1,000 mJ

Self-accelarating

102000006969

No data available

decomposition temperature

(SADT)

Upper explosion limit No data available

Lower explosion limit 300 mg/m3 **Dust explosion Kst number** 59 m.bar/s

**Dust explosion class** capable of causing a dust explosion (modified Hartmann tube)

St1 (weak to moderately explosible)

Vapour pressureNo data availableEvaporation rateNo data availableRelative vapour densityNo data availableRelative densityNo data availableDensityNo data available

Water solubility dispersible

Partition coefficient: n-

octanol/water

Tebuconazole: log Pow: 3.7

Viscosity, dynamic

Viscosity, kinematic

Impact sensitivity

No data available

No data available

Not impact sensitive.

Burning number 2

CN2 Short flaring without spreading

Oxidizing properties No oxidizing properties

**Explosivity** Not explosive

92/69/EEC, A.14 / OECD 113

**9.2 Other information** Further safety related physical-chemical data are not known.

## **SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity** Stable under normal conditions.

**Self heating** not self-heating

**10.2 Chemical stability** Stable under normal conditions.

10.3 Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.



**Folicur WG**Version 3 / NZ
Revision Date: 10.08.2022

102000006969 Revision Date: 10.08.2022 Print Date: 10.08.2022

**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.

**10.5 Incompatible materials** Store only in the original container.

10.6 Hazardous

decomposition products

No decomposition products expected under normal conditions of use.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

## 11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) ca. 2,711 mg/kg
Acute inhalation toxicity LC50 (Rat) > 0.297 mg/l

Determined in the form of a respirable fine dust.

Highest attainable concentration.

Acute dermal toxicity LD50 (Rat) > 5,000 mg/kg
Skin corrosion/irritation No skin irritation (Rabbit)

Serious eye damage/eye

irritation

Slight irritant effect - does not require labelling. (Rabbit)

**Respiratory or skin** Sensitising (Guinea pig)

sensitisation OECD Test Guideline 406, Buehler test

Non-sensitizing. (Guinea pig)

OECD Test Guideline 406, Magnusson & Kligman test

#### Assessment STOT Specific target organ toxicity – single exposure

Tebuconazole: Based on available data, the classification criteria are not met.

## Assessment STOT Specific target organ toxicity - repeated exposure

Tebuconazole did not cause specific target organ toxicity in experimental animal studies.

#### Assessment mutagenicity

Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

## Assessment carcinogenicity

Tebuconazole caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.

## Assessment toxicity to reproduction

Tebuconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Tebuconazole is related to parental toxicity.

#### Assessment developmental toxicity

Tebuconazole caused developmental toxicity only at dose levels toxic to the dams. Tebuconazole caused an increased incidence of post implantation losses, an increased incidence of non-specific malformations.

#### Aspiration hazard



 Folicur WG

 Version 3 / NZ
 Revision Date: 10.08.2022

 102000006969
 Print Date: 10.08.2022

Based on available data, the classification criteria are not met.

**Further information** 

Irritating to respiratory system.

11.2 Information on other hazards

**Endocrine disrupting properties** 

Assessment The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

**SECTION 12: ECOLOGICAL INFORMATION** 

12.1 Toxicity

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) 4.4 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient.

Toxicity to aquatic invertebrates

Exposure time: 48 h

The value mentioned relates to the active ingredient.

EC50 (Daphnia magna (Water flea)) 2.79 mg/l

Chronic toxicity to aquatic

invertebrates

NOEC (Daphnia (water flea)): 0.010 mg/l

Exposure time: 21 d

The value mentioned relates to the active ingredient tebuconazole.

**Toxicity to aquatic plants** EC50 (Raphidocelis subcapitata (freshwater green alga)) 3.8 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient. (Lemna gibba (gibbous duckweed)) 0.237 mg/l

Growth rate; Exposure time: 7 d

The value mentioned relates to the active ingredient tebuconazole.

12.2 Persistence and degradability

Biodegradability Tebuconazole:

Not rapidly biodegradable

**Koc** Tebuconazole: Koc: 769

12.3 Bioaccumulative potential

**Bioaccumulation** Tebuconazole: Bioconcentration factor (BCF) 35 - 59

Does not bioaccumulate.

12.4 Mobility in soil

**Mobility in soil** Tebuconazole: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

**PBT and vPvB assessment** Tebuconazole: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).



Folicur WG 9/11

 Version 3 / NZ
 Revision Date: 10.08.2022

 102000006969
 Print Date: 10.08.2022

## 12.6 Endocrine disrupting properties

**Assessment** The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological

information

No other effects to be mentioned.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

**Product** Dispose of this product only by using according to the label, or at an

approved landfill or other approved facility.

**Contaminated packaging** Triple rinse containers. Recycle if possible. If allowed under local

authority, burn if circumstances, especially wind direction permit, otherwise crush and bury in an approved local authority facility. Do not

use container for any other purpose.

## **SECTION 14: TRANSPORT INFORMATION**

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

ADR/RID/ADN

14.1 UN number **3077** 

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(TEBUCONAZOLE MIXTURE)

14.3 Transport hazard class(es) 9

14.4 Packaging Group III

14.5 Environm. Hazardous Mark YES Hazchem Code 2Z

**IMDG** 

14.1 UN number **3077** 

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(TEBUCONAZOLE MIXTURE)

14.3 Transport hazard class(es) 9
14.4 Packaging Group III
14.5 Marine pollutant YES

IATA

14.1 UN number **3077** 

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(TEBUCONAZOLE MIXTURE)



Folicur WG

Version 3 / NZ

102000006969

Revision Date: 10.08.2022
Print Date: 10.08.2022

14.3 Transport hazard class(es) 9
14.4 Packaging Group III
14.5 Environm. Hazardous Mark YES

#### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

## 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

#### **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Further information**

HSNO approval-Nr. HSR007887

HSNO Controls See www.epa.govt.nz

ACVM Reg. P4778

ACVM Condition See www.foodsafety.govt.nz

#### **SECTION 16: OTHER INFORMATION**

#### Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

ECx Effective concentration to x %

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code) Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

**IC**x

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

TWA Time weighted average



**Folicur WG** 

11/11 Version 3/NZ Revision Date: 10.08.2022 102000006969 Print Date: 10.08.2022

UN **United Nations** 

WHO World health organisation

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.

Reason for Revision: The following sections have been revised: Section 2: Hazards

Identification. Section 3: Composition / Information on Ingredients.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.