## 1. Identification of Substance & Company

**Product** 

Uses

Product name Move-It Express HSNO approval HSR005673

**Approval description** Benzyl-C12-16-alkyldimethylammonium chloride, >1 - 10% in a non

hazardous diluent Cleaning agent

**Company Details** 

Company Totara Industries NZ Limited

Physical Address 24 Neil Park Drive
East Tamaki

New Zealand

 Postal Address
 09 273 8855

 Telephone
 09 274 6945

# **Emergency Telephone Number: 0508 888 444**

## 2. Hazard Identification

#### Approval – EPA NZ:

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR005673, Benzyl-C12-16-alkyldimethylammonium chloride, >1 - 10% in a non hazardous diluent). EPA NZ has classified this mixture as follows (drawn from the CCID EPA NZ)

Classes Hazard Statements

6.3B H316 - Causes mild skin irritation.

#### **SYMBOLS**



#### **Other Classifications**

Classification drawn from EC Directive and NICNAS Australia - GHS classification:

H314 - Causes severe skin burns and eye damage.

H318 - Causes serious eye damage.

H400 - Very toxic to aquatic life.

## **Precautionary Statements**

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P103 - Read label before use.

P260 - Do not breathe vapours.

P264 - Wash hands thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/eye protection/face protection\*.

P312 - Call a POISON CENTRE or doctor/physician if you feel unwell.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363 - Wash contaminated clothing before reuse.

P310 - Immediately call a POISON CENTRE or doctor/physician.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE or doctor/physician.

P391 - Collect spillage.

P405 - Store locked up.

# **Composition / Information on Ingredients**

Component	CAS/ Identification	Conc (%)
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	68424-85-1	1-10%
Ingredients not contributing to HSNO classes	Proprietary	balance

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

#### First Aid

#### **General Information**

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed, burned or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid

Ready access to running water is required. Accessible eyewash is required.

facilities **Exposure** 

**Swallowed** 

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTRE or

doctor/physician if you feel unwell.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or

doctor/physician.

Skin contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a

POISON CENTRE or doctor/physician.

Inhaled

Generally, inhalation of vapours/spray is unlikely to result in adverse health effects. If coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for

transport and contact a doctor.

**Advice to Doctor** Treat symptomatically

# Firefighting Measures

Fire and explosion hazards: Suitable extinguishing

substances:

Unsuitable extinguishing

**Products of combustion:** 

substances:

There are no specific risks for fire/explosion for this chemical. It is non-flammable.

Carbon dioxide, extinguishing powder, foam, fog sprays.

Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying

spaces, forming potentially explosive mixtures.

**Protective equipment:** Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat

and eye protection.

Unknown.

Hazchem code:

# **Accidental Release Measures**

Containment If greater than 100L is stored, secondary containment and emergency plans to manage

any potential spills must be in place. In all cases design storage to prevent discharge to

storm water.

**Emergency procedures** In the event of spillage alert the fire brigade to location and give brief description of

> hazard. Stop the source of the leak, if safe to do so. Shut off all possible sources of ignition. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Do not use sawdust. Prevent by whatever means possible any spillage from entering drains, sewers,

or water courses. (If this occurs contact your regional council immediately).

Use absorbent (soil, sand or other inert material). Rags are not recommended for the Clean-up method

clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or

waterways has occurred advise local emergency services.

Disposal Mop up and collect recoverable material into labelled containers for recycling or salvage.

Recycle containers wherever possible. This material may be suitable for approved

landfill. Dispose of only in accord with all regulations.

**Precautions** Wear protective equipment to prevent skin and eye contamination and the inhalation of

vapours. Work up wind or increase ventilation.

Page 2 of 6 June 2019

Product Name: Move-It Express

## 7. Storage & Handling

**Storage** Avoid storage of harmful substances with food. Store out of reach of children.

Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in

Section 10.

**Handling** Keep exposure to a minimum, and minimise the quantities kept in work areas. See

section 8 with regard to personal protective equipment requirements. Avoid skin and eye

contact and inhalation of vapour, mist or aerosols.

## 8. Exposure Controls / Personal Protective Equipment

#### **Workplace Exposure Standards**

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ Workplace Ingredient WES-TWA\* WES-STEL

Exposure Stds No ingredients listed

#### **Engineering Controls**

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

#### **Personal Protective Equipment**

**Eyes** 



Protect eyes with goggles, safety glasses or full face mask. Avoid wearing contact lenses.

Skin



Avoid repeated or prolonged skin contact. Wear overalls, rubber boots and impervious gloves. Replace gloves frequently. Gloves should be checked for tears or holes before use. Remove protective clothing and wash exposed areas with soap and water prior to eating, drinking or smoking.

#### Respiratory

Respirator is not required under normal use. Ensure adequate natural ventilation. If product is being used in confined conditions, the use of a mask or respirator may be preferred.

#### **WES Additional Information**

Not applicable

#### 9. Physical & Chemical Properties

**Appearance** pink liquid Odour no odour Hq ~8 Vapour pressure no data **Viscosity** no data **Boiling point** no data Volatile materials no data Freezing / melting point no data

Solubility soluble in water
Specific gravity / density ~1g/cm³ at 23°C
Flash point not flammable
Danger of explosion not explosive
Auto-ignition temperature no data
Upper & lower flammable limits
Corrosiveness non corrosive

## Stability & Reactivity

Stable Stability

Conditions to be avoided Containers should be kept closed in order to avoid contamination. Keep from extreme

heat and open flames.

Incompatible groups Oxidizing agents, e.g. bleach

Substance Specific none known

Incompatibility

Hazardous decomposition

products

**Hazardous reactions** none known

#### Toxicological Information

#### Summary

IF SWALLOWED: may cause irritation to mouth and throat. May cause stomach pains, nausea, vomiting and diarrhoea.

IF IN EYES: undiluted substance may cause eye damage.

IF ON SKIN: undiluted substance may cause burns.

IF INHALED: no effects are anticipated, due to the low vapour pressure.

#### **Supporting Data**

Acute	Oral	Using LD <sub>50</sub> 's for ingredients, the calculated LD <sub>50</sub> (oral, rat) for the mixture is >5,000
		mg/kg. Data considered includes: Benzalkonium chloride 400mg/kg (rat), 240mg (rat).
	Dermal	Using LD <sub>50</sub> 's for ingredients, the calculated LD <sub>50</sub> (dermal, rat) for the mixture is >5000
		malka Data canaidared includes Danzelkonium ablarida 1400mg/kg (C14 C16)

mg/kg. Data considered includes: Benzalkonium chloride: 1420mg/kg (C14-C16).

Fire may cause evolution of: Hydrogen chloride gas, nitrogen oxides.

Inhaled No evidence of inhalation toxicity.

Eye The mixture is considered to be corrosive to the eye, because some of the ingredients

present at >3% are considered eye corrosives.

Skin The mixture is considered to be corrosive to the skin, because some of the ingredients

present at >5% are considered skin corrosives.

Chronic Sensitisation No ingredient present at concentrations > 0.1% is considered a sensitizer.

Mutagenicity No ingredient present at concentrations > 0.1% is considered a mutagen. Carcinogenicity No ingredient present at concentrations > 0.1% is considered a carcinogen. Reproductive / No ingredient present at concentrations > 0.1% is considered a reproductive or

Developmental developmental toxicant or have any effects on or via lactation.

**Systemic** No ingredient present at concentrations > 1% is considered a target organ toxicant.

Aggravation of None known. existing conditions

#### **Ecological Data** 12.

#### Summary

This mixture is considered very toxic towards aquatic organisms.

**Supporting Data** 

Aquatic Using EC $_{50}$ 's for ingredients, the calculated EC $_{50}$  for the mixture is < 1 mg/L. Data

considered includes: Benzalkonium chloride 0.560mg/L (fish, as 50% quat), 0.12mg/L (aquatic invertebrates, as 50% quat), surfactants 0.29 mg/L (48hr, Daphnia magna), 0.05 mg/L (96hr, algae), 3.7 mg/l (96hr, Bluegill fish), LD<sub>50</sub> 900 mg/kg (Red-winged blackbird).

Bioaccumulation No data Degradability No data

Soil No evidence of soil toxicity.

**Terrestrial vertebrate** No evidence of ecotoxicity towards terrestrial vertebrates. Terrestrial invertebrate No evidence of ecotoxicity towards terrestrial invertebrates.

**Biocidal** no data

**Environmental effect levels** No EELs are available for this mixture or ingredients

Page 4 of 6 June 2019

Product Name: Move-It Express

## 13. Disposal Considerations

**Restrictions** There are no product-specific restrictions, however, local council and resource consent

conditions may apply, including requirements of trade waste consents.

**Disposal method**Disposal of this product must comply with the Hazardous Substances (Disposal) Notice

2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore

rendered non-hazardous before discharge to the environment.

(Disposal) Notice 2017 clause 12. Ensure that the package is renedered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible

reuse or recycle packaging.

# 14. Transport Information

Transport according to NZS 5433 (Transport of Hazardous Substances on Land). Considered a dangerous good for

transport.

UN number: 3265 Proper shipping name: CORROSIVE LIQUID, ACIDIC, ORGANIC,

N.O.S. (benzalkonium chloride)

Class(es) 8 Packing group: III
Precautions: corrosive, Hazchem code: 2X

marine pollutant

#### 15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR005673, Benzyl-C12-16-alkyldimethylammonium chloride, >1 - 10% in a non hazardous diluent.

Specific Workplace Controls (as per HSNO approval referenced to Controls Matrix)

Key workplace requirements are:

SDS To be available within 10 minutes in workplaces storing > any quantity.

Inventory An inventory of all hazardous substances must be prepared and maintained.

Packaging All hazardous substances should be appropriately packaged including

substances that have been decanted, transferred or manufactured for own use

or have been supplied

Labelling Must comply with the Hazardous Substances (Labelling) Notice 2017.

Emergency plan Required if > 100L is stored.

Certified handler Not required. Tracking Not required.

Bunding & secondary containment Required if > 100L is stored.

Signage Required if > 100L is stored.

Location compliance certificate Not required.
Flammable zone Not required.
Fire extinguisher Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

## 16. Other Information

**Abbreviations** 

Approval Code Approval HSR005673, Benzyl-C12-16-alkyldimethylammonium chloride, >1 - 10% in a

non hazardous diluent Controls, EPA. www.epa.govt.nz
Unique Chemical Abstracts Service Registry Number

Ceiling Ceiling Exposure Value: The maximum airborne concentration of a biological or chemical

agent to which a worker may be exposed at any time.

**Controls Matrix**List of default controls linking regulation numbers to Matrix code (e.g. T1, I16). **EC**<sub>50</sub>
Ecotoxic Concentration 50% − concentration in water which is fatal to 50% of a test

population (e.g. daphnia, fish species)

**EPA** Environmental Protection Authority (New Zealand)

**HAZCHEM Code** Emergency action code of numbers and letters that provide information to emergency

Page 5 of 6 June 2019

Product Name: Move-It Express

Product Name: Move-It Express

services, especially fire fighters

HSNO Hazardous Substances and New Organisms (Act and Regulations)

IARC International Agency for Research on Cancer

**LEL** Lower Explosive Limit

**LD**<sub>50</sub> Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).

Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population

(usually rats)

MSDS (SDS) Material Safety Data Sheet (or Safety Data Sheet)

STEL Short Term Exposure Limit - The maximum airborne concentration of a chemical or

biological agent to which a worker may be exposed in any 15 minute period, provided the

TWA is not exceeded

TWA Time Weighted Average – generally referred to WES averaged over typical work day

(usually 8 hours)

UEL Upper Explosive Limit
UN Number United Nations Number

WES Workplace Exposure Standard - The airborne concentration of a biological or chemical

agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring

using procedures that gather air samples in the worker's breathing zone.

References

**EPA Notices** 

Unless otherwise stated comes from the EPA HSNO chemical classification information

database (CCID). www.epa.govt.nz

WES The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available

on their web site - www.worksafe.govt.nz.

Other References: Suppliers SDS, NICNAS assessments, EU ECHA database.

Review

DateReason for reviewJune 2019Not applicable – new SDS

#### Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The HSNO classifications for this SDS has been drawn from the EPA CCID with additional classification based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 9 940 30 80.

