

SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: Nutricote Total 18-2.6-6.6

Item Code: Product Use:

Fertiliser

Restriction of Use:

Refer to Section 15

New Zealand Supplier:

Horticentre Ltd 10 Firth Street

Drury, 2114

Telephone: Fax Number:

Address:

+64 9 294 8453 +64 9 294 7272

Emergency Telephone:

0800 764 766 (National Poison Centre)

Date of SDS Preparation: 19 July 2022 v2

Section 2. Hazards Identification

Classified as hazardous as per EPA Hazardous Substances (Classification) Notice 2020.

EPA Approval No: Fertilisers (subsidiary) - HSR002571

Pictograms





Signal Word: Warning

| GHS Classification and Category | Hazard Code | Hazard Statement |
|--|--------------------|--|
| Eye irritation Cat. 2 | H319 | Causes serious eye irritation. |
| Skin sensitisation Cat. 1 | H317 | May cause an allergic skin reaction. |
| Reproductive toxicity Cat. 2 | H361 | Suspected of damaging fertility or the |
| | | unborn child. |
| Hazardous to the aquatic | H412 | Harmful to aquatic life with long |
| environment chronic Cat. 3 | | lasting effects. |

| Prevention Code | Prevention Statement |
|------------------------|---|
| P103 | Read label before use. |
| P201 | Obtain special instructions before use. |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P261 | Avoid breathing dust. |
| P264 | Wash hands thoroughly after handling. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |

| P273 | Avoid release to the environment. |
|------|--|
| P280 | Wear protective clothing. |
| P281 | Use personal protective equipment as required. |

| Response Code | Response Statement |
|---------------|---|
| P363 | Wash contaminated clothing before reuse. |
| P302 + P352 | IF ON SKIN: Wash with plenty of soap and water. |
| P305 + | IF IN EYES: Rinse cautiously with water for several minutes. Remove |
| P351+P338 | contact lenses, if present and easy to do. Continue rinsing. |
| P308 + P313 | IF exposed or concerned: Get medical advice/ attention. |
| P333 + P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P337 + P313 | If eye irritation persists: Get medical advice/attention. |

| Storage Code | Storage Statement |
|--------------|-------------------|
| P405 | Store locked up. |

| Disposal Code | Disposal Statement |
|---------------|--|
| P501 | Dispose of according to Local Regulations or Authorities |

Section 3. Composition / Information on Ingredients

| Ingredients | Wt% | CAS NUMBER. |
|------------------------------|------|-------------|
| Ammonium sulfate | 0.3 | 7783-20-2 |
| Ammonium nitrate | 47.5 | 6484-52-2 |
| Monobasic ammonium phosphate | 11.0 | 7722-76-1 |
| Calcium phosphate | 1.3 | 7757-93-9 |
| Potassium sulfate | 15.5 | 7778-80-5 |
| Magnesium sulfate | 10.0 | 7487-88-9 |
| EDTA-FeNa | 1.8 | 15708-41-5 |
| Manganese sulfate hydrate | 0.27 | 10034-96-5 |
| Copper sulfate hydrate | 0.16 | 10257-54-2 |
| Boric acid | 0.14 | 10043-35-3 |
| Disodium molybdate hydrate | 0.06 | 10102-40-6 |
| Zinc sulfate hydrate | 0.05 | 7446-19-7 |
| Silica fumes | 0.9 | 7631-86-9 |
| Salts of water | 1.0 | - |
| Polyolefin | 4.8 | - |
| Talc | 4.7 | 14807-96-6 |

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes Rinse cautiously with water for 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice.

If on Skin Wash with plenty of soap and water. Wash contaminated clothing before

reuse. If skin irritation or rash occurs: get medical advice/attention.

If Swallowed If conscious, give plenty of water to drink and provoke vomiting. Call a

POISON CENTER or doctor/physician if you feel unwell.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if

breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Inhalation: Not applicable.

Ingested: May be harmful if swallowed. Skin: May cause an allergic skin reaction.

Eye: Causes serious eye irritation.

Chronic: Suspected of damaging fertility or the unborn child.

Section 5. Fire Fighting Measures

| Hazard Type | Non-combustible substance with oxidizing ingredient |
|------------------------|---|
| Hazards from | When heated to decomposition, it emits toxic fumes of NOx and |
| combustion | ammonia. |
| products | |
| Suitable | Water |
| Extinguishing | |
| media | |
| Precautions for | Self-contained breathing apparatus. |
| firefighters and | Remove the product from the source of fire. |
| special protective | Remove the product from combustible materials as it may support |
| clothing | combustion of them. |
| | If it is difficult to move, flush with plenty of water. |
| HAZCHEM CODE | None allocated |

Section 6. Accidental Release Measures

Wear protective equipment as detailed in Section 8. Clear area of any unprotected personnel.

Sweep up and shovel into suitable containers for disposal. Avoid contact with combustibles. Reuse as fertilizer, if possible.

Do not empty into drains. Retain and dispose of contaminated wash water.

Section 7. Handling and Storage

Precautions for Handling:

- · Read label before use.
- Do not handle until all safety precautions have been read and understood.
- Avoid breathing dust.
- Wash hands thoroughly after handling.
- Contaminated work clothing should not be allowed out of the workplace.
- Avoid release to the environment.
- Wear protective clothing.
- Use personal protective equipment as required.
- Avoid mixing with fuels, other combustible materials and strong alkaline agents.

Precautions for Storage:

- The product is hygroscopic and should therefore be stored in a dry place.
- Store away from reducing agents.
- · Keep out of reach of children.
- Store locked up.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL
Substance ppm mg/m³ ppm mg/m³

Talc (containing no asbestos fibres)[14807-96-6] - 2mg/m3Respirable dust

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 13TH EDITION.

Engineering Controls

No specific controls are needed.

Personal Protection Equipment

Normally not required. In extremely dusty conditions, appropriate protective equipment is recommended.

| Eyes | Wear goggles with side shields. Avoid wearing contact lenses. |
|-------------|---|
| Hands and | Normal clean work clothing and rubber gloves. |
| Skin | |
| Respiratory | Dust mask with particle filter. |

Section 9 Physical and Chemical Properties

| A | Calid Conv. Conv.lag |
|-------------------------|---|
| Appearance | Solid, Gray Granules |
| Odour | Odourless |
| Odour Threshold | Not available |
| pH | 5.2 – 5.5 |
| Boiling Point | Not available |
| Melting Point | Not available |
| Freezing Point | Not available |
| Flash Point | >220°C |
| Flammability | None |
| Upper and Lower | Not available |
| Explosive Limits | |
| Vapour Pressure | Not available |
| Vapour Density | Not available |
| Relative Density | 1.0 g/cm3 (Bulk Density) |
| Solubilities | Fertilizer inside the coating dissolves in water gradually. |
| Partition Coefficient: | Not available |
| Auto-ignition | Not available |
| Temperature | |
| Decomposition | Not available |
| Temperature | |
| Kinematic Viscosity | Not available |
| Particle Size | Not available |

Section 10. Stability and Reactivity

| Stability of Substance | This product is stable under normal conditions. |
|--------------------------------|--|
| Conditions to Avoid | High heating. |
| Incompatible Materials | Strong alkaline agents. |
| Hazardous Decomposition | Nitrogen oxides (NOx), Sulfur oxides(SOx), Ammonia |
| Products | |

Section 11 Toxicological Information

Acute Effects:

| Swallowed | Not applicable. |
|------------|-----------------|
| Dermal | Not applicable. |
| Inhalation | Not applicable. |

| Eye | Causes severe irritation to eyes |
|------|--|
| Skin | May cause an allergic skin irritation. |

Chronic Effects:

| Carcinogenicity | Not applicable. | |
|-----------------|--|--|
| Reproductive | Suspected of damaging fertility or the unborn child. | |
| Toxicity | | |
| Germ Cell | Not applicable. | |
| Mutagenicity | | |
| Aspiration | Not applicable. | |
| STOT/SE | Not applicable. | |
| STOT/RE | Not applicable. | |

Section 12. Ecotoxicological Information

Harmful to aquatic life with long lasting effects.

| Persistence and degradability | Fertilizer granules are soluble in water and biodegradable. Coating materials are persistent and not biodegradable. |
|-------------------------------|---|
| Bioaccumulation | No data available. |
| Mobility in Soil | No data available. |
| Other adverse effects | No data available. |

Do not allow to enter waterways.

Disposal Method:

Section 13. Disposal Considerations

Contaminated packaging should be emptied as far as possible; then it can

be passed on for recycling after being thoroughly cleaned.

Ensure waste container holding any unwanted product or contaminated

spill media is labelled "Hazardous Waste"

Precautions: depositing the substance in a landfill provided the landfill is managed to ensure that—

- (i) the substance will not at any time come into contact with an explosive or flammable substance (equivalent to HSNO class 1, 2, 3 or 4); and
- (ii) there is no ignition source in the vicinity of the disposal site that is capable of igniting the substance; and
- (iii) if the substance were to combust, or cause or contribute to combustion, no person or place where a person may legally be, would be exposed to more blast overpressure or heat radiation than that described in regulation 7(3)(b) of the Hazardous Substances (Disposal) Regulations 2001; and
- (iv) the concentration of the substance in any discharge from the landfill does not, after reasonable mixing, exceed any relevant tolerable exposure limit and/or environmental exposure limit set for the substance or any of its component(s).

Disposal methods to avoid: Do not allow to enter waterways

Section 14 Transport Information

This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2020

Road and Rail Transport

UN No: 2071 Class-primary 9

Packing Group III

Proper Shipping Name: AMMONIUM NITRATE BASED FERTILIZER

Air Transport

UN No: 2071
Class-primary 9
Packing Group III

Proper Shipping Name: AMMONIUM NITRATE BASED FERTILIZER

Marine Transport

UN No: 2071 Class-primary 9 Packing Group III

Proper Shipping Name: AMMONIUM NITRATE BASED FERTILIZER

Section 15 Regulatory Information

EPA Approval Code: Fertilisers (Subsidiary Hazard) - HSR002571

Trigger quantities:

| 990. q | | |
|-----------------------------|------------------|--|
| HSWA & EPA Controls | Trigger Quantity | |
| Certified Handler | Not required | |
| Location Certificate | Not required | |
| Tracking Trigger Quantities | Not required | |
| Signage Trigger Quantities | 1000kg | |
| Emergency Response Plan | 1000kg | |
| Secondary Containment | 1000kg | |
| Restriction of Use | None | |

Section 16 Other Information

Glossary

Cat Category

EC₅₀ Median effective concentration. EEL Environmental Exposure Limit. EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

LC₅₀ Lethal concentration that will kill 50% of the test organisms

inhaling or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible

authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2022 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2020
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time

of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made. Please contact the New Zealand distributor, if further information is required.

Issue Date: 19 July 2022 Review Date: 19 July 2027