



1 of 5 Page:

Infosafe No™ 3NUM7 Issue Date : January 2019 ISSUED by NUFARM

Product Name SEQUENCE

1. Identification

**GHS Product** 

SEQUENCE

**Identifier** 

00611 **Product Code** 

Selective herbicide **Product Type** 

Nufarm NZ Company Name

Address 6 Manu Street, Otahuhu

Auckland 2024 New Zealand

Tel: 0-9-270 4150

Telephone/Fax

Number

**Emergency phone** 

number

0800 651 911

Email Recommended use of

info@nz.nufarm.com

the chemical and restrictions on use

Other Information

A selective post emergent herbicide for grass weed control in fodder beet, sugar beet, orchards and vineyards, broadleaf crops and forestry.

This SDS describes, to the best of our knowledge, the properties of the

concentrated product. The physical properties and some of the assessments do not apply to the properties of the product once it has been diluted for application. Acute health effects of the diluted product are likely to be

much less severe.

#### 2. Hazard Identification

Other Information

3.1D flammable liquid, 6.1E acute toxicant, 6.3A skin irritant, 6.9B target organ toxicant, 8.3A eye corrosive, 9.1C aquatic toxicant, 9.2A soil toxicant,

9.3C terrestrial vertebrate toxicant

TOXICITY

Harmful - may be harmful if swallowed, inhaled or absorbed through the skin. May cause skin irritation. May cause liver damage from repeated oral exposure at high doses.

CORROSIVE

Danger - may cause eye damage.

FLAMMABLE

Warning - combustible liquid.

ECOTOXIC

Harmful to aquatic organisms with long-lasting effects. Selective herbicide - very toxic to some plant species.

Harmful to terrestrial vertebrates.

# 3. Composition/information on ingredients

Chemical

Liquid

Characterization

Ingredients Name CAS Proportion

> 99129-21-2 Clethodim 240 g/L Aromatic Hydrocarbon 64742-94-5 >60%

4. First-aid measures

For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a First Aid Measures

doctor immediately. Begin artificial respiration if the victim is not Use mouth-to-nose rather than mouth-to mouth. Obtain medical

attention.

Remove patient to fresh air. Lay down and keep warm and rested. If breathing Inhalation

is shallow or has stopped ensure airway is clear and apply resuscitation.

Seek medical assistance immediately.

Never give anything by mouth to an unconscious person. If swallowed do NOT Ingestion

induce vomiting. For advice, contact the National Poisons Centre (0800 764

766). Seek medical assistance immediately.

Immediately flush body and clothes with large amounts of water. Remove Skin

> contaminated clothing and footwear. Wash affected areas with soap and water. If a large area is affected seek medical assistance. Do not scrub the skin.

Flush eyes with plenty of water for 15 minutes holding eyelids open if Eye contact





Page: 2 of 5

Infosafe No™ 3NUM7 Issue Date : January 2019 ISSUED by NUFARM

Product Name SEQUENCE

necessary. Seek medical assistance.

Flush eyes with plenty of water for 15 minutes holding eyelids open if necessary. Remove contact lenses if present and easy to do. Seek medical

assistance.

Facilities storing or utilizing this material should be equipped with an First Aid Facilities

eyewash facility and safety shower.

If vomiting occurs, solvent present may cause pulmonary pneumonitis. Advice to Doctor

Provide basic first aid measures, decontaminate individual and treat symptomatically. Probable mucosal damage may contraindicate the use of

gastric lavage.

### 5. Fire-fighting measures

Water fog, foam, carbon dioxide or dry chemical. Suitable

extinguishing media

Do not use water in a jet. Unsuitable

**Extinguishing Media** 

Hazards from Combustion **Products** 

If involved in a fire, it may emit oxides of sulphur, nitrogen and carbon, and

toxic chlorine compounds. Especially in extreme heat.

**Special Protective Equipment for fire** 

fighters

Specific Methods

Full protective clothing and self-contained breathing apparatus.

Keep up wind. Do not allow washings to reach sewage or effluent systems. Take precaution to prevent formation of explosive mixture. Keep away from sources of ignition. No smoking, keep container tightly closed. combustion from fires involving this material may be toxic. Avoid breathing smoke and mists. Avoid personnel and equipment contact with fallout and runoff. Minimize the amount of water used for fire fighting. Do not enter any enclosed area without full protective equipment, including self-contained breathing equipment. Contain and isolate runoff and debris for proper disposal. Decontaminated personal protective equipment and fire fighting

equipment before reuse.

Specific hazards arising from the chemical

Other Information

Combustible liquid. Flashpoint = 67.5°C

Location Certificate: Not applicable Hazardous Atmosphere Zone: Not applicable

Number of Fire Extinguishers: 2 for 500L or more

## 6. Accidental release measures

Wear protective clothing. Clear area of unprotected personnel. Eliminate all Spills & Disposal

ignition sources and naked lights. Use non-sparking utensils. Contain spill and absorb with sand, soil or absorbent granules. If spill does enter waterways contact the local authority. Collect in an appropriate sealable

container for disposal in an approved landfill. Prevent material from coming into contact with Class 1, 2, 3.2, 4 or 5

substances.

Wash area with water and detergent and absorb with inert material. Dispose

of waste safely in an approved landfill.

For appropriate personal protective equipment (PPE), refer Section 8.**Personal Protection** 

**Environmental Precautions** 

This product is a herbicide and spills can damage crops, pastures and desirable vegetation.

Prevent from entering drains, waterways and sewers.

Use earthen bunds or absorbent bunding to prevent spreading of spillage.

#### 7. Handling and storage

**Precautions for Safe** Handling

Keep away from naked flame. Do not store or use near heat or flame. Avoid skin and eye contact and inhalation of spray mist. This product must not be applied onto or into water.

APPROVED HANDLER: This product must be under the control of an approved handler when it is applied in a wide dispersive manner, or used by a commercial contractor.

RECORD KEEPING: Records of use as described in NZS8409 Management of Agrichemicals must be kept if 3L or more of SEQUENCE is applied within 24





Page: 3 of 5

Infosafe No™ 3NUM7 Issue Date : January 2019 ISSUED by NUFARM

Product Name SEQUENCE

hours.

TRACKING: Is not required.

BEWARE: Spray drift hazard. Apply this product carefully. Spray drift may

cause serious damage to other desirable plants.

Conditions for safe storage, including any incompatabilities Keep out of reach of children. Do not store near heat or flame.

Do not store with HSNO class 1,2,3.2,4 or 5 substances.

Store in original container tightly closed, in a well-ventilated area, as cool as possible, away from sources of ignition and foodstuffs. Do not store for prolonged periods in direct sunlight. Store in accordance with NZS8409

Management of Agrichemicals.

Stores containing 100L are subject to signage, 1000L of SEQUENCE require secondary containment and more than 1000L require emergency response plans. Stores exceeding 500 litres of this substance must have at least 2 fire

extinguishers.

this product.

Corrosive to eyes. Corrosiveness

Always read the label and any attached leaflet before use. Other Information

Aggregate Storage Volume Thresholds:

When stored with substances of the same hazard classification the aggregate quantity must be considered. For full details refer to the current NZS8409

No exposure limits (WES, TEL or EEL's) have been specifically assigned for

Management of Agrichemicals and the HSNO Regulations.

### 8. Exposure controls/personal protection

**Occupational** 

exposure limit values

**Appropriate** engineering controls

**Personal Protective** Equipment

Avoid skin and eye contact and inhalation of spray mist. When opening the container, preparing spray and using the prepared spray wear

Handle in well ventilated areas, generally natural ventilation is adequate.

safety goggles, chemically resistant gloves, cotton overalls buttoned to the

neck and wrist, and boots.

Do not eat, drink or smoke while using. **Hygiene Measures** 

Remove protective clothing and wash hands and face thoroughly before meals and

after work. Wash protective clothing daily after work.

#### 9. Physical and chemical properties

Liquid **Form** 

Amber liquid **Appearance** Aromatic Odour

Water dispersible Solubility in Water

0.96 **Specific Gravity** 4-7 pН

<1x10-2 mPa @ 20°C (clethodim) Vapour Pressure

67.5°C Flash Point Flammability Combustible

(EC) Emulsifiable concentrate Other Information

## 10. Stability and reactivity

Stable under normal conditions of handling and storage. **Chemical Stability** 

**Conditions to Avoid** Avoid oxidising agents, acids and alkalis.

Avoid high temperatures.

Hazardous decomposition products are not expected to form during normal Hazardous

Decomposition storage.

**Products** 

Hazardous polymerisation will not occur. Hazardous

**Polymerization** 

Clethodim is not stable at extreme pH or temperature, or to exposure to UV **Other Information** 

light.





Page: 4 of 5

Infosafe No™ 3NUM7 Issue Date : January 2019 ISSUED by NUFARM

Product Name SEQUENCE

11. Toxicological Information

Acute Toxicity - Oral LD50 (rat) = 1,360mg/kg for clethodim

LD50(rat) = > 5,000mg/kg for clethodim Acute Toxicity -

Dermal

Acute Toxicity -LC50(rat, 4hr) = >3.9mg/L total aerosol for clethodim

Inhalation

Amounts swallowed incidental to normal handling procedures and use are not Ingestion

expected to cause injury.

If aspirated into the lung, e.g. from vomiting, the presence of solvent may

result in chemical pneumonitis or other lung damage.

High vapour concentrations of the solvent while handling the concentrate are Inhalation

irritating to the eyes and the respiratory tract, may cause headaches and

dizziness, and may have other central nervous system effects.

Will irritate the skin. Skin

Prolonged contact with the concentrate can cause defatting of the skin and

may result in dermatitis.

Will irritate the eyes. Eye

The degree of the injury will depend on the amount of material that gets into

the eye and the speed and thoroughness of the first aid treatment. Symptoms

may include pain, tears, swelling, redness, and blurred vision. Not a sensitiser in the Buehler Guinea pig sensitisation test.

Data indicates no carcinogenic effects. Carcinogenicity

Reproductive

**Skin Sensitisation** 

No such effects have been observed in the absence of maternal toxicity.

**Toxicity Chronic Effects** 

Chronic exposure can cause damage to the liver.

Increased liver weights and anaemia have been observed in animals exposed to

clethodim technical.

Serious eye

The product is an eye irritant.

damage/irritation Mutagenicity

The weight of evidence indicates that clethodim does present a mutagenic risk.

The product is a skin irritant. Skin

corrosion/irritation

Subchronic/Chronic

Target organ toxicant = liver

Toxicity

**Other Information** The Australian Acceptable Daily Intake (ADI) for clethodim for a human is 0.01

mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 1 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left($ species. (Ref: Comm. Dept. of Health and Ageing, Office of Chemical Safety,

'ADI List', December 2014).

12. Ecological information

Avoid contamination of any water supply with chemical or empty container. **Ecotoxicity** 

Persistence and degradability

In soil, aerobic DT50 1-3 days, Kd 0.08-1.6 (5 soil types)

Bioaccumulative

Not bioaccumulative (clethodim)

**Potential** 

**Short Summary of** Assessment of

In animals, clethodim metabolises to the sulphoxide and sulfone. In plants, clethodim metabolises to the sulphoxide, sulfone and S-methyl sulfoxide.

**Environmental Impact** 

Rainbow trout: 96-hour LC50 = 67 mg/L for clethodim **Acute Toxicity - Fish** Daphnia magna 48-hour EC50 = 120 mg/L for clethodim

Acute Toxicity -Daphnia

Marine diatom: EC50 5d = 33 mg/L for clethodim

Acute Toxicity -Algae

Bobwhite quail oral LD50 = >2,000mg/kg for clethodim Acute Toxicity -Mallard duck (dietary) LD50 = >6000ppm for clethodim Other Organisms

Worm LC50 = 454mg/kg soil for clethodim





Page: 5 of 5

Infosafe No™ 3NUM7 Issue Date : January 2019 ISSUED by NUFARM

Product Name SEQUENCE

Bees: LD50 (contact) >100µg/bee for Clethodim

### 13. Disposal considerations

**Product Disposal** Dispose of product only by using according to the label, or at an approved

landfill.

Triple rinse empty container and add rinsate to the spray tank. Recycle empty **Container Disposal** 

container. Otherwise crush and bury in a suitable landfill.

### 14. Transport information

It is good practice not to transport agricultural chemical products with **Transport** 

Information food, food related materials and animal feedstuffs.

Other Information Do not carry more than 1L of SEQUENCE on a passenger service vehicle.

> Segregation: Check the latest Land Transport Rule Dangerous Goods Rule 45001 for additional information. Sea transport may require additional segregation.

Refer NZS5433 sea segregation for details.

## 15. Regulatory information

Registered pursuant to the ACVM Act 1997, No. P8239 National and or International See www.foodsafety.govt.nz for registration conditions

Approved pursuant to the HSNO Act 1996, Approval Code HSR100460 Regulatory

See www.epa.govt.nz for approval controls. Information

WARNING - combustible liquid Packaging &

 ${\tt HARMFUL} \ {\tt * CORROSIVE * ECOTOXIC - keep out of reach of children}$ Labelling

NFPA/HMIS: 3-2-1 **Hazard Rating** 

Systems

#### 16. Other Information

Contact Person/Point IN AN EMERGENCY, DIAL 111 - FIRE OR POLICE

24Hr Tollfree Emergency No: 0800 651 911

24Hr Emergency No: National Poisons Centre Phone: 0800 764 766

New claim for fodder beet, sugar beet, orchards and vineyards have been added Revisions

to section 1 of the SDS. Highlighted

Supersedes SDS issued April 2016 Other Information

... End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.