



Page: 1 of

Infosafe No™ 3NUJ2 Issue Date: February 2019 ISSUED by NUFARM

Product Name ADMIRAL®

1. Identification

**GHS Product** 

**Identifier** 

02017 **Product Code** 

Insect Growth Regulator **Product Type** 

**ADMIRAL®** 

Nufarm NZ **Company Name** 

Address 6 Manu Street, Otahuhu

Auckland 2024 New Zealand

Tel: 0-9-270 4150

Telephone/Fax

Number

**Emergency phone** 

0800 651 911

number

nzinfo@nufarm.com **Email** 

Recommended use of the chemical and restrictions on use

A selective insect growth regulator for the control of whitefly on greehouse

tomatoes and greenhouse cucumbers.

This SDS describes, to the best of our knowledge, the properties of the Other Information

concentrated product. The physical properties and some of the assessments do not apply to the properties of the product once it has been diluted for application. Acute health effects of the diluted product are likely to be

much less severe.

#### 2. Hazard Identification

statement - Response

Signal Word (s) DANGER

Hazard Statement (s) H227 Combustible liquid

H303 May be harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H410 Very toxic to aquatic life with long lasting effects.

P101 If medical advice is needed, have product container or label at hand. General

P102 Keep out of reach of children. **Precautionary** 

P103 Read label before use. Statement (s)

Pictogram (s) Exclamation mark, Health hazard, Environment,







P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. **Precautionary** P264 Wash hands, gloves, goggles and contaminated clothing thoroughly after statement handling. Prevention

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Precautionary

P302+P352 IF ON SKIN: Wash with plenty of soap and water. P332+P313 If skin irritation occurs: Get medical advice/attention.

P370+P378 In case of fire: Use water fog, foam, carbon dioxide or dry chemical

for extinction.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P331 Do NOT induce vomiting.

P362 Take off contaminated clothing and wash before reuse.

P391 Collect spillage.

P403+P235 Store in a well-ventilated place. Keep cool. **Precautionary** 

P405 Store locked up. statement - Storage

P501 Dispose of contents/container only by using according to the label or at **Precautionary** an approved landfill. Do not burn. statement - Disposal

3.1D combustible liquid, 6.1E acute toxicant, 6.3A skin irritant, 9.1A aquatic Other Information

toxicant





Page: 2 of 6

Infosafe No™ 3NUJ2 Issue Date : February 2019 ISSUED by NUFARM

Product Name ADMIRAL®

3. Composition/information on ingredients Liquid

Characterization

Chemical

Ingredients Name CAS Proportion

> Pyriproxyfen 95737-68-1 100 g/L 112-62-9 < 30% Emery Ingredients determined To volume

to be non-hazardous

Aromatic hydrocarbon 64742-94-5 300-600q/L

solvent.

4. First-aid measures

For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a First Aid Measures

doctor immediately. Begin artificial respiration if the victim is not breathing. Use mouth-to-nose rather than mouth-to mouth. Obtain medical

attention.

Remove patient to fresh air. Lay down and keep warm and rested. If breathing Inhalation

is shallow or has stopped ensure airway is clear and apply resuscitation.

Seek medical assistance immediately.

Never give anything by mouth to an unconscious person. If swallowed do NOT Ingestion

induce vomiting. For advice, contact the National Poisons Centre (0800 764

766). Seek medical assistance immediately.

Immediately flush body and clothes with large amounts of water. Remove Skin

contaminated clothing and footwear. Wash affected areas with soap and water.

If a large area is affected seek medical assistance.

Flush eyes with plenty of water for 15 minutes holding eyelids open if Eye contact

necessary. Seek medical assistance.

Facilities storing or utilizing this material should be equipped with an First Aid Facilities

eyewash facility and safety shower.

Treat symptomatically. Advice to Doctor

If ingested, probable mucosal damage may contraindicate the use of gastric lavage. This product contains a light hydrocarbon liquid; ingestion or subsequent vomiting can result in aspiration of this product, which can cause

pneumonitis.

5. Fire-fighting measures

Water fog, foam, carbon dioxide or dry chemical. Suitable

extinguishing media

Do not use water in a jet. Unsuitable

**Extinguishing Media** 

On burning may emit fumes which are toxic and/or irritating. Hazards from

Normal combustion forms carbon dioxide, water vapour and may produce oxides of

Combustion

Incomplete combustion can produce carbon monoxide. **Products** 

**Special Protective** 

**Equipment for fire** 

fighters Specific Methods Full protective clothing and self-contained breathing apparatus.

Do not allow washings to reach sewage or effluent systems.

Keep up wind. Keep containers cool with water spray.

2.7 **Hazchem Code** 

Not available. **Decomposition Temp.** 

Location Certificate: Not applicable Other Information

Hazardous Atmosphere Zone: Not applicable

Number of Fire Extinguishers: 2 for 500L or more

6. Accidental release measures

Wear protective clothing. Clear area of unprotected personnel. Eliminate all Spills & Disposal

ignition sources and naked lights. Use non-sparking utensils. Contain spill and absorb with sand, soil or absorbent granules. If spill does enter waterways contact the local authority. Collect in an appropiate sealable container for

disposal in an approved landfill.

Prevent materials from coming into contact with Class 1,2,3.2,4 or 5

substances.





Page: 3 of 6

Infosafe No™ 3NUJ2 Issue Date : February 2019 ISSUED by NUFARM

Product Name ADMIRAL®

Wash area with water and detergent and absorb with inert material. Dispose of

waste safely in an approved landfill.

For appropriate personal protective equipment (PPE), refer Section 8. Personal Protection

Environmental Precautions

Prevent from entering drains, waterways or sewers.

### 7. Handling and storage

#### **Precautions for Safe** Handling

Do not handle until all safety precautions have been read and understood. The person mixing or applying Admiral must be a 'Qualified Contractor' or a 'Qualified Person'. The spray mixture may also be prepared by a 'Qualified

Loader'. It is the duty of the PCBU that a person who uses,

handles, manufactures or stores a hazardous substance (including hazardous waste) is provided information, instruction and training in accordance with Regulation 4.5 of the Health and Safety at work (Hazardous Substances)

Regulations 2017.

Avoid skin and eye contact and inhalation of spray mist.

CERTIFIED HANDLER: Not required

This product may only be applied in greenhouses.

Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

Do not apply directly onto or into water.

TRACKING: Is not required.

RECORD KEEPING: Records of use as described in NZS 8409 Management of Agrichemicals must be kept if 3L or more is applied within 24 hours.

#### Conditions for safe storage, including any incompatabilities

Keep out of reach of children. Do not store near heat or flame.

Store in original container tightly closed, in a well-ventilated area, as cool as possible, away from sources of ignition and foodstuffs. Do not store for prolonged periods in direct sunlight. Store in accordance with NZS 8409

Management of Agrichemicals.

Do not store with HSNO Class 1,2,3.2,4 or 5 substances.

Stores containing 100L of ADMIRAL require secondary containment and are subject to signage, and more than 100L requires emergency response plans. Stores containing 500L must have at least 2 fire extinguishers.

Aggregate storage volume thresholds:

When stored with substances of the same hazard classification the aggregate quantity must be considered. For full details refer to the current NZS8409 Managemnet of Agrichemicals and the HSNO Regulations.

### 8. Exposure controls/personal protection

Occupational exposure limit values

Other Information

No exposure limits (WES, TEL or EEL's) have been specifically assigned for this product. WES TWA for Emery = 10mg/m<sup>3</sup>

**Appropriate** engineering controls **Personal Protective** 

**Equipment** 

Handle in well ventilated areas, generally natural ventilation is adequate.

When opening the container, preparing spray and using the prepared spray wear safety goggles, waterproof gloves, washable hat, cotton overalls buttoned to the neck and wrist, a NIOSH approved half face mask boots, and

with organic vapour cartridge + dust/mist prefilter.

**Hygiene Measures** Do not eat drink or smoke while using.

Remove protective clothing and wash hands and face thoroughly before meals and

after work. Wash protective clothing daily after work. Wash splashes of

concentrate from skin immediately.

#### 9. Physical and chemical properties

Liquid Form

Appearance Pale yellow to clear liquid

Mild aromatic odour Odour

**Decomposition** 

Not available.

**Temperature** 

Not Applicable. **Melting Point Boiling Point** Not available.





Page: 4 of 6

Infosafe No™ 3NUJ2 Issue Date: February 2019 ISSUED by NUFARM

Product Name ADMIRAL®

Solubility in Water Forms an emulsion in water.

0.92g/mL @ 20°C **Specific Gravity** 5.7 (10%v/v)pН

<0.013 mPa (23°C) (for Pyriproxyfen) Vapour Pressure

Vapour Density

Not available.

(Air=1)

18.5 cps Viscosity

Partition Coefficient: Not available.

n-octanol/water

67°C (setaflash cc) Flash Point

Not available **Flammability** Not available. **Auto-Ignition** 

**Temperature** 

Not available. Flammable Limits -

Lower

Not available. Flammable Limits -

Upper

Not available. Kinematic Viscosity

Other Information (EC) Emulsifiable concentrate

10. Stability and reactivity

When stored appropriately this product should show no significant degradation **Chemical Stability** 

for 3 year(s) from the date of manufacture.

Avoid direct sunlight. **Conditions to Avoid** 

Hazardous polymerisation will not occur. Hazardous

**Polymerization** 

11. Toxicological Information

No specific toxicological data is available for this product. **Toxicology** 

for constituents. Information

Acute Toxicity - Oral LD50 (rat, female) is 3,773mg/kg

Acute Toxicity -

LD50 (rabbit) is >2,000mg/kg

Dermal

**Acute Toxicity -**

LC50 (rat) (4hr) is >3.1mg/L - no deaths

Inhalation Ingestion

Due to the low viscosity of the product, it can directly enter the lungs if swallowed (called aspiration). This can occur during the act of swallowing or when vomiting. Once in the lungs, the substance is very difficult to remove

and can cause severe injury to the lungs.

May cause skin irritation. Skin

Non-sensitising. This product did not produce a positive skin sensitisation **Skin Sensitisation** 

reaction in a Buehler Skin Sensitisation Test.

Carcinogenicity Information not available.

Reproductive **Toxicity** 

Pyriproxyfen technical did not produce reproductive toxicity in animal studies. No developmental toxicity was produced in animals exposed, even at doses that were toxic to pregnant animals. This product is not expected to be

a reproductive hazard when used accordling to label directions.

STOT-single Not classified.

exposure

Not classified. STOT-repeated

exposure

Slight irritant. Serious eye

This product produced mild and transient eye irritation in rabbits, which damage/irritation

cleared within 72 hours after treatment.

Information not available. Mutagenicity





Page: 5 of 6

Infosafe  $No^{TM}$  3NUJ2 Issue Date : February 2019 ISSUED by NUFARM

Product Name ADMIRAL®

Skin Moderate irritant (rabbit)

corrosion/irritation Subchronic/Chronic

Toxicity

Studies with pyriproxyfen technical indicated that repeated high exposures produced changes in the liver, kidney and red blood cells but did not produce

cancer in test animals.

This product contains a solvent mixture. Reports have associated repeated and prolonged occupational overexposures to solvents with permanent brain and nervous system damage. Symptoms reported include fatigue, concentration difficulties, anxiety, depression, rapid mood swings and short term memory loss. Since many other diseases cause some or all of these symptoms, a doctor should be consulted in any appear.

Overall, this product is not expected to be a chronic hazard when used

according to the label directions.

#### 12. Ecological information

Persistence and Soil persistant.

degradability

Bioaccumulative
Potential

Bioaccumulative
Log Kow = 5.37

Basis for Assessment Ecotoxicological data have not been determined specifically for this product.

Data below is for the active ingredient unless otherwise stated.

 $\textbf{Acute Toxicity - Fish} \quad \texttt{LC50 (96hr) for carp is 0.45 mg/l for pyriproxyfen.}$ 

**Acute Toxicity -**

LC50(48hr) for daphnia is 0.08mg/l for pyriproxyfen.

Daphnia

Acute Toxicity - EC50(72hr) for green algae (Selenastrum spp) is 0.056 mg/l for pyriproxyfen.

Algae

Acute Toxicity - LD50 for mallard duck and bobwhite quail is >2,000 mg/kg for pyriproxyfen.

Other Organisms

#### 13. Disposal considerations

Product Disposal Dispose of product only by using according to the label, or at an approved

landfill.

Container Disposal Do not burn.

Triple rinse empty container and add rinsate to the spray tank. Recycle empty

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. - (pyriproxyfen, 10%)

container. Otherwise crush and bury in a suitable landfill.

### 14. Transport information

Information food, food related materials and animal feedstuffs.

**U.N. Number** 3082

UN proper shipping

name

Transport hazard

ansport nazaru

class(es)

Hazchem Code 2Z Packaging Method -

Packing Group III

EPG Number -

IERG Number 47

IMO Marine Pollutant Yes. Environmentally Hazardous Substance mark required.

IMDG EMS F-A, S-F

Other Information Do not carry more than 1L of ADMIRAL on a passenger service vehicle.

Segregation: Check the latest Land Transport Rule Dangerous Goods Rule 45001 for additional information. Sea transport may require additional segregation.

Refer NZS5433 sea segregation for details.

### 15. Regulatory information





Page: 6 of 6

Product Name ADMIRAL®

National and or Registered pursuant to the ACVM Act 1997, No. P7660
International See www.foodsafety.govt.nz for registration conditions

Regulatory Approved pursuant to the HSNO Act 1996, Approval Code HSR100004

Information See www.epa.govt.nz for approval controls.

Packaging & WARNING-combustible liquid

Labelling HARMFUL\*ECOTOXIC-keep out of reach of children.

**Hazard Rating** NFPA/HMIS: 2-2-1

**Systems** 

### 16. Other Information

Contact Person/Point IN AN EMERGENCY, DIAL 111 - FIRE OR POLICE

24Hr Tollfree Emergency No: 0800 651 911

24Hr Emergency No: National Poisons Centre Phone: 0800 764 766

**Revisions** The SDS was reviewed to include GHS requirements.

Highlighted

Other Information Supersedes SDS issued March 2015.

...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.