

#### 1. IDENTIFICATION

Product Name Aluminium sulphate

Other Names Aluminium sulfate, hydrate [CAS#17927-65-0]; Aluminium sulphate, hexadecahydrate [CAS#16828-11-8]; Aluminium

sulphate, octadecahydrate [CAS#7784-31-8]; Aluminium sulphate, tetradecahydrate [CAS#16828-12-9]

Uses Water purification; Sewage treatment; Deodoriser and decolouring in petroleum refinery processes; Water proofing

agent for concrete; Sizing paper and pH control; Clarifying agent for fats and oil.

Chemical Family No Data Available

Chemical Formula Al2(SO4)3

Chemical NameAluminium sulfateProduct DescriptionInorganic salt.

## Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Pty Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Pty Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Level 2, No. 8, Jalan Sapir 33/7 Seksyen 33, Shah Alam Premier Industrial Park 40400 Shah Alam Sengalor, Malaysia	+60-3-5614-2111

# **Emergency Contact Details**

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766

#### 2. HAZARD IDENTIFICATION

Poisons Schedule (Aust) Not Scheduled

**Globally Harmonised System** 

Hazard Classification Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of

Chemicals (GHS)

**Hazard Categories** Serious Eye Damage/Irritation - Category 2A





#### **Pictograms**



Signal Word Warning

**Hazard Statements** H319 Causes serious eye irritation.

**Precautionary Statements** Prevention **P280** Wear eye protection/face protection.

Response P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

**P337 + P313** If eye irritation persists: Get medical advice/attention.

#### **Environmental Protection Authority (New Zealand)**

Hazardous Substances and New Organisms Amendment Act 2015

**HSNO Classifications** Health **6.3A** Substances that are irritating to the skin

Hazards

6.1D Substances that are acutely toxic - Harmful
6.4A Substances that are irritating to the eye
8.1A Substances that are corrosive to metals

Environmental **9.1B** Substances that are ecotoxic in the aquatic environment

Hazards

**9.3C** Substances that are harmful to terrestrial vertebrates

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Aluminium sulphate	Al2(SO4)3	10043-01-3	<=100 %

## 4. FIRST AID MEASURES

### Description of necessary measures according to routes of exposure

**Swallowed** IF SWALLOWED: Rinse mouth, then drink 1 - 2 glasses of water. Do NOT induce vomiting. Get immediate medical

advice/attention. Never give anything by mouth to an unconscious person.

Eye IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally

lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15

minutes. Get immediate medical advice/attention.

**Skin** IF ON SKIN: Immediately wash with plenty of soap and water or flush skin with running water for at least 15 minutes.

Take off contaminated clothing and wash before reuse. If skin irritation occurs, get medical advice/attention.

Inhaled IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a Poison Centre

or doctor/physician if you feel unwell. Apply resuscitation if victim is not breathing - Administer oxygen if breathing is

difficult.

Advice to Doctor

Treat symptomatically. Ensure that attending medical personnel are aware of the identity and nature of the product(s)

involved, and take precautions to protect themselves.

**Medical Conditions Aggravated** 

by Exposure

No information available.



#### 5. FIRE FIGHTING MEASURES

General Measures If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is

out. Avoid getting water inside containers - The solid may corrode metals in presence of moisture.

**Flammability Conditions** Non-combustible. Material itself does not burn.

Extinguishing Media If material is involved in a fire, use extinguishing measures that are appropriate to local circumstances and the

Gives off irritating or toxic fumes (or gases) in a fire.

surrounding environment.

Fire and Explosion Hazard

**Hazardous Products of** 

Combustion

Decomposes on heating, emitting toxic fumes, including Sulphur oxides and Aluminium oxides.

**Special Fire Fighting** 

Instructions

Prevent fire extinguishing water from contaminating surface water or the ground water system.

Personal Protective Equipment Wear self-contained breathing apparatus (SCBA) and chemical splash suit. SCBA and structural firefighter's uniform

may provide limited protection.

Flash Point

No Data Available
Lower Explosion Limit

No Data Available
Upper Explosion Limit

No Data Available
Auto Ignition Temperature

No Data Available
Hazchem Code

No Data Available

## 6. ACCIDENTAL RELEASE MEASURES

General Response Procedure Ensure adequate ventilation. Do not touch or walk through spilled material. Avoid breathing dust and contact with

eyes, skin and clothing

Clean Up Procedures Sweep up and shovel into suitable, cleand and dry, labelled containers for disposal (see SECTION 13). Take up dry.

Prevent dispersion of dust!

**Containment** Stop leak if safe to do so - Prevent entry into waterways, drains or confined areas. Cover with plastic sheet to prevent

spreading or contact with rain.

**Decontamination** Clean contaminated surface thoroughly.

**Environmental Precautionary** 

Measures

Prevent entry into waterways and drains.

**Evacuation Criteria** Spill or leak area should be isolated immediately. Keep unauthorised personnel away.

**Personal Precautionary** 

Measures

Use personal protective equipment as required, incl. particulate filter respirator adapted to the airborne concentration

of the substance (see SECTION 8).

### 7. HANDLING AND STORAGE

Handling Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure

adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Avoid generating dust. Avoid breathing dust/spray mist and contact with eyes, skin and clothing. Do not ingest. Use personal protective

equipment as required (see SECTION 8).

Storage Storage Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed when not in use.

Protect from moisture. Keep away from heat and sources of ignition - No smoking. Keep away from foodstuffs and

incompatible materials (see SECTION 10). Store locked up.

**Container** Keep in the original container.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General No specific exposure standards are available for this product. For Aluminium, soluble salts (as Al):

- Safe Work Australia Exposure Standard: TWA = 2 mg/m3

- New Zealand Workplace Exposure Standard [Next review 2022]: TWA = 5 mg/m3



**Exposure Limits**No Data Available **Biological Limits**No information available.

Engineering Measures Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below

recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit. Technical measures and appropriate working operations should be

given priority over the use of personal protective equipment.

Personal Protection Equipment - Respiratory protection: Wear respiratory protection under conditions where exposure to the substance is apparent

(e.g. generation of high concentration of dust (dust clouds), inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. Recommended: Dust mask or respirator with dust filter (refer to

AS/NZS 1715 & 1716).

- Eye/face protection: Wear appropriate eye protection to prevent eye contact. Recommended: Goggles or Safety glasses with side-shields; and face shield (when eye/face contact is possible due to splashing or spraying of material).

- Hand protection: Wear protective gloves. Recommended: Appropriate chemical-resistant gloves, e.g. Nitrile rubber.
 - Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Long

sleeved clothing; Chemical resistant apron. Protective clothing needs to be selected specifically for the workplace,

depending on concentrations and quantities of the hazardous substance handled.

Special Hazards Precaustions No inf

No information available.

**Work Hygienic Practices** 

Do not eat, drink or smoke when using this product. Wash hands after working with substance. Take off

contaminated clothing and wash before reuse.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Solid

**Appearance** Powder or granules, flake

**Odour** Odourless

ColourWhite to brownishpH>3 (1% sol. @ 27 °C)Vapour PressureNo Data AvailableRelative Vapour DensityNo Data AvailableBoiling PointNo Data AvailableMelting Point770 °C (decomposes)Freezing PointNo Data Available

**Solubility** Soluble in water (87 g/100 cc) 27°C

Specific GravityNo Data AvailableFlash PointNo Data AvailableAuto Ignition TempNo Data AvailableEvaporation RateNo Data AvailableBulk Density920 kg/m3 (Powder)Corrosion RateNo Data Available

**Decomposition Temperature** 770 °C

No Data Available Density **Specific Heat** No Data Available **Molecular Weight** No Data Available **Net Propellant Weight** No Data Available **Octanol Water Coefficient** No Data Available **Particle Size** No Data Available **Partition Coefficient** No Data Available Saturated Vapour Concentration No Data Available Vapour Temperature No Data Available **Viscosity** No Data Available Volatile Percent No Data Available VOC Volume No Data Available

**Additional Characteristics** HYGROSCOPIC - Absorbs moisture/water from surrounding air.



**Potential for Dust Explosion** 

Fast or Intensely Burning

No information available. No information available.

Characteristics

Flame Propagation or Burning Rate of Solid Materials

No information available.

**Non-Flammables That Could** Contribute Unusual Hazards to a

Non-combustible; Material itself does not burn.

**Properties That May Initiate or** Contribute to Fire Intensity

Dissolves in water with evolution of heat; Creates acidic solutions.

**Reactions That Release Gases** 

or Vapours

Decomposes on heating, emitting toxic fumes, including Sulphur oxides and Aluminium oxides.

Release of Invisible Flammable Vapours and Gases

No information available.

## 10. STABILITY AND REACTIVITY

**General Information** Releases water of crystallization when heated. Aqueous solutions of ALUMINUM SULFATE are acidic. The solid may

corrode metals in presence of moisture.

**Chemical Stability** Stable under recommended storage conditions.

Conditions to Avoid Avoid generating dust. Avoid exposure to air/moisture.

**Materials to Avoid** Incompatible/reactive with strong bases, chlorites, hypochlorites, carbides, water, metals. Attacks many metals in the

presence of water!

**Hazardous Decomposition** 

**Products** 

Decomposes on heating, emitting toxic and corrosive fumes, including Sulphur oxides and Aluminium oxides.

**Hazardous Polymerisation** Hazardous polymerization does not occur.

## 11. TOXICOLOGICAL INFORMATION

#### General Information

- Acute toxicity: Low toxicity. Swallowing may cause irritations of mucous membranes in the mouth, pharynx, esophagus and gastrointestinal tract.
- Skin corrosion/irritation: Slight irritation (Rabbit) [OECD Guideline 404].
- Eye damage/irritation: Causes serious eye irritation [NICNAS assessment Aluminum sulfates (single and double salts)].
- Respiratory/skin sensitisation: The available data do not provide any evidence of skin sensitisation [NICNAS].
- Germ cell mutagenicity: The weight of evidence does not support classification for genotoxicity [NICNAS].
- Carcinogenicity: The available data do not support classification as a carcinogen [NICNAS]
- Reproductive toxicity: Neurodevelopmental effects have been observed in rats and mice at doses of 103 330 mg Al/kg bw/day, equivalent to 652 - 2090 mg Aluminium sulfate (CAS No. 10043-01-3).
- STOT (single exposure): The substance or mixture is not classified as specific target organ toxicant, single exposure. Inhalation of dust in high concentration may cause irritation of respiratory system.
- STOT (repeated exposure): The substance or mixture is not classified as specific target organ toxicant, repeated exposure. Results from human and animal studies suggest that the respiratory tract, particularly the lung, is a sensitive target of airborne aluminium toxicity (soluble and insoluble forms). The lung effects observed in humans and animals are suggestive of dust overload. In addition, neurotoxicity is a well-documented effect of aluminium in orallyexposed mice and rats. Although the neurotoxicity of aluminium has not been established in humans with normal renal function, the available data establish that the human nervous system is susceptible to aluminium toxicity [NICNAS]
- Aspiration toxicity: Based on available data the classification criteria are not met.

Acute

Ingestion Acute toxicity (Oral):

- LD50, Rat: >2,000 mg/kg

Carcinogen Category None

## 12. ECOLOGICAL INFORMATION



**Ecotoxicity** Toxicity to fish:

- LC50, Pimephales promelas (fathead minnow): 36.1 mg/l (96 h).

Persistence/Degradability No information available.

Mobility No information available.

**Environmental Fate** Prevent entry into waterways and drains.

Bioaccumulation Potential No information available.

Environmental Impact No Data Available

### 13. DISPOSAL CONSIDERATIONS

General Information Dispose of contents/container in accordance with local/regional/national regulations. DO NOT flush to surface water

or sanitary sewer system.

Special Precautions for Land Fill No information available.

## 14. TRANSPORT INFORMATION

## Land Transport (New Zealand)

NZS5433

Proper Shipping NameAluminium sulphateClassNo Data AvailableSubsidiary Risk(s)No Data AvailableUN NumberNo Data Available

HazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

# Sea Transport

**IMDG** Code

**Proper Shipping Name** Aluminium sulphate Class No Data Available Subsidiary Risk(s) No Data Available **UN Number** No Data Available Hazchem No Data Available **Pack Group** No Data Available **Special Provision** No Data Available **EMS** No Data Available

Marine Pollutant No.

**Comments** NON-DANGEROUS GOODS: Not regulated for SEA transport.

Air Transport

IATA DGR

Proper Shipping NameAluminium sulphateClassNo Data Available



Subsidiary Risk(s)No Data AvailableUN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data Available

**Comments** NON-DANGEROUS GOODS: Not regulated for AIR transport.

### 15. REGULATORY INFORMATION

General InformationNo Data AvailablePoisons Schedule (Aust)Not Scheduled

# **Environmental Protection Authority (New Zealand)**

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code HSR004337

## National/Regional Inventories

Australia (AICS) Listed

Canada (DSL) Not Determined

Canada (NDSL) Not Determined

China (IECSC) Not Determined

**Europe (EINECS)** Not Determined

**Europe (REACh)** Not Determined

Japan (ENCS/METI) Not Determined

**Korea (KECI)** Not Determined

Malaysia (EHS Register) Not Determined

New Zealand (NZIoC) Listed

Philippines (PICCS) Not Determined

Switzerland (Giftliste 1) Not Determined

Switzerland (Inventory of Notified

Substances)

Not Determined

Taiwan (NCSR) Not Determined

**USA (TSCA)** Not Determined

## **16. OTHER INFORMATION**

**Related Product Codes** ALSULP1000, ALSULP1001, ALSULP1002, ALSULP1003, ALSULP1004, ALSULP1005,

ALSULP1006, ALSULP1007, ALSULP1008, ALSULP1009, ALSULP1010, ALSULP1011, ALSULP1012,



ALSULP1013, ALSULP1014, ALSULP1015, ALSULP1016, ALSULP1100, ALSULP1200, ALSULP1250, ALSULP1251, ALSULP1300, ALSULP1400, ALSULP1500, ALSULP1600, ALSULP1800, ALSULP1801, ALSULP1802, ALSULP1803, ALSULP1804, ALSULP1805, ALSULP1806, ALSULP2000, ALSULP2040, ALSULP2100, ALSULP2200, ALSULP2201, ALSULP2022, ALSULP2203, ALSULP2205, ALSULP2210, ALSULP2211, ALSULP2212, ALSULP2213, ALSULP2300, ALSULP2310, ALSULP2400, ALSULP2410, ALSULP2411, ALSULP2500, ALSULP2501, ALSULP3000, ALSULP3100, ALSULP3200, ALSULP3500, ALSULP3700, ALSULP3701, ALSULP3702, ALSULP3711, ALSULP3500, ALSULP3550, ALSULP3700, ALSULP3701, ALSULP3701, ALSULP3701, ALSULP3701, ALSULP5201, ALSULP5203, ALSULP5000, ALSULP5100, ALSULP5101, ALSULP5105, ALSULP5200, ALSULP5201, ALSULP5205, ALSULP5300, ALSULP5400, ALSULP5500, ALSULP5000, ALSULP5000, ALSULP6000, ALSULP6000, ALSULP6000, ALSULP6000, ALSULP6000, ALSULP6001, ALSULP8031, ALSULP8031, ALSULP8040, ALSULP8081, ALSULP9001, ALSULP9010, ALSULP9011, ALSULP9000, ALSULP9310, ALSULP9311

Revision

Revision Date 01 Apr 2020

Reason for Issue Updated SDS

Key/Legend < Less Than
> Greater Than

**AICS** Australian Inventory of Chemical Substances

atm Atmosphere

CAS Chemical Abstracts Service (Registry Number)

cm² Square CentimetresCO2 Carbon Dioxide

**COD** Chemical Oxygen Demand **deg C (°C)** Degrees Celcius

EPA (New Zealand) Environmental Protection Authority of New Zealand

deg F (°F) Degrees Farenheit

**g** Grams

g/cm³ Grams per Cubic Centimetre

g/I Grams per Litre

**HSNO** Hazardous Substance and New Organism **IDLH** Immediately Dangerous to Life and Health **immiscible** Liquids are insoluable in each other.

inHg Inch of Mercury inH2O Inch of Water

**K** Kelvin

kg Kilogram

kg/m³ Kilograms per Cubic Metre

**Ib** Pound

**LC50** LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours. **LD50** LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.

Itr or L Litre

m³ Cubic Metre

mbar Millibar

mg Milligram

mg/24H Milligrams per 24 Hours mg/kg Milligrams per Kilogram mg/m³ Milligrams per Cubic Metre

Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present.

mm Millimetre

mmH2O Millimetres of Water mPa.s Millipascals per Second

N/A Not Applicable

NIOSH National Institute for Occupational Safety and Health NOHSC National Occupational Heath and Safety Commission OECD Organisation for Economic Co-operation and Development

Oz Ounce

**PEL** Permissible Exposure Limit

Pa Pascal

**ppb** Parts per Billion**ppm** Parts per Million

**ppm/2h** Parts per Million per 2 Hours **ppm/6h** Parts per Million per 6 Hours

**psi** Pounds per Square Inch

R Rankine

RCP Reciprocal Calculation Procedure STEL Short Term Exposure Limit TLV Threshold Limit Value

tne Tonne

TWA Time Weighted Average ug/24H Micrograms per 24 Hours



**UN** United Nations **wt** Weight

