Page 1 of 8 Version: 6 / 21 April 2020

SAFETY DATA SHEET

Section 1: IDENTIFICATION

Product Name: BRAVO WeatherStik

Design Code: A12531M **Recommended Use: Fungicide**

Company Details: Syngenta Crop Protection Limited Address: Tower II, Level 7, 110 Symonds Street

> Private Bag 92618, **Symonds Street AUCKLAND NEW ZEALAND**

Telephone number: (weekdays) 09 306 1500 **Emergency Telephone number:** (24 Hours) 0800 734 607

National Poisons & Hazchem

Information Centre: 0800 POISON (0800 764 766)

Section 2: HAZARDS IDENTIFICATION

Hazard classification: 6.1B, 6.3B, 6.5B, 6.7B, 6.9A, 8.3A, 9.1A, 9.2C, 9.3B

Priority Identifier: DANGER

KEEP OUT OF REACH OF CHILDREN

Secondary Identifiers: 6.1B = May be fatal if inhaled.

6.3B = Causes skin irritation.

6.5B = May cause an allergic skin reaction.

6.7B = May cause cancer.

6.9A = May cause kidney damage from repeated oral exposure at

high doses.

8.3A = Causes serious eye damage. 9.1A = Very toxic to aquatic life. 9.2C = Harmful to the soil environment. 9.3B = Toxic to terrestrial vertebrates.

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

Mixture:				
Chemical Identity of ingredients:				
Ingredient	CAS no.	Content (% w/v)		
Chlorothalonil	1897-45-6	72		
other ingredients determined not to be hazardous	-	to 100%		

Section 4: FIRST AID MEASURES

Description of First Aid measures:

General Advice: For advice contact the National Poisons Centre on 0800 POISON

> (0800 764 766) or a doctor immediately. Begin artificial respiration if the victim is not breathing. Use mouth to nose rather than mouth to

mouth. Obtain medical attention.

If inhaled: Move the victim to fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Keep patient warm and at rest.

Call a Doctor or the National Poisons Centre immediately.

In case of skin contact:Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a doctor. Wash contaminated clothing before re-use.

In case of eye contact: Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes.

Remove contact lenses (if present). Immediate medical attention is required.

If swallowed: If swallowed seek medical advice immediately and show the container

or label.

DO NOT induce vomiting.

Important symptoms and effects, both acute and delayed:

Symptoms:

No information available.

Indication of any immediate medical attention and special treatment needed:

No specific antidote is available. If poisoning is suspected apply

symptomatic therapy.

Section 5: FIRE-FIGHTING MEASURES

Extinguishing media:

Suitable extinguishing media: Small fires:

Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide. Large Fires:

Alcohol resistant foam or water spray.

Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture:

Specific hazards during fire-

fighting:

As the product contains combustible organic components, fire will

produce dense black smoke containing hazardous products of

combustion (see section 10)

Exposure to decomposition products may be a hazard to health.

Advice for firefighters:

Special protective equipment for

firefighters:

Wear full protective clothing and self-contained breathing apparatus.

Hazchem Code: 2X

Further information: Do not allow run-off from fire fighting to enter drains or water courses.

Cool closed containers exposed to fire with water spray.

Section 6: ACCIDENTIAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Refer to protective measures listed in Sections 7 and 8.

Environmental Precautions:

Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform respective

authorities.

Methods and material for containment and cleaning up:

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see

section 13).

Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

Reference to other sections: Refer to disposal considerations listed in Section 13.

Refer to protective measures listed in sections 7 and 8.

Section 7: HANDLING AND STORAGE

Precautions for Safe handling:

Advice on safe handling: No special protective measures against fire required.

Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.

Conditions for safe storage, including any incompatibilities:

Requirements for storage area

and containers:

No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

Specific end use(s)

Specific use(s)

For proper and safe use of this product, please refer to the approval

conditions laid down on the product label.

Section 8: EXPOSURE CONTROL / PERSONAL PROTECTION

Contro	Paran	neters
--------	-------	--------

Occupational Exposure Limits:

Components	CAS No	Value type (form of exposure)	Control parameters	Basis
Chlorothalonil	1897-45-6	TWA	0.1 mg/m ³	Syngenta

Exposure controls

Engineering measures: Containment and/or segregation is the most reliable technical

protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in

use.

Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

Personal Protective Protection:

Eye protection: Always wear eye protection when the potential for inadvertent eye

contact with the product cannot be excluded.

Tightly fitting safety goggles

Face-shield

Hand protection:

Material: Impervious, such as nitrile rubber.

Break through time: >480 min Glove thickness: 0.5 mm

Remarks: Wear protective gloves. The choice of an appropriate glove does not

only depend on its material but also on other quality features and is

different from one producer to the other.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin and body protection: Choose body protection in relation to its type, to the concentration and

amount of dangerous substances, and to the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate: Impervious clothing.

Respiratory protection: When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Suitable respiratory equipment: Respirator with a half face mask

The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

Filter type: Particulates type (P)

Protective measures: The use of technical measures should always have priority over the

use of personal protective equipment.

When selecting personal protective equipment, seek appropriate

professional advice.

Personal protective equipment should be certified to appropriate

standards.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties:

Appearance:Liquid, viscousColour:Light greyOdour:Slightly pungent

Odour threshold: No data

pH value 6.5 – 9.5, concentration: 1 % w/v

Melting point / freezing point: -5°C Initial boiling point and boiling range: >100°C Flash point: Does not flash

Flammability: Not classified as a flammability hazard

Upper flammability / explosive limits:

Lower flammability / explosive limits

No data

Vapour pressure:

Vapour Density:

No data

No data

No data

1.325 g/cm³

Solubility in other solvents: Not soluble in water. Forms suspension.

Partition co-efficient: n-octanol / water: log Pow: 2.94 (25 °C)

Autoignition temperatureNo dataDecomposition temperature:No dataDynamic viscosity:No dataExplosive properties:Not explosive

Oxidising properties: The substance or mixture is not classified as oxidizing

Surface tension:No dataMinimum ignition energy:No data

Section 10: STABILITY AND REACTIVITY

Reactivity:

See Section: "Possibility of Hazardous Reactions".

Chemical Stability:

The product is stable when used in normal conditions.

Possibility of Hazardous Reactions:

Hazardous reactions: No dangerous reaction known under conditions of normal use.

Conditions to Avoid

No decomposition if used as directed.

Incompatible Materials:

Materials to avoid: None known

Hazardous Decomposition Products:

Combustion or thermal decomposition will evolve toxic and irritant vapours.

Section 11: TOXICOLOGICAL INFORMATION

HSNO Classifications:

6.1B = May be fatal if inhaled

6.3B = Causes mild skin irritation

6.5B = May cause allergic skin reaction

6.7B = May cause cancer

6.9A = May cause kidney damage from repeated oral exposure at high doses.

8.3A= Causes serious eye damage

Acute toxicity (Similar product)

Swallowed: LD_{50} > 2,000 mg/kg (Rat)

Dermal absorption: LD_{50} > 2,000 mg/kg (Rat)

Inhaled: LC_{50} (4 h) 0.86 - 1.5 mg/L (Rat)

Aspiration hazard:

Respiratory irritation:

Skin corrosion / irritation:

Eye damage / irritation:

Not classified

Not classified

IRRITANT (rabbit)

Respiratory or Skin

Sensitisation:

SKIN SENSITISER (guinea pigs)

Chronic / Long Term Effects (active ingredient)

Germ cell mutagenicity: Animal testing did not show any mutagenic effects.

Carcinogenicity: Chlorothalonil causes kidney tumours in rats and mice via a non-gentoxic mode of

action secondary to target organ toxicity.

Limited evidence of carcinogenicity in animal studies.

Reproductive toxicity: No toxicity to reproduction.

Specific Organ toxicity: Single exposure:

The substance or mixture is classified as specific target organ toxicant, single

exposure, (GHS category 3) with respiratory tract irritation.

Repeated exposure: Target Organs: Kidney

The substance or mixture is classified as specific target organ toxicant, repeated exposure, Class 6.9A. May cause kidney damage from repeated oral exposure at

high doses.

Narcotic Effects: Not classified

Section 12: ECOLOGICAL INFORMATION

HSNO Classifications:

9.1A = Very toxic to aquatic life.

9.2C = Harmful to the soil environment. 9.3B = Toxic to terrestrial vertebrates.

Ecotoxicity Effects - Aquatic (similar product)

Acute toxicity to fish: LC₅₀ (96h) = 0.061 mg/L (Oncorhynchus mykiss (rainbow trout))

Toxicity to daphnia and other

aquatic invertebrates:

Toxicity to algae:

EC₅₀ (48h) = 0.18 mg/L (Daphnia magna (water flea))

algae))

Ecotoxicity Effects – Terrestrial (active ingredient)

Toxicity to Birds: LD_{50} (8 d) = >4640 mg/kg (mallard duck)

8 day dietary LC₅₀ = >10,000 mg/kg (bobwhite quail and mallard

E_rC₅₀ (72 h)= 0.24 mg/L (*Pseudokirchneriella subcapitata* (green

duck)

Toxicity to soil dwelling organisms: LC_{50} (14 days) = >404 mg/kg (earthworms)

Toxicity to Bees: LD₅₀ (48 h, oral) = >63 μ g/bee

 LD_{50} (48 h, contact) = >101 µg/bee

Persistence and degradability:

Biodegradability: Biodegrades

Stability in water: Degradation half-life (DT₅₀): <5 d (20°C)

Not persistent in water.

Bioaccumulative potential:

Bioaccumulation: Low bioaccumulation potential.

Mobility in soil:

Distribution among environmental

compartments: Chlorothalonil has low to slight mobility in soil.

Stability in soil: DT₅₀: 7 d

Percentage dissipation: 50%

Not persistent in soil.

Other adverse effects:

Results of PBT and vPvB assessment (product):

This substance/mixture contains no components considered to be persistent, bioaccumulating and toxic (PBT). This substance is not

considered to be very persistent and very bioaccumulating (vPvB)

at levels of 0.1% or higher.

Section 13: DISPOSAL CONSIDERATIONS

Product Disposal: DO NOT contaminate ponds, waterways or ditches with chemical or

used containers. DO NOT dispose of waste into sewer. Dispose of this product only by using according to the label. Otherwise, dispose of waste at an approved landfill or other approved facility that will ensure the substance does not exceed the tolerable exposure limit (TEL) or environmental exposure limit (EEL), where relevant, or will treat the

substance so that it is rendered no longer hazardous.

Container Disposal: Ensure the container is empty. Triple rinse empty container and add

rinsate to the spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise crush and bury in a suitable landfill. DO NOT reuse this container for any other purpose.

Section 14: TRANSPORT INFORMATION

Rail / Road (NZS 5433) UN-No: 3082 9 Class:

Ш Packaging Group:

Proper shipping name: **ENVIRONMENTALLY HAZARDOUS**

SUBSTANCE, LIQUID, N.O.S.

(Chlorothalonil)

Sea (IMDG-Code) 3082 UN-No:

Class: 9 Packaging Group: Ш

ENVIRONMENTALLY HAZARDOUS Proper shipping name:

SUBSTANCE, LIQUID, N.O.S.

(Chlorothalonil)

F-A, S-F EmS Code: MARINE POLLUTANT: Yes

Air (IATA) UN-No: 3082

> Class: 9 Packaging Group: Ш

Proper shipping name: **ENVIRONMENTALLY HAZARDOUS**

SUBSTANCE, LIQUID, N.O.S.

(Chlorothalonil)

Packing instruction: 964 (cargo and passenger aircraft) Packing instruction (LQ): Y964 (cargo and passenger aircraft)

Section 15: REGULATORY INFORMATION

HSNO Approval Number: HSR000670

Tolerable Exposure Limit or

Environmental Exposure Limit: No TEL or EEL values are set for this substance at this time

Required Regulatory Controls:

Certified handler: Yes Tracking: Yes

Record Keeping: Yes, 9.1A substance

ACVM Registration: P 7065

ACVM Controls: See <u>www.foodsafety.govt.nz/industry/acvm</u> for registration conditions.

International Agreements related to the substance (eg. Montreal **Protocol, Stockholm Convention**

or Rotterdam Convention):

Not applicable

Section 16: OTHER INFORMATION

Date of SDS Preparation / Review:	21 April 2020
Version number of SDS:	6

Key / Legend to abbreviations and

acronyms used:

MARPOL - International Convention for the Prevention of AICS - Australian Inventory of Chemical Substances;

ANTT - National Agency for Transport by Land of Brazil; Pollution from Ships;

ASTM - American Society for the Testing of Materials; N.O.S. - Not Otherwise Specified;

bw - Body weight;

Nch - Chilean Norm; CMR -Carcinogen, Mutagen or Reproductive Toxicant; NO(A)EC - No Observed (Adverse) Effect Concentration;

CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate;

DSL - Domestic Substances List (Canada);

ECx - Concentration associated with x% response;

ELx - Loading rate associated with x% response;

EmS - Emergency Schedule;

ENCS - Existing and New Chemical Substances (Japan);

ErCx - Concentration associated with x% growth rate response;

ERG - Emergency Response Guide;

GHS - Globally Harmonized System;

GLP - Good Laboratory Practice;

IARC - International Agency for Research on Cancer;

IATA - International Air Transport Association;

IBC - International Code for the Construction and Equipment

of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration;

ICAO - International Civil Aviation Organization;

IECSC - Inventory of Existing Chemical Substances in China,

IMDG - International Maritime Dangerous Goods;

IMO - International Maritime Organization;

ISHL - Industrial Safety and Health Law (Japan);

ISO - International Organisation for Standardization;

KECI - Korea Existing Chemicals Inventory;

LC50 - Lethal Concentration to 50 % of a test population;

LD50 - Lethal Dose to 50% of a test population (Median Lethal

Dose);

NOM - Official Mexican Norm;

NTP - National Toxicology Program,

NZIoC - New Zealand Inventory of Chemicals;

OECD - Organization for Economic Co-operation and

Development;

OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance;

PICCS - Philippines Inventory of Chemicals and Chemical Substances:

(Q)SAR - (Quantitative) Structure ActivityRelationship;

REACH - Regulation (ÉC) No 1907/2006 of the European Parliament and of the Council concerning the Registration,

Evaluation, Authorisation and Restriction of Chemicals;

SADT - Self-Accelerating Decomposition Temperature;

SDS - Safety Data Sheet;

TCSI - Taiwan Chemical Substance Inventory;

TDG - Transportation of Dangerous Goods;

TSCA - Toxic Substances Control Act (United States);

UN - United Nations;

UNRTDG - United Nations Recommendations on the

Transport of Dangerous Goods;

vPvB - Very Persistent and Very Bioaccumulative;

WES – Workplace Exposure Standard (Worksafe NZ); WHMIS - Workplace Hazardous Materials Information System

a the heat of our knowledge, information and holief at the data of

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the test.

This version replaces all previous versions.

PRODUCT NAMES are a trademark or registered trademark of a Syngenta Group Company.