



1. IDENTIFICATION

Product Name Calcium chloride, dihydrate

Other Names No Data Available

Uses De-icing and freezing point depression; Road surfacing; Food additive; Laboratory and drying operations;

Miscellaneous applications.

Chemical Family No Data Available **Chemical Formula** CaCl2.2H2O

Chemical Name Calcium chloride, dihydrate

No Data Available **Product Description**

Contact Details of the Supplier of this Safety Data Sheet

Organisation Location **Telephone** Redox Pty Ltd 2 Swettenham Road +61-2-97333000 Minto NSW 2566 Australia 11 Mayo Road +64-9-2506222 Redox Pty Ltd Wiri Auckland 2104 New Zealand 3960 Paramount Boulevard Redox Inc. +1-424-675-3200 Suite 107 Lakewood CA 90712 Redox Chemicals Sdn Bhd +60-3-5614-2111 Level 2, No. 8, Jalan Sapir 33/7 Seksyen 33, Shah Alam Premier Industrial Park

40400 Shah Alam

Sengalor, Malaysia

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766

2. HAZARD IDENTIFICATION

Not Scheduled Poisons Schedule (Aust)

Globally Harmonised System

Hazard Classification Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of

Chemicals (GHS)

Hazard Categories Serious Eye Damage/Irritation - Category 2A



Phone E-mail ARN

+64 9 250 6222 auckland@redox.com www.redox.com 92 000 762 345

Adelaide Auckland Brisbane Melbourne Hawke's Bay

Kuala Lumpur USA

Los Angeles





Pictograms



Signal Word Warning

Hazard Statements H319 Causes serious eye irritation.

Precautionary Statements P280 Prevention Wear eye protection/face protection.

> P264 Wash face, hands and any exposed skin thoroughly after handling.

P337 + P313 Response If eye irritation persists: Get medical advice/attention.

> P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

> > lenses, if present and easy to do. Continue rinsing.

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Hazards

HSNO Classifications 6.1D Health Substances that are acutely toxic - Harmful

6.3A Substances that are irritating to the skin 6.4A Substances that are irritating to the eye

Environmental 9.3C Substances that are harmful to terrestrial vertebrates

Hazards

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Calcium chloride, dihydrate	CaCl2.2H2O	10035-04-8	<=100 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed IF SWALLOWED: Rinse mouth, then drink plenty of water. Do not induce vomiting. Call a Poison Centre or

doctor/physician for advice.

IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally Eye

lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15

minutes. If eye irritation persists, get medical advice/attention.

Skin IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin

irritation occurs, get medical advice/attention.

Inhaled IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing until recovered. If

respiratory symptoms persist, get medical advice/attention.

Advice to Doctor Treat symptomatically. **Medical Conditions Aggravated**

by Exposure

No information available.

5. FIRE FIGHTING MEASURES



If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is **General Measures**

out.

Flammability Conditions Non-combustible; Material does not burn.

Extinguishing Media If material is involved in a fire, use dry chemical, Carbon dioxide (CO2), foam or water spray for extinction. Use

extinguishing media appropriate for surrounding conditions.

Fire and Explosion Hazard Ambient fire may liberate hazardous vapours.

Hazardous Products of

Combustion

Fire or heat may produce irritating, toxic and/or corrosive fumes, including Calcium oxide, Hydrogen chloride.

Special Fire Fighting

Instructions

Contain runoff from fire control or dilution water - Runoff may pollute waterways.

Personal Protective Equipment Wear self-contained breathing apparatus (SCBA) and chemical splash suit. SCBA and structural firefighter's uniform

may provide limited protection.

Flash Point No Data Available **Lower Explosion Limit** No Data Available **Upper Explosion Limit** No Data Available **Auto Ignition Temperature** No Data Available **Hazchem Code** No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure Ensure adequate ventilation. Do not touch or walk through spilled material. Avoid generating dust. Avoid breathing

dust and contact with eyes, skin and clothing.

Collect material (take up dry) and seal in properly labelled containers for disposal (see SECTION 13). Clean Up Procedures

*Caution: May react exothermically on contact with water.

Containment Stop leak if safe to do so - Prevent entry into waterways, drains or confined areas.

Decontamination Wash area down with excess water.

Environmental Precautionary

Measures

Prevent entry into drains and waterways. If environmental contamination has occurred, advise local emergency

services.

Evacuation Criteria Spill or leak area should be isolated immediately. Keep unauthorised personnel away.

Personal Precautionary

Measures

Use personal protective equipment as required (see SECTION 8).

7. HANDLING AND STORAGE

Handling Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure

adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Minimise dust generation and accumulation. Avoid breathing dust and contact with eyes, skin and clothing. Do not ingest. Use

personal protective equipment as required (see SECTION 8).

Storage Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed when not in use -

check regularly for spills. Protect from moisture (hygroscopic; reacts with water). Keep away from incompatible

materials (see SECTION 10).

Container Keep in the original, properly labelled container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General No specific exposure standards are available for this product. For dusts from solid substances without specific

occupational exposure standards:

- Safe Work Australia Exposure Standard (Nuisance dusts): 8 hr TWA = 10 mg/m3 (measured as inhalable dust).

- New Zealand WES (Particulates not otherwise classified): TWA = 10 mg/m3; TWA = 3 mg/m3 (respirable dust).

Exposure Limits No Data Available

Biological Limits No information available.



Engineering Measures

A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.

Personal Protection Equipment

- Respiratory protection: Wear respiratory protection in case of inadequate ventilation or an inhalation risk exists. Recommended: Dust mask/particulate respirator (refer to AS/NZS 1715 & 1716).
- Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Safety glasses with side-shields, chemical goggles or full face-shield as appropriate (refer to AS/NZS 1337).
- Hand protection: Handle with gloves. Recommended: Impervious gloves, e.g. nitrile rubber (refer to AS/NZS

2161.1).

- Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Overalls (cotton), safety shoes; Chemical-resistant apron when large quantities are handled.

Special Hazards Precaustions

No information available.

Work Hygienic Practices

Do not eat, drink or smoke when using this product. Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated clothing and other protective equipment before storage or re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Solid

Appearance Flakes, powder, granules, pellets

Odour Odourless
Colour White

pH 9 - 11 (5% CaCl2 soln. @ 20°C)

Vapour PressureNo Data AvailableRelative Vapour DensityNo Data AvailableBoiling PointNo Data AvailableMelting Point>=175 °C

Freezing Point No Data Available

Solubility Soluble in water - Soluble in alcohols

Specific Gravity 1.85

Flash Point No Data Available **Auto Ignition Temp** No Data Available **Evaporation Rate** No Data Available **Bulk Density** 800 - 900 kg/m3 **Corrosion Rate** No Data Available **Decomposition Temperature** No Data Available **Density** 1.85 g/cm3 Specific Heat No Data Available Molecular Weight No Data Available **Net Propellant Weight** No Data Available **Octanol Water Coefficient** No Data Available **Particle Size** No Data Available **Partition Coefficient** No Data Available Saturated Vapour Concentration No Data Available Vapour Temperature No Data Available Viscosity No Data Available

Additional Characteristics Product is strongly hygroscopic.

Potential for Dust ExplosionNo information available.Fast or Intensely BurningNo information available.

Characteristics

Volatile Percent

VOC Volume

No Data Available

No Data Available

Flame Propagation or Burning Rate of Solid Materials

No information available.



Non-Flammables That Could Contribute Unusual Hazards to a

No information available.

Fire

Properties That May Initiate or Contribute to Fire Intensity

Non-combustible; Material does not burn.

Reactions That Release Gases

or Vapours

Fire or heat may produce irritating, toxic and/or corrosive fumes, including Calcium oxide, Hydrogen chloride.

Incompatible/reactive with strong acids, strong bases, bromine trifluoride, water, zinc, polymerisable materials.

Fire or heat may produce irritating, toxic and/or corrosive fumes, including Calcium oxide, Hydrogen chloride.

Release of Invisible Flammable

Vapours and Gases

No information available.

10. STABILITY AND REACTIVITY

 General Information
 May react exothermically on contact with water.

 Chemical Stability
 Stable under ordinary conditions of storage and use.

 Conditions to Avoid
 Avoid dust formation. Protect from moisture/humidity.

Materials to Avoid
Hazardous Decomposition

Products

Hazardous Polymerisation

Will not occur.

11. TOXICOLOGICAL INFORMATION

General Information - Acute toxicity: May be harmful if swallowed; May cause gastrointestinal irritation, with abdominal pain, nausea,

vomiting and diarrhoea.

- Skin corrosion/irritation: Skin contact may cause irritation.

- Eye damage/irritation: Causes serious eye irritation; May cause redness, tearing, stinging, blurred vision.

- Respiratory/skin sensitisation: Not expected to cause sensitisation of the respiratory tract or the skin.

Germ cell mutagenicity: Not considered to be mutagenic.Carcinogenicity: Not considered to be carcinogenic.

- Reproductive toxicity: Not considered to be toxic to reproduction or development.

- STOT (single exposure): Inhalation of dusts may cause respiratory tract irritation.

- STOT (repeated exposure): Repeated or prolonged exposure is not expected to cause specific target organ toxicity.

- Aspiration toxicity: Not expected to be an aspiration hazard.

Acute

Ingestion Acute toxicity (Oral):

For Calcium chloride (CAS No. 10043-52-4):
- LD50, Rat (male): 2,120 - 3,798 mg/kg bw.
- LD50, Rat (female): 2,361 - 4,179 mg/kg bw.

- LD50, Rat (combined male & female): 2,301 mg/kg bw. [ECHA].

Carcinogen Category None

12. ECOLOGICAL INFORMATION

EcotoxicityNo information available.Persistence/DegradabilityNo information available.MobilityNo information available.

Environmental Fate Prevent entry into drains and waterways.

Bioaccumulation Potential No information available.

Environmental Impact No Data Available



13. DISPOSAL CONSIDERATIONS

General Information Dispose of contents/container via a licensed waste contractor and in accordance with local/regional/national

regulations.

Special Precautions for Land Fill No information available.

14. TRANSPORT INFORMATION

Land Transport (New Zealand)

NZS5433

Proper Shipping Name Calcium chloride, dihydrate

Class No Data Available
Subsidiary Risk(s) No Data Available

No Data Available

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Sea Transport

IMDG Code

Proper Shipping Name Calcium chloride, dihydrate

Class No Data Available
Subsidiary Risk(s) No Data Available
UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available
EMS No Data Available

Marine Pollutant No

Comments NON-DANGEROUS GOODS: Not regulated for SEA transport.

Air Transport

IATA DGR

Proper Shipping Name Calcium chloride, dihydrate

ClassNo Data AvailableSubsidiary Risk(s)No Data AvailableUN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data Available

Comments NON-DANGEROUS GOODS: Not regulated for AIR transport.



15. REGULATORY INFORMATION

General InformationNo Data AvailablePoisons Schedule (Aust)Not Scheduled

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code HSR003217

National/Regional Inventories

Australia (AICS) Listed

Canada (DSL) Not Determined

Canada (NDSL) Not Determined

China (IECSC) Not Determined

Europe (EINECS) 233-140-8

Europe (REACh)Not Determined

Japan (ENCS/METI) Not Determined

Korea (KECI) Not Determined

Malaysia (EHS Register) Not Determined

New Zealand (NZIoC) Listed

Philippines (PICCS) Not Determined

Switzerland (Giftliste 1) Not Determined

Switzerland (Inventory of Notified

Substances)

Not Determined

Taiwan (NCSR) Not Determined

USA (TSCA) Not Determined

16. OTHER INFORMATION

Related Product Codes CACHLF1000, CACHLF1001, CACHLF1002, CACHLF1500, CACHLF1501, CACHLF1502, CACHLF1700,

CACHLF3100, CACHLF4100, CACHLF7400, CACHLF7700, CACHLO0100, CACHLO0200, CACHLO0210, CACHLO0211, CACHLO0300, CACHLO0410, CACHLO0411, CACHLO0500, CACHLO0600, CACHLO0810, CACHLO0811, CACHLO1100, CACHLO1300, CACHLO1400, CACHLO1500, CACHLO1501, CACHLO1502, CACHLO1505, CACHLO1506, CACHLO1507, CACHLO1510, CACHLO1515, CACHLO1600, CACHLO1601, CACHLO1610, CACHLO1620, CACHLO1630, CACHLO1631, CACHLO1632, CACHLO1640, CACHLO1641, CACHLO1642, CACHLO1700, CACHLO1701, CACHLO1800, CACHLO1801, CACHLO1802, CACHLO1803, CACHLO1930, CACHLO1940, CACHLO1950, CACHLO1960, CACHLO1970, CACHLO1980, CACHLO1985, CACHLO1986, CACHLO1940, CACHLO2200, CACHLO2201, CACHLO2202, CACHLO2203, CACHLO2204, CACHLO2205, CACHLO2210, CACHLO2204, CACHLO2205, CACHLO2210, CACHLO2204, CACHLO2205, CACHLO2204, CACHLO2400, CACHLO2401, CACHLO2402, CACHLO2502, CACHLO2501, CACHLO2502, CACHLO2503, CACHLO2504, CACHLO2505, CACHLO2506, CACHLO2506, CACHLO2507, CACHLO2509, CACHLO2509, CACHLO2503, CACHLO2500, CACHLO



```
CACHLO3006, CACHLO3007, CACHLO3020, CACHLO3021, CACHLO3030, CACHLO3032, CACHLO3033,
CACHLO3046, CACHLO3047, CACHLO3048, CACHLO3100, CACHLO3101, CACHLO3102, CACHLO3103,
CACHLO3104, CACHLO3150, CACHLO3200, CACHLO3201, CACHLO3300, CACHLO3301, CACHLO3302,
CACHLO3303, CACHLO3304, CACHLO3305, CACHLO3306, CACHLO3307, CACHLO3308, CACHLO3309,
CACHLO3310, CACHLO3311, CACHLO3312, CACHLO3313, CACHLO3314, CACHLO3315, CACHLO3316,
CACHLO3317, CACHLO3333, CACHLO3400, CACHLO3401, CACHLO3500, CACHLO3501, CACHLO3502,
CACHLO3600, CACHLO3601, CACHLO3660, CACHLO3700, CACHLO3701, CACHLO3800, CACHLO3801,
CACHLO3900, CACHLO4000, CACHLO4001, CACHLO4100, CACHLO4520, CACHLO4530, CACHLO4650,
CACHLO4655, CACHLO4670, CACHLO4900, CACHLO5000, CACHLO5010, CACHLO5011, CACHLO5012,
CACHLO5013, CACHLO5014, CACHLO5020, CACHLO5021, CACHLO5022, CACHLO5023, CACHLO5024,
CACHLO5051, CACHLO5100, CACHLO5110, CACHLO5111, CACHLO5112, CACHLO5113, CACHLO5120,
CACHLO5200, CACHLO5300, CACHLO5301, CACHLO5400, CACHLO5500, CACHLO5501, CACHLO5510,
CACHLO5600, CACHLO5601, CACHLO5602, CACHLO5615, CACHLO5640, CACHLO5641, CACHLO5645,
CACHLO5650, CACHLO5700, CACHLO6100, CACHLO6101, CACHLO6200, CACHLO6201, CACHLO6202,
CACHLO6215, CACHLO6300, CACHLO6430, CACHLO6442, CACHLO6450, CACHLO6460, CACHLO6461,
CACHLO6462, CACHLO6470, CACHLO6900, CACHLO7000, CACHLO7001, CACHLO7002, CACHLO7010,
CACHLO7011, CACHLO7012, CACHLO7015, CACHLO7016, CACHLO7100, CACHLO7200, CACHLO7201,
CACHLO7202, CACHLO7203, CACHLO7210, CACHLO7220, CACHLO7221, CACHLO7222, CACHLO7223,
CACHLO7250, CACHLO7251, CACHLO7300, CACHLO7310, CACHLO7311, CACHLO7312, CACHLO7400,
CACHLO7410, CACHLO7500, CACHLO7501, CACHLO7600, CACHLO7700, CACHLO7730, CACHLO7735,
CACHLO7740, CACHLO7741, CACHLO7742, CACHLO7800, CACHLO7801, CACHLO7802, CACHLO7900, CACHLO7910, CACHLO7911, CACHLO7912, CACHLO8000, CACHLO8001, CACHLO8100, CACHLO8120,
CACHLO8121, CACHLO8200, CACHLO8300, CACHLO8330, CACHLO8600, CACHLO9000, CACHLO9100,
CACHLO9200, CACHLO9300, CACHLO9400, CACHLO9700, CACHLO9910, CACHLO9920, CACHLO9921,
CACHLO9930, CACHLO9950
```

Revision

Revision Date 07 Aug 2020
Reason for Issue Update
Key/Legend < Less Than

AICS Australian Inventory of Chemical Substances

atm Atmosphere

> Greater Than

CAS Chemical Abstracts Service (Registry Number)

cm² Square CentimetresCO2 Carbon Dioxide

COD Chemical Oxygen Demand **deg C (°C)** Degrees Celcius

EPA (New Zealand) Environmental Protection Authority of New Zealand

deg F (°F) Degrees Farenheit

g Grams

g/cm³ Grams per Cubic Centimetre

g/I Grams per Litre

HSNO Hazardous Substance and New Organism **IDLH** Immediately Dangerous to Life and Health **immiscible** Liquids are insoluable in each other.

inHg Inch of Mercury inH2O Inch of Water

K Kelvin **kg** Kilogram

kg/m³ Kilograms per Cubic Metre

lb Pound

LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.

LD50 LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.

Itr or L Litre

m³ Cubic Metre mbar Millibar mg Milligram

mg/24H Milligrams per 24 Hours

mg/kg Milligrams per Kilogram
mg/m³ Milligrams per Cubic Metre

Misc or **Miscible** Liquids form one homogeneous liquid phase regardless of the amount of either component present.

mm Millimetre

mmH2O Millimetres of Water mPa.s Millipascals per Second

N/A Not Applicable

NIOSH National Institute for Occupational Safety and Health **NOHSC** National Occupational Heath and Safety Commission **OECD** Organisation for Economic Co-operation and Development

Oz Ounce

PEL Permissible Exposure Limit



Pa Pascal

ppb Parts per Billion
ppm Parts per Million
ppm/2h Parts per Million per 2 Hours

ppm/6h Parts per Million per 6 Hours

psi Pounds per Square Inch

R Rankine

RCP Reciprocal Calculation Procedure

STEL Short Term Exposure Limit

TLV Threshold Limit Value

tne Tonne

TWA Time Weighted Average ug/24H Micrograms per 24 Hours UN United Nations

wt Weight

