

SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: Carbo CalMag

Other means of Identification Fertilizier

Product Use: The user should seek the advice of the county agricultural

representative or a professional agricultural consultant.

Restriction of Use: Refer to Section 15

New Zealand Supplier: Hortigro Ltd

Address: 164 Manukau Road

Pukekohe

Auckland, 2120

Telephone: +64 9 2371777

Emergency No: 0508673800

0800 764 766 (National Poison Centre)

Date of SDS Preparation: 13 April 2018

Section 2. Hazards Identification

This substance is hazardous according to the Hazardous Substances (Classification) Notice 2017

EPA Approval No: Fertilisers (subsidiary) - HSR002571

Pictograms



Irritant

Signal Word: Warning

HSNO Classification	Hazard Code	Hazard Statement	GHS Category
6.4A	H319	Causes serious eye irritation.	Eye Irrit. 2A

Prevention Code	Prevention Statement
P103	Read label before use.
P264	Wash hands thoroughly after handling.
P280	Wear protective PPE.

Response Code	Response Statement
P305 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove
P351+P338	contact lenses, if present and easy to do. Continue rinsing.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Product Name: Carbo CalMag

Prepared by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 13/4/ 2018

Prepared by: Technical Compliance Consultants (NZ) Ltd

Tel: 64 9 475 5240 www.techcomp.co.nz

Storage Code	Storage Statement	
None allocated		

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Section 3. Composition / Information on Hazardous Ingredients

Ingredients	Wt%	CAS NUMBER.
Non-Hazardous Ingredients	To bal	N/A
Calcium Glycolate	2-3	996-23-6
Calcium Tartrate	1-2	3164-34-9

Routes of Exposure:

If in Eyes Rinse cautiously with water for 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice/attention.

If on Skin Wash with plenty of soap and water. If skin irritation occurs: get medical

advice/attention.

If Swallowed Never give anything by mouth if person is rapidly losing consciousness, or

is unconscious or convulsing. Do not induce vomiting. If vomiting occurs naturally, lie on your side in the recovery position. Rinse mouth with water

again.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes

difficult.

Most important symptoms and effects, both acute and delayed

Symptoms: Can irritate the nose and throat.

Inhaled: Not applicable. Skin: Not applicable.

Eye: Causes severe eye irritation. **Target Organs** Eyes, respiratory system, skin.

Section 5. Fire Fighting Measures

Hazard Type	Non Flammable
Hazards from combustion products	By heating and fire, irritating vapours/gases may be formed. Carbon monoxide and carbon dioxide.
Suitable Extinguishing media	Carbon dioxide, dry chemical powder, appropriate foam, water spray or fog. Do not use water jet as an extinguisher, as this will spread the fire.
Precautions for firefighters and special protective clothing	Fire-fighters may enter the area if positive pressure SCBA and full Bunker Gear is worn. Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool. Prevent runoff from fire control or dilution from entering streams, sewers or drinking water supply.
HAZCHEM CODE	None Allocated

Product Name: Carbo CalMag

Prepared by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 13/4/ 2018

Prepared by: Technical Compliance Consultants (NZ) Ltd

Tel: 64 9 475 5240 www.techcomp.co.nz

Section 6. Accidental Release Measures

Restrict access to area until completion of cleanup. Ensure cleanup is conducted by trained personnel only. Wear adequate personal protective equipment.

Do not allow into any sewer, on the ground or into any waterway.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Dispose of waste according to the applicable local and national regulations.

Section 7. Handling and Storage

Precautions for Handling:

- Read label before use.
- Wash hands thoroughly after handling.
- Wear protective PPE.
- Do not get into eyes.
- Avoid repeated or prolonged skin contact.
- Do not breathe in this product.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Store in an area that is: ventilated.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL Substance ppm mg/m³ ppm mg/m³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2017 9TH EDITION.

Engineering Controls

Use local exhaust ventilation, if general ventilation is not adequate to control amount in the air. Provide eyewash and safety shower if contact or splash hazard exists.

Personal Protection Equipment



Eyes	Wear chemical safety goggles and face shield when contact is possible.
Skin	Wear chemical protective clothing e.g. gloves, aprons, boots.
Respiratory	In case of inadequate ventilation or risk of inhalation of vapours, use
	suitable respiratory equipment.

Product Name: Carbo CalMag

Prepared by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 13/4/ 2018

Prepared by: Technical Compliance Consultants (NZ) Ltd

Tel: 64 9 475 5240 www.techcomp.co.nz

Page 3

Section 9 Physical and Chemical Properties

Appearance	Liquid
Colour	Dark brown
Odour	Fruity
Odour Threshold	Not available
pH	8-9 (1% solution)
Boiling Point	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Not available
Upper and Lower	Not available
Explosive Limits	
Vapour Pressure	Not available
Vapour Density	Not available
Relative Density	1.24 - 1.25 at 20 °C (water = 1)
Water Solubility	Soluble in water
Partition Coefficient:	Not available
Auto-ignition	Not available
Temperature	
Decomposition	Not available
Temperature	
Kinematic Viscosity	Not available
Particle Characteristics	Not available

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Possibility of hazardous	Not reactive under normal conditions of use.
reactions	
Conditions to Avoid	Incompatible materials.
Incompatible Materials	Strong acids (e.g. hydrochloric acid), strong bases (e.g. sodium hydroxide), strong oxidizing agents (e.g. perchloric acid).
Hazardous Decomposition	Carbon monoxide and carbon dioxide.
Products	

Section 11 Toxicological Information

Acute Effects:

Swallowed	Ingestion may cause irritation and malaise.
Dermal	Not applicable.
Inhalation	Not applicable.
Eye	Causes severe eye irritation.
Skin	Not applicable.

Chronic Effects:

Carcinogenicity	Not applicable.	
Reproductive	Not applicable.	
Toxicity		
Germ Cell	Not applicable.	
Mutagenicity		
Aspiration	Not applicable.	
STOT/SE	Not applicable.	
STOT/RE	Not applicable.	

Calcium Tartrate = LD50(Oral) = >2000mg/kg (Rat)

Product Name: Carbo CalMag
Date of SDS: 13/4/ 2018

Prepared by: Technical Compliance Consultants (NZ) Ltd
Tel: 64 9 475 5240 www.techcomp.co.nz

Section 12. Ecotoxicological Information

This product is not a hazard to the environment.

Persistence and degradability	No data available
Bioaccumulation	No data available
Mobility in Soil	No data available
Other adverse effects	No data available

Section 13. Disposal Considerations

Disposal Method:

Empty containers retain product residue. Follow label warnings even if container appears to be empty. Triple rinse and dispose according to Local Regulations.

Precautions or methods to avoid: None known.

Section 14 Transport Information

This product is NOT classified as a Dangerous Good for transport in NZ; NZS 5433:2012

Section 15 Regulatory Information

This substance is classified hazardous according to the Hazardous Substances (Classification) Notice 2017

EPA Approval Code: Fertilisers (subsidiary) - HSR002571

HSNO Classification: 6.4A

HSW (HS) Regulations 2017 and EPA Notices	Trigger Quantity
Certified Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	Not required
Emergency Response Plan	Not required
Secondary Containment	Not required
Restriction of Use	Only use for the intended purpose.

Section 16 Other Information

Glossary

EC₅₀ Median effective concentration. EEL Environmental Exposure Limit. EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC₅₀ Lethal concentration that will kill 50% of the test organisms

inhaling or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible

authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

Product Name: Carbo CalMag

Prepared by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 13/4/ 2018

Prepared by: Technical Compliance Consultants (NZ) Ltd

Tel: 64 9 475 5240 www.techcomp.co.nz

Page 5

References:

- HSNO Approved Code of Practice: Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2012
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, Hortigro, if further information is required.

Issue Date: 13 April 2018 Review Date: 13 April 2023

Product Name: Carbo CalMag

Prepared by: Technical Compliance Consultants (NZ) Ltd
Date of SDS: 13/4/ 2018

Prepared by: Technical Compliance Consultants (NZ) Ltd
Tel: 64 9 475 5240 www.techcomp.co.nz