



1 of 5 Page:

Infosafe No™ 3NUMH Issue Date : April 2017 ISSUED by NUFARMNZ

Product Name CHAMP® WG

1. Identification

GHS Product

CHAMP® WG

Identifier

02572 **Product Code Product Type** Fungicide Nufarm N7 **Company Name**

6 Manu Street, Otahuhu Address

Auckland 2024 New Zealand

Telephone/Fax Number **Emergency phone** Tel: 0-9-270 4150 Fax: 0-9-270 4159 0800 651 911

number **Email**

info@nz.nufarm.com

Recommended use of the chemical and restrictions on use

A protective copper fungicide for the control of many diseases of fruit,

vegetables and forestry.

This SDS describes, to the best of our knowledge, the properties of the **Other Information**

concentrated product. The physical properties and some of the assessments do not apply to the properties of the product once it has been diluted for application. Acute health effects of the diluted product are likely to be

much less severe.

2. Hazard Identification

Other Information

6.1D acute toxicant, 6.3B skin irritant, 6.5B sensitiser, 6.9B target

organ toxicant, 8.3A eye corrosive, 9.1A aquatic toxicant,

terrestrial vertebrate toxicant,

TOXICITY

Harmful - may be harmful if swallowed, inhaled or absorbed through the skin. May cause mild skin irritation, or sensitisation from prolonged skin contact.

May cause lung damage from repeated oral exposure at high doses.

CORROSIVE

Danger - this product is corrosive and may cause eye damage.

ECOTOXIC

Very toxic to aquatic organisms.

Harmful to terrestrial vertebrates.

3. Composition/information on ingredients Solid

Chemical

Characterization

Ingredients

Name CAS Proportion

Ingredients determined

Balance

to be non-hazardous

20427-59-2 Copper (as copper 500g/kg

hydroxide)

4. First-aid measures

For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a **First Aid Measures**

doctor immediately. Begin artificial respiration if the victim is not breathing. Use mouth-to-nose rather than mouth-to mouth. Obtain medical

attention.

Remove patient to fresh air. Lay down and keep warm and rested. If breathing Inhalation

is shallow or has stopped ensure airway is clear and apply resuscitation.

Seek medical assistance immediately.

Never give anything by mouth to an unconscious person. If swallowed do NOT Ingestion

induce vomiting. For advice, contact the National Poisons Centre (0800 764

766). Seek medical assistance immediately.

Immediately flush body and clothes with large amounts of water. Remove Skin

contaminated clothing and footwear. Wash affected areas with soap and water.

If a large area is affected seek medical assistance.

Flush eyes with plenty of water for 15 minutes holding eyelids open if Eve contact

necessary.





Page: 2 of 5

Product Name CHAMP® WG

Remove contact lenses, if present and easy to do.

Seek medical assistance even if there are no immediate symptoms.

First Aid Facilities Facilities storing or utilizing this material should be equipped with an

eyewash facility and safety shower.

Advice to Doctor Treat symptomatically.

5. Fire-fighting measures

Suitable Choose extinguishing media to suit the burning material.

extinguishing media

Hazards from

Water fog, foam, carbon dioxide or dry chemical.

Decomposes to CuO and H2O above 60°C

Hazards from Combustion Products

Special Protective Full protective clothing and self-contained breathing apparatus.

Equipment for fire

fighters

Specific Methods Keep up wind. Do not allow washings to reach sewage or effluent systems.

Hazchem Code 2X

Other Information Location Certificate: Not applicable

Hazardous Atmosphere Zone: Not applicable Number of Fire Extinguishers: Not applicable

6. Accidental release measures

Spills & Disposal Wear protective clothing. Clear area of unprotected personnel. Sweep up solids without generating dust (use water to dampen). Contain and absorb

liquid spills with inert material and place in waste containers. If spill does enter waterways contact the local authority. Collect in an appropriate

sealable container for disposal in an approved landfill.

Personal Protection For appropriate personal protective equipment (PPE), refer Section 8.

Environmental Precautions

Prevent from entering drains, waterways or sewers.

7. Handling and storage

Precautions for Safe Handling Avoid skin and eye contact and inhalation of spray mist or dust.

APPROVED HANDLER: This product must be under the control of an approved handler if applied in a wide dispersive manner, or used by a commercial

contractor.

TRACKING: Is not required

RECORD KEEPING: Records of use as described in NZS 8409 Management of Agrichemicals must be kept if 3kg or more is applied within 24 hours.

Conditions for safe Keep out of reach of children.

storage, including any incompatabilities

Stores containing 100kg of CHAMP WG are subject to signage, and more than

100kg require emergency response plans.

Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs. Storage must be in accordance with NZS 8409 Management

of Agrichemicals.

Other Information Always read the label and any attached leaflet before use.

Aggregate Storage Volume Thresholds:

When stored with substances of the same hazard classification the aggregate quantity must be considered. For full details refer to the current NZS8409 $\,$

Management of Agrichemicals and the HSNO Regulations.

8. Exposure controls/personal protection

Occupational exposure limit values Appropriate engineering controls No exposure limits (WES, TEL or EEL's) have been specifically assigned for this product. WES TWA for copper dusts and mists, as $Cu = 1 \text{ mg/m}^3$

Handle in well ventilated areas, generally natural ventilation is adequate.

engineering controls

Personal Protective Equipment

When opening the container, preparing spray and using the prepared spray wear safety goggles, impervious gloves, waterproof hat, coat and trousers (worn

outside rubber boots)

Hygiene Measures Do not eat, drink or smoke while using.

Remove protective clothing and wash hands and face thoroughly before meals

and after work. Wash protective clothing daily after work.





Page: 3 of 5

Infosafe No™ 3NUMH Issue Date : April 2017 ISSUED by NUFARMNZ

Product Name CHAMP® WG

9. Physical and chemical properties

Solid Form

Green to blue green granule **Appearance** 7 - 10.5 (5% in DI water) рH

Not flammable **Flash Point** Not oxidising **Oxidising Properties**

(WG) Water Dispersible Granule **Other Information**

10. Stability and reactivity

Stable under normal conditions of handling and storage. **Chemical Stability**

Decomposes to copper oxide and water above 60°C **Conditions to Avoid**

Incompatible

Strong oxidizing agents, alkalis and acids.

Materials

Hazardous Hazardous polymerisation will not occur.

Polymerization

11. Toxicological Information

No specific toxicological data is available for this product. Data below is **Toxicology**

LD50 (rabbit) >3160mg/kg for copper hydroxide (percutaneous)

for constituents. Information

Acute Toxicity - Oral LD50(rat) 489mg/kg for copper hydroxide

Acute Toxicity -**Dermal**

Acute Toxicity -

LC50 >2mg/L air for copper hydroxide

Inhalation

Ingestion

Slightly toxic by oral exposure. This material may produce toxicity if ingested in large quantities. Symptoms of over-exposure may include irritation of the gastrointestinal tract, nausea, vomiting, salivation, abdominal pain, hemorrhagic gastritis, diarrhoea, capillary damage, liver and kidney damage and central nervous system depression, which, if severe enough,

may lead to death.

Inhalation Slightly toxic by inhalation. Excessive exposure to copper fume may result in

metallic taste, nausea, vomiting, and metal fume fever with chills, fever,

aching muscles, dry throat and headache.

Skin Excessive exposure, especially if prolonged, may produce skin irritation.

Repeated exposure may cause itching, erythema (redness) and allergic contact

dermatitis. Not a skin absorption hazard.

May cause severe irritation with possible reversible corneal opacification. Eve

Low chronic toxicity unless excessive exposure is encountered. **Chronic Effects** Repeated

ingestion of copper salts may result in anaemia, liver, and kidney damage. Chronic inhalation exposure may case a metallic taste in the mouth, irritation of the upper respiratory tract such as the nasal mucosa that may progress to perforation of the nasal septum. Chronic cough may also occur. Copper hydroxide, which comprises 53.8% of this product, governs the toxicity of the

The remaining components have low to negligible toxicity.

Severely irritating and corrosive to eyes. Serious eye

damage/irritation Skin

Mild skin irritant

corrosion/irritation

Other Information

Target organ toxicant - Lungs Subchronic/Chronic

Toxicity

The Australian Acceptable Daily Intake (ADI) for copper for a human is 0.2 mg/kg/day, set for the public for daily, lifetime exposure. There is no NOEL or LOEL or safety factor. (Ref: Aust Govt Dept. of Health, Office of Chemical

Safety, 'ADI List', Dec 2014).

12. Ecological information

Copper hydroxide is not rapidly degradable Persistence and

degradability





Page: 4 of 5

Infosafe No™ 3NUMH Issue Date : April 2017 ISSUED by NUFARMNZ

Product Name CHAMP® WG

Environmental Fate The degree of mobility of copper in the environment depends upon the pH of

> ambient soils and waters. The higher the acidity, the more soluble copper salts are and, hence, the more mobile. Partitioning of copper into air is

negligible due to the low vapour pressure of copper salts.

Ecotoxicological data have not been determined specifically for this product. **Basis for Assessment** Data below is for the active ingredient unless otherwise stated.

LC50 Bluegill 180ppm for copper hydroxide **Acute Toxicity - Fish**

LC50 (96h) Fathead minnow 23ppb for copper hydroxide

LC50 (24h) Rainbow trout 80ppb for copper hydroxide

Acute Toxicity -

LC50 (48h) Daphnia magna 6.5ppb for copper hydroxide

Daphnia Acute Toxicity -

3,400mg/kg for copper hydroxide Avian - acute oral LC50 Bobwhite quail Avian - 8-day dietary LD50 Bobwhite quail >10,000ppm for copper hydroxide Other Organisms

Avian - 8 day dietary LD50 Mallard duck >10,000ppm for copper hydroxide

Not toxic to honey bees

13. Disposal considerations

Dispose of product only by using according to the label, or at an approved **Product Disposal**

landfill.

Ensure container is completely empty. Burn in an appropriate incinerator if **Container Disposal**

circumstances, such as wind direction, permit. Otherwise crush and bury in an

appropriate landfill.

14. Transport information

It is good practice not to transport agricultural chemical products with **Transport**

food, food related materials and animal feedstuffs. Information

U.N. Number 3077

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. - (copper, 50%) **UN proper shipping**

name

Transport hazard

class(es) 2X Hazchem Code **Packaging Method**

III **Packing Group EPG Number**

47 **IERG Number**

IMO Marine

Yes. Environmentally Hazardous Substance mark required.

Pollutant

F-A, S-F **IMDG EMS**

Do not carry more than 3kg of CHAMP WG on a passenger service vehicle. **Other Information**

> Check the latest Land Transport Rule Dangerous Goods Rule 45001 Segregation: for additional information. Sea transport may require additional segregation.

Refer NZS5433 sea segregation for details.

15. Regulatory information

Registered pursuant to the ACVM Act 1997, No. P8311 National and or See www.foodsafety.govt.nz for registration conditions International

Approved pursuant to the HSNO Act 1996, Approval Code HSR000739 Regulatory

See www.epa.govt.nz for approval controls. Information

Packaging &

HARMFUL * CORROSIVE * ECOTOXIC - keep out of reach of children

Labelling

NFPA/HMIS: 3-1-1 **Hazard Rating**

Systems

16. Other Information

Contact Person/Point IN AN EMERGENCY, DIAL 111 - FIRE OR POLICE

24Hr Tollfree Emergency No: 0800 651 911

24Hr Emergency No: National Poisons Centre Phone: 0800 764 766





Page: 5 of 5

Infosafe No™ 3NUMH Issue Date : April 2017 ISSUED by NUFARMNZ

Product Name CHAMP® WG

Revisions 5 yearly review carried out. Various changes and updates made to document.

Highlighted Other Information

Supersedes SDS issued February 2012

...End Of MSDS...

© Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.