



1 of 5 Page:

Infosafe No™ 3NUUW Issue Date : September 2020 ISSUED by NUFARMNZ

Product Name **DIRECTOR™CS** 

#### 1. Identification

**GHS Product** 

DIRECTOR™CS

Identifier

00900 **Product Code Product Type** Herbicide Company Name Nufarm NZ

6 Manu Street, Otahuhu Address

Auckland 2024 New Zealand

Telephone/Fax

Tel: 0-9-270 4150

Number

**Emergency phone** 

0800 651 911

number

E-mail Address nzinfo@nufarm.com

the chemical and restrictions on use Other Information

Recommended use of A pre-emergence herbicide for use against certain broadleaf and grass weeds in carrots, peas, pumpkin, buttercup squash, potatoes, dwarf green beans, oilseed

rape, fodder beet, and certain fodder, seed and vegetable brassicas.

This SDS describes, to the best of our knowledge, the properties of the concentrated product. The physical properties and some of the assessments do

not apply to the properties of the product once it has been diluted for application. Acute health effects of the diluted product are likely to be

much less severe.

#### 2. Hazard Identification

GHS classification of DANGEROUS GOODS.

the

substance/mixture

Other Information 9.1B aquatic toxicant , 9.2A soil ecotoxicant

ECOTOXIC

Toxic to aquatic organisms with long lasting effects.

Very toxic to the soil environment.

Selective herbicide-very toxic to some plant species.

## 3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion	
	Clomazone	81777-89-1	36 % w/v	
	Calcium chloride	10043-52-4	>6 % w/v	
	Sodium nitrate	7631-99-4	>6 % w/v	

### 4. First-aid measures

First Aid Measures For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a

doctor immediately. Begin artificial respiration if the victim is not breathing. Use mouth-to-nose rather than mouth-to mouth. Obtain medical

Remove patient to fresh air. Lay down and keep warm and rested. If breathing Inhalation

is shallow or has stopped ensure airway is clear and apply resuscitation.

Seek medical assistance immediately.

Never give anything by mouth to an unconscious person. If swallowed do NOT Ingestion

induce vomiting. For advice, contact the National Poisons Centre (0800 764

766). Seek medical assistance immediately.

Immediately flush body and clothes with large amounts of water. Remove Skin

contaminated clothing and footwear. Wash affected areas with soap and water.

If a large area is affected seek medical assistance.

Flush eyes with plenty of water for 15 minutes holding eyelids open if Eye contact

necessary. Remove contact lenses if present and easy to do. Seek medical

assistance.

Facilities storing or utilizing this material should be equipped with an First Aid Facilities

eyewash facility and safety shower.





Page: 2 of 5

Product Name DIRECTOR™CS

Advice to Doctor

This product has low oral, dermal and inhalation toxicity. The product is moderately irritating to the eyes and slightly irritating to the skin. Direct contact with eyes may produce corneal damage, especially if not washed out immediately. Inert ingredients contain xylene-range aromatic solvents which may produce a chemical pneumonitis; therefore vomiting is not recommended, and lavage requires intubation. Activated charcoal and cathartics will assist gastrointestinal tract evacuation.

#### 5. Fire-fighting measures

Suitable

Foam, carbon dioxide or dry chemicals.

Hazards from Combustion

May emit toxic smoke and fumes if involved in fires or exposed to extreme

heat.

**Products** 

Special Protective Equipment for fire

extinguishing media

Full protective clothing and self-contained breathing apparatus.

fighters
Specific Methods

Squipment for the

Keep up wind. Do not allow washings to reach sewage or effluent systems. Keep containers cool with water spray.

Hazchem Code 3Z

Other Information

Location Certificate: Not applicable Hazardous Atmosphere Zone: Not applicable Number of Fire Extinguishers: Not applicable

#### 6. Accidental release measures

Spills & Disposal

Wear protective clothing. Clear area of unprotected personnel. Contain spil and absorb with sand, soil or absorbent granules. If spill does enter waterways contact the local authority. Collect in an appropriate sealable container for disposal in an approved landfill.

**Personal Protection** 

For appropriate personal protective equipment (PPE), refer Section 8.

Environmental

Prevent from entering drains, waterways or sewers.

**Precautions** 

### 7. Handling and storage

Precautions for Safe Handling

Avoid skin and eye contact and inhalation of spray mist.

APPROVED HANDLER: This product must be under the control of an approved handler when applied in a wide dispersive manner; or used by a commercial

contractor.

TRACKING: Is not required

BEWARE: Spray drift hazard. Apply this product carefully. Spray drift may cause

serious damage to other desireable plants.

RECORD KEEPING: Records of use as described in the NZS 8409 Management of Agrichemicals must be kept when using 3L or more of DIRECTOR CS within 24

hours.

Conditions for safe storage, including any incompatibilities Keep out of reach of children.

Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, fertilisers and seeds. Storage must be in accordance

with NZS 8409 Management of Agrichemicals.

Stores containing 100L of DIRECTOR CS require signage, 1000L requires secondary containment and more than 1000L require emergency response plans.

Other Information Always read

Always read the label and any attached leaflet before use.

Aggregate Storage Volume Thresholds:

When stored with substances of the same hazard classification the aggregate quantity must be considered. For full details refer to the current NZS8409 Management of Agrichemicals and the HSNO Regulations.

#### 8. Exposure controls/personal protection

Occupational exposure limit values

No exposure limits (WES, TEL or EEL's) have been specifically assigned for this product.





3 of 5 Page:

Infosafe No™ 3NUUW Issue Date : September 2020 ISSUED by NUFARMNZ

Product Name DIRECTOR™CS

**Appropriate** 

engineering controls

Handle in well ventilated areas, generally natural ventilation is adequate.

Local exhaust ventilation may be required in confined spaces.

**Personal Protective** Equipment

When handling wear eye protection, waterproof gloves, boots, hat and cotton

Do not eat, drink or smoke while using. **Hygiene Measures** 

Remove protective clothing and wash hands and face thoroughly before meals

Wash protective clothing daily after work. and after work.

#### 9. Physical and chemical properties

Liquid Form

**Appearance** Brown coloured Slightly aromatic Odour

25.0-34.7°C for clomazone. **Melting Point** 

Disperses in water. Solubility in Water 1.16 g/cm<sup>3</sup>@20°C **Specific Gravity** 

рH 8.87 @ 1% aqueous dispersion. 19.2 mPa (25°C) for clomazone. Vapour Pressure Kow Log P = 2.5 (clomazone) **Partition Coefficient:** 

n-octanol/water

Flash Point >93°C

(CS) Capsule Suspension Other Information

## 10. Stability and reactivity

**Chemical Stability** Stable under normal conditions of handling and storage.

Excessive heat and fire. **Conditions to Avoid** 

Hazardous **Decomposition**  Carbon monoxide and/or carbon dioxide, oxides of nitrogen, chlorine and

hydrogen chloride.

**Products** 

Hazardous polymerisation will not occur. Hazardous

**Polymerization** 

### 11. Toxicological Information

Toxicology Information No harmful effects are expected if the precautions on the label and this SDS

are followed.

**Acute Toxicity - Oral** 

LD50 (rat) >5000 mg/kg for similar formulation. LD50 (female rat)=1369 mg/kg for clomazone.

LD50 (rat) >5000 mg/kg for a similar formulation.

Acute Toxicity -Dermal

LD50 (rabbits) >2000 mg/kg for clomazone.

Acute Toxicity -

LC50 (rat) (4hr)=4.8mg/L for clomazone.

Inhalation

Not a skin sensitiser. **Skin Sensitisation** 

Reproductive **Toxicity** 

Studies in laboratory animals did not cause reproductive toxicity.

**Chronic Effects** 

Other Information

Liver enlargement and elevated cholesterol levels have been noted in studies on laboratory animals, where clomazone was ingested in large doses over the life span of the animals. In studies with laboratory animals, clomazone did not cause reproductive or teratogenic efects or carcinogenicity. The toxicity of the product may be attributed to the solvent it contains which may cause central nervous system depression. Additive effects may occur with mixtures of

solvents. Some solvents have irritating effects on the eyes and skin.

The Australian Acceptable Daily Intake (ADI) for clomazone for a human is 0.1 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 14 mg/kg/day, the level determined to show no effects during long





4 of 5 Page:

Infosafe No™ 3NUUW Issue Date : September 2020 ISSUED by NUFARMNZ

Product Name DIRECTOR™CS

term exposure for the most sensitive indicators and the most sensitive species. (Ref: Comm. Dept. of Health and Ageing, Office of Chemical Safety, 'ADI List', December 2014).

12. Ecological information

Soil DT50 = 30-135 d for clomazone depending upon soil conditions. Persistence and

Field trials showed that clomazone does not significantly leach beyond top 10 degradability

cm of soil and is, therefore, not expected to enter groundwater.

Not bioaccumulative. Bioaccumulative

Potential

Do not contaminate streams, rivers or waterways with the chemical or used **Environmental** 

containers. **Protection** 

Do not apply directly onto or into water.

LC50 (96hr) for rainbow trout is 19mg/L for clomazone. **Acute Toxicity - Fish** 

LC50 (96hr) for bluegill sunfish is 34 mg/l for clomazone.

Acute Toxicity -

LC50 (48hr) for daphnia is 5.2 mg/L for clomazone.

**Daphnia** 

EbC50 for Selenastrum capricornutum is 2.22mg/L for clomazone. Acute Toxicity -

Algae

LD50 for bobwhite quail and mallard ducks is >2510 mg/kg for clomazone. Acute Toxicity -

Bees: LD50 >85.29µg/bee (oral), >100µg/bee (contact) for clomazone. Other Organisms

Worms: LC50(14d) = 530 mg/kg soil for clomazone.

13. Disposal considerations

**Product Disposal** Dispose of product only by using according to the label, or at an approved

landfill.

Triple rinse empty container and add rinsate to spray tank. **Container Disposal** 

container. Otherwise crush and bury in a suitable landfill.

14. Transport information

It is good practice not to transport agricultural chemical products with **Transport** 

food, food related materials and animal feedstuffs. Information

3082 U.N. Number

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. - (clomazone, 360 g/l) **UN proper shipping** 

name

Transport hazard

class(es)

37 Hazchem Code **Packaging Method** 

**Packing Group** TTT

**EPG Number** 

**IERG Number** 47

**IMO Marine** 

Environmentally Hazardous Substance mark required.

**Pollutant** 

**IMDG EMS** F-A, S-F

Other Information

Check the latest Land Transport Rule Dangerous Goods Rule 45001 Segregation: for additional information. Sea transport may require additional segregation.

Refer NZS5433 sea segregation for details.

15. Regulatory information

Registered pursuant to the ACVM Act 1997, No. P9222 National and or See www.foodsafety.govt.nz for registration conditions International

Approved pursuant to the HSNO Act 1996, Approval Code HSR007804

Regulatory See www.epa.govt.nz for approval controls. Information





Page: 5 of 5

Infosafe No™ 3NUUW ISSUED by NUFARMNZ Issue Date : September 2020

Product Name DIRECTOR™CS

Packaging & Labelling

ECOTOXIC - Keep out of reach of children.

**Hazard Rating** 

NFPA/HMIS: 1-1-1

Systems

### 16. Other Information

August 2015 Date of preparation

or last revision of

SDS

Contact Person/Point IN AN EMERGENCY, DIAL 111 - FIRE OR POLICE

24Hr Tollfree Emergency No: 0800 651 911

24Hr Emergency No: National Poisons Centre Phone: 0800 764 766

5 Yearly review carried out. Revisions

Highlighted

...End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.