

SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: Kings Pot Recharge

Product Use: Fertiliser

New Zealand Supplier: HortFertplus

Address: 18 Cabernet Crescent

Westgate

Auckland, 0614

Telephone: +64 9 478 5585

Emergency No: **0800 764 766 (National Poison Centre)**

Date of SDS Preparation: 11 July 2019

Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval Code: Fertilisers (subsidiary) - HSR002571

Pictograms





Irritant Chronic

Signal Word: WARNING

HSNO Class. Hazard Hazard Statement GHS Category Code

6.1E (oral)	H303	May be harmful if swallowed.	Acute Tox. 5
6.4A	H319	Causes serious eye irritation.	Eye Irrit. 2A
6.8B	H361	Suspected of damaging fertility or the unborn child.	Repr. 2
9.1D	H413	May cause long lasting harmful effects to aquatic life.	Aquatic Chronic 4

Prevention Code Prevention Statement

P102	Keep out of reach of children.
P103	Read label before use.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P264	Wash hands thoroughly after handling.

Product Name: Kings Pot Recharge Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 11 July 2019 Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz

Page 1

P273	Avoid release to the environment.
P280	Wear protective clothing as detailed in Section 8.
P281	Use personal protective equipment as required.

Response Code Response Statement

P101	If medical advice is needed, have product container or label at hand.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P305 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove
P351+P338	contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Storage Code Storage Statement

P405	Store locked up.

Disposal Code Disposal Statement

	Triple rinse container. Cleaned packaging maybe offered for recycling or
P501	landfill in accordance with local regulations. Dispose of unwanted product as
	a hazardous material according to Local Regulations.

Section 3. Composition / Information on Ingredients

Ingredients	Wt%	CAS NUMBER.
Blaukorn Supreme (Ammonium nitrate)	55-65	6484-52-2
Non hazardous	To Bal	

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. If eye irritation persists: Get medical advice.

If on Skin Wash with plenty of soap and water. If skin irritation occurs: get medical

advice/attention.

If Swallowed Rinse mouth. Never give anything to the mouth of an unconscious person.

If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs.

Seek medical attention if needed.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if

breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Ingestion: May be harmful if swallowed.

Inhalation: Not applicable. Skin: Not applicable.

Eyes: Causes serious eye irritation.

Chronic: Suspected of damaging fertility or the unborn child.

Section 5. Fire Fighting Measures

Product Name: Kings Pot Recharge Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 11 July 2019 Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz

Hazard Type	Non Flammable	
Hazards from	Thermal decomposition can lead to release of irritating gases and	
combustion	vapours.	
products	Nitrogen oxides (NOx)	
	ammonia	
Suitable	Water	
Extinguishing	Not suitable: Foam, Dry chemical, Carbon dioxide (CO ₂) and Sand	
media		
Precautions for	Self-contained breathing apparatus.	
firefighters and		
special protective		
clothing		
HAZCHEM CODE	None Allocated	

Section 6. **Accidental Release Measures**

Wear protective equipment as detailed in Section 8. Clear area of any unprotected personnel. Avoid dust formation. In case of insufficient ventilation, wear suitable respiratory equipment.

Use mechanical handling equipment for cleanup.

Do not empty into drains. Retain and dispose of contaminated wash water.

Handling and Storage Section 7.

Precautions for Handling:

- Keep out of reach of children.
- Read label before use.
- Do not handle until all safety precautions have been read and understood.
- Wash hands thoroughly after handling.
- Avoid release to the environment.
- Wear protective clothing.
- Use personal protective equipment as required.
- Keep away from direct sunlight.
- Keep away from heat.
- Protect from contamination.
- Protect from moisture.

Precautions for Storage:

- Do not store together with oxidizing and self-igniting products.
- Keep away from direct sunlight.
- Protect from contamination.
- Protect from moisture.
- When stored loose do not mix with other fertilizers.
- Keep in a dry place.
- Store locked up.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL **Substance** ppm mg/m³ ppm mg/m³

No ingredient has exposure limits.

Prepared by: Technical Compliance Consultants (NZ) Ltd Product Name: Kings Pot Recharge Date of SDS: 11 July 2019

Tel: 64 9 475 5240 www.techcomp.co.nz Workplace Exposure Standard - Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2017 9TH EDITION.

Engineering Controls

Ensure good ventilation of the work station.

Personal Protection Equipment







Eyes	Wear goggles with side shields. Avoid wearing contact lenses.
Hands and	Wear gloves.
Skin	
Respiratory	If dusts are likely to be formed, use respiratory protection. Respirator with a
_	particle filter (EN 143) - P1 filter recommended.

Section 9	Physical and Chemical Properties	

	1
Appearance	Solid
Colour	Various Colours
Odour	Odourless
Odour Threshold	Not available
pH	Not available
Boiling Point	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Non flammable
Upper and Lower	Not available
Explosive Limits	
Vapour Pressure	Not available
Vapour Density	Not available
Specific Gravity	Ca. 1150 kg/m ³
Solubility in Water	Part fertilizer inside the coating dissolves in water gradually, part
	is soluble.
Partition Coefficient:	Not available
Auto-ignition	Not available
Temperature	
Decomposition	Not available
Temperature	
Kinematic Viscosity	Not available

Section 10. Stability and Reactivity

Stability of Substance	Stable under normal conditions of use.
Conditions to Avoid	Protect from frost, heat and sunlight. Avoid moisture.
Incompatible Materials	Sulphur, chlorites, chloride, chlorates, Hypochlorites, acid or alkaline reacting substances, flammable oxidizable substances, nitrites, metallic salts, metallic powder, herbicide, chlorinated hydrocarbons, organic compounds.
Hazardous Decomposition	Nitrogen oxides (NOx) and ammonia

Product Name: Kings Pot Recharge Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 11 July 2019 Tel: 64 9 475 5240 www.techcomp.co.nz

B 1 1	
Products	

Section 11 Toxicological Information

Acute Effects:

Swallowed	May be harmful if swallowed.	
Dermal	Not applicable.	
Inhalation	Not applicable.	
Eye	Causes serious eye irriation.	
Skin	Not applicable.	

Chronic Effects:

Carcinogenicity	Not applicable.	
Reproductive	Suspected of damaging fertility or the unborn child.	
Toxicity		
Germ Cell	Not applicable.	
Mutagenicity		
Aspiration	Not applicable.	
STOT/SE	Not applicable.	
STOT/RE	Not applicable.	

Components:

ammonium nitrate:

Acute oral toxicity : LD50 (Rat): > 2.950 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : > 88,8 mg/l

Method: No information available.

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 402

Section 12. Ecotoxicological Information

HSNO Classes: 9.1D = Toxic to aquatic life.

Persistence and degradability	No data available.
Bioaccumulation	No data available.
Mobility in Soil	No data available.
Other adverse effects	No data available.

Components:

ammonium nitrate:

Toxicity to fish : LC50 (Fish): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia (water flea)): 490 mg/l

Exposure time: 48 h

LC50: 490 mg/l

Toxicity to algae : EC50 (Selenastrum capricornutum (green algae)): 1.700 mg/l

Exposure time: 10 d

Do not allow to enter waterways.

Product Name: Kings Pot Recharge Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 11 July 2019 Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz

Page 5

Section 13. Disposal Considerations

Disposal Method: Contaminated packaging should be emptied as far as possible; then it can

be passed on for recycling after being thoroughly cleaned.

Ensure waste container holding any unwanted product or contaminated

spill media is labelled "Hazardous Waste"

Precautions: depositing the substance in a landfill provided the landfill is managed to ensure that—

(i) the substance will not at any time come into contact with an explosive or flammable substance (equivalent to HSNO class 1, 2, 3 or 4); and

(ii) there is no ignition source in the vicinity of the disposal site that is capable of igniting the substance; and

- (iii) if the substance were to combust, or cause or contribute to combustion, no person or place where a person may legally be, would be exposed to more blast overpressure or heat radiation than that described in regulation 7(3)(b) of the Hazardous Substances (Disposal) Regulations 2001; and
- (iv) the concentration of the substance in any discharge from the landfill does not, after reasonable mixing, exceed any relevant tolerable exposure limit and/or environmental exposure limit set for the substance or any of its component(s).

Disposal methods to avoid: Do not allow to enter waterways

Section 14 Transport Information

This product is not classified as a Dangerous Good for transport in NZ; NZS 5433:2012

Section 15 Regulatory Information

EPA Approval Code: Fertilisers (subsidiary) - HSR002571

HSNO Classification: 6.1E (oral), 6.4A, 6.8B, 9.1D

HSWA & EPA Controls	Trigger Quantity
Certified Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	10 000kg (9.1D)
Emergency Response Plan	10 000kg (9.1D)
Secondary Containment	10 000kg (9.1D)
Restriction of Use	None

Section 16 Other Information

Glossary

 $\begin{array}{lll} \mathsf{EC}_{50} & \mathsf{Median\ effective\ concentration.} \\ \mathsf{EEL} & \mathsf{Environmental\ Exposure\ Limit.} \\ \mathsf{EPA} & \mathsf{Environmental\ Protection\ Authority} \end{array}$

HSNO Hazardous Substances and New Organisms.

 LC_{50} Lethal concentration that will kill 50% of the test organisms

inhaling or ingesting it.

 LD_{50} Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

Product Name: Kings Pot Recharge Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 11 July 2019 Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible

authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017

- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2012
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, if further information is required.

Issue Date: 11 July 2019 Review Date: 11 July 2024

Product Name: Kings Pot Recharge Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 11 July 2019 Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz