

1. IDENTIFICATION

Product Name Manganese Mn EDTA

Other Names EDTA Manganese 13% Powder; Ethylenediaminetetraacetic acid, manganese disodium complex; Manganese

disodium EDTA

Uses Plant nutrient, chelating agent.

Chemical Family No Data Available **Chemical Formula** C10H12N2O8MnNa2

Chemical Name Ethylenediaminetetraacetic acid, manganese disodium salt

Product Description EDTA-MnNa2

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Level 2, No. 8, Jalan Sapir 33/7 Seksyen 33, Shah Alam Premier Industrial Park 40400 Shah Alam Sengalor, Malaysia	+60-3-5614-2111

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Poisons Information Centre	Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Not Scheduled Poisons Schedule (Aust)

Globally Harmonised System

Corporate Office Sydney
Locked Bag 15 Minto NSW 2566 Australia
2 Swettenham Road Minto NSW 2566 Australia All Deliveries: 4 Holmes Road Minto NSW 2566 Australia

E-mail

Phone +61 2 9733 3000 +61 2 9733 3111 sydney@redox.com www.redox.com 92 000 762 345

Adelaide Brisbane Melbourne Perth Sydney

Auckland Kuala Lumpur Los Angeles Hawke's Bay Oakland Mexico London



Hazard Classification NOT hazardous according to the Criteria of the Globally Harmonised System of Classification and

Labelling of Chemicals (GHS)

Signal Word None

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous

Goods by Road & Rail (ADG Code)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Manganese disodium EDTA	C10H12N2O8MnNa2	15375-84-5	>90 - 100 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed IF SWALLOWED: Rinse mouth, then drink plenty of water. Get medical advice/attention if you feel unwell.

Eye IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally

lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15

minutes. If eye irritation persists, get medical advice/attention.

Skin IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin

irritation occurs, get medical advice/attention.

Inhaled IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If respiratory

symptoms persist, get medical advice/attention.

Advice to Doctor Treat symptomatically.

Medical Conditions Aggravated

by Exposure

No information available.

5. FIRE FIGHTING MEASURES

General Measures Do not attempt to take action without suitable protective equipment. If safe to do so, move undamaged containers

from fire area. Cool containers with water spray until well after fire is out.

Flammability Conditions May burn but does not ignite readily.

Extinguishing Media Use dry chemical, Carbon dioxide (CO2), foam or water spray for extinction.

Fire and Explosion Hazard Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source

is a potential dust explosion hazard.

Hazardous Products of

Combustion

In case of fire, toxic fumes may be released. Thermal decomposition may produce Nitrous gas.

Special Fire FightingContain runoff from fire control or dilution water - Runoff may pollute waterways.

Instructions

Personal Protective Equipment Wear positive pressure self-contained breathing apparatus (SCBA) and chemical splash suit. SCBA and structural

firefighter's uniform may provide limited protection.

Flash PointNo Data AvailableLower Explosion LimitNo Data AvailableUpper Explosion LimitNo Data Available

Auto Ignition Temperature

264 °C

Hazchem Code

No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure Ensure adequate ventilation. ELIMINATE all ignition sources (if dust clouds can occur). Do not touch or walk through

spilled material. Avoid generating dust. Avoid breathing dust and contact with eyes, skin and clothing.

Clean Up Procedures Mechanically recover the product. Dispose of materials or solid residues at an authorised site (see SECTION 13).

Containment Stop leak if safe to do so - Prevent entry into waterways, drains or confined areas. Prevent dust cloud.

Decontamination Flush residues with water.

Environmental Precautionary

Measures

Prevent entry into drains and watercourses.

Evacuation Criteria Personal Precautionary

Measures

Spill or leak area should be isolated immediately. Keep unauthorised personnel away. Do not attempt to take action without suitable protective equipment (see SECTION 8).

7. HANDLING AND STORAGE

Handling Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure

> adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Minimise dust generation and accumulation. Avoid breathing dust and contact with eyes, skin and clothing. Do not ingest. Use personal protective equipment as required (see SECTION 8). Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical

grounding and bonding, or inert atmospheres.

Storage Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed. Protect from

moisture - Product is hygroscopic. Keep away from heat and sources of ignition - No smoking. Keep away from

foodstuffs and incompatible materials (see SECTION 10).

Container Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General No specific exposure standards are available for this product. For Manganese dust & compounds (as Mn):

Safe Work Australia Exposure Standard: TWA = 1 mg/m3

- New Zealand Workplace Exposure Standard [Adopted 2018]: TWA = 0.2 mg/m3 or 0.02 mg/m3 (respirable);

Ototoxin (oto).

Exposure Limits No Data Available

Biological Limits No information available.

Engineering Measures A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source,

preventing dispersion of it into the general work area.

Personal Protection Equipment - Respiratory protection: In case of inadequate ventilation, wear respiratory protection. Recommended: Dust

mask/particulate filter respirator (refer to AS/NZS 1715 & 1716).

Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Safety glasses.

- Hand protection: Handle with gloves. Recommended: Protective gloves.

- Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended:

Overalls, safety shoes.

Special Hazards Precaustions

No information available.

Work Hygienic Practices Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Take off

contaminated clothing and wash before reuse. Routine housekeeping should be instituted to ensure that dusts do

not accumulate on surfaces.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Solid **Appearance** Powder Odourless Odour Colour Light pink

рΗ 6.0 - 7.0 10g/L @ 25 °C **Vapour Pressure** 0.1 Pa (@ 120.8 °C) No Data Available **Relative Vapour Density Boiling Point** No Data Available

Melting Point Decomposes without melting

Freezing Point No Data Available Solubility Soluble in water 20°C **Specific Gravity** No Data Available Flash Point No Data Available

Auto Ignition Temp 264 °C

Evaporation Rate No Data Available **Bulk Density** No Data Available No Data Available **Corrosion Rate** No Data Available **Decomposition Temperature Density** No Data Available **Specific Heat** No Data Available **Molecular Weight** No Data Available **Net Propellant Weight** No Data Available **Octanol Water Coefficient** Log Kow: -8.12 Particle Size No Data Available **Partition Coefficient** No Data Available Saturated Vapour Concentration No Data Available Vapour Temperature No Data Available **Viscosity** No Data Available **Volatile Percent** No Data Available

No Data Available **Additional Characteristics** Surface tension: 72.7 mN/m at 20 °C and 1040 mg/L

Potential for Dust Explosion Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source

is a potential dust explosion hazard.

Fast or Intensely Burning

Characteristics

VOC Volume

No information available.

Flame Propagation or Burning

Rate of Solid Materials

No information available.

Non-Flammables That Could Contribute Unusual Hazards to a

Fire

No information available.

Properties That May Initiate or Contribute to Fire Intensity

May burn but does not ignite readily.

Reactions That Release Gases

or Vapours

In case of fire, toxic fumes may be released. Thermal decomposition may produce Nitrous gas.

Release of Invisible Flammable

Vapours and Gases

No information available.

10. STABILITY AND REACTIVITY

General Information No dangerous reactions known under normal conditions of use.

Chemical Stability Stable under normal conditions.

Conditions to AvoidAvoid generating dust. Protect from moisture/humidity.Materials to AvoidIncompatible/reactive with strong oxidising agents, aluminium.

Hazardous Decomposition

Products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. In case of

fire, toxic fumes may be released. Thermal decomposition may produce Nitrous gas.

Hazardous Polymerisation Hazardous polymerisation is not expected to occur.

11. TOXICOLOGICAL INFORMATION

General Information - Acute toxicity: Not classified. No adverse effect observed.

- Skin corrosion/irritation: Not classified. No adverse effect observed (not irritating).
 Eye damage/irritation: Not classified. No adverse effect observed (not irritating).
- Respiratory/skin sensitisation: Not classified.
- Germ cell mutagenicity: Not classified. No adverse effect observed (Genetic toxicity: negative).
- Carcinogenicity: Not classified.
- Reproductive toxicity: Not classified.
- STOT (single exposure): Not classified. Dust may be irritating to the respiratory tract and cause symptoms of bronchitis.
- STOT (repeated exposure): Not classified. Adverse effect observed (NOAEL, Rat: 500 mg/kg bw/day, sub-chronic).

- Aspiration toxicity: Not classified.

Acute

Ingestion Acute toxicity (Oral):

- LD50, Rat: >2,000 mg/kg bw. [Supplier's SDS].

Carcinogen Category None

12. ECOLOGICAL INFORMATION

EcotoxicityThe product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the

environment.

Persistence/Degradability No information available.

Mobility No information available.

Environmental Fate Prevent entry into drains and waterways.

Bioaccumulation Potential Low bioaccumulation potential.

Environmental Impact No Data Available

13. DISPOSAL CONSIDERATIONS

General Information Dispose of contents/container in accordance with local/regional/national regulations.

Special Precautions for Land Fill No information available.

14. TRANSPORT INFORMATION

Land Transport (Australia)

ADG Code

Proper Shipping Name Manganese Mn EDTA

Class No Data Available
Subsidiary Risk(s) No Data Available

No Data Available

UN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (Malaysia)

ADR Code

Proper Shipping Name Manganese Mn EDTA
Class No Data Available
Subsidiary Risk(s) No Data Available
No Data Available

UN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (New Zealand)

NZS5433

Proper Shipping Name

Class

No Data Available

Subsidiary Risk(s)

No Data Available

No Data Available

UN Number

No Data Available

Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (United States of America)

US DOT

Proper Shipping Name
Class
No Data Available
Subsidiary Risk(s)
No Data Available
No Data Available

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Sea Transport

IMDG Code

Proper Shipping NameManganese Mn EDTAClassNo Data Available

Subsidiary Risk(s)No Data AvailableUN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data AvailableEMSNo Data Available

Marine Pollutant No

Comments NON-DANGEROUS GOODS: Not regulated for SEA transport.

Air Transport

IATA DGR

Proper Shipping Name

Class

No Data Available

Subsidiary Risk(s)

No Data Available

No Data Available

No Data Available

Hazchem

No Data Available

Pack Group

No Data Available

No Data Available

No Data Available

No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for AIR transport.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous

Goods by Road & Rail (ADG Code)

15. REGULATORY INFORMATION

General InformationNo Data AvailablePoisons Schedule (Aust)Not Scheduled

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code Not Hazardous

National/Regional Inventories

Australia (AICS) Listed

Canada (DSL) Not Determined

Canada (NDSL) Not Determined

China (IECSC) Not Determined

Europe (EINECS) 239-407-5

Europe (REACh) 01-2119493600-40-

Japan (ENCS/METI) Not Determined

Korea (KECI) Not Determined

Malaysia (EHS Register) Not Determined

New Zealand (NZIoC) Listed

Philippines (PICCS) Not Determined

Switzerland (Giftliste 1) Not Determined

Switzerland (Inventory of Notified

Substances)

Not Determined

Taiwan (NCSR) Not Determined

USA (TSCA) Not Determined

16. OTHER INFORMATION

CHELMA4000, CHELMA4001, CHELMA4100, CHELMA4300, CHELMA4500, CHELMA6002 **Related Product Codes**

Revision

16 Jul 2019 **Revision Date** Reason for Issue SDS updated Key/Legend < Less Than > Greater Than

AICS Australian Inventory of Chemical Substances

atm Atmosphere

CAS Chemical Abstracts Service (Registry Number)

cm² Square Centimetres CO2 Carbon Dioxide

COD Chemical Oxygen Demand deg C (°C) Degrees Celcius

EPA (New Zealand) Environmental Protection Authority of New Zealand

deg F (°F) Degrees Farenheit

g Grams

g/cm³ Grams per Cubic Centimetre

g/I Grams per Litre

HSNO Hazardous Substance and New Organism **IDLH** Immediately Dangerous to Life and Health immiscible Liquids are insoluable in each other.

inHg Inch of Mercury inH2O Inch of Water K Kelvin

kg Kilogram kg/m³ Kilograms per Cubic Metre

lb Pound

LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours. LD50 LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50%

(one half) of a group of test animals.

itr or L Litre m³ Cubic Metre mbar Millibar mg Milligram

mg/24H Milligrams per 24 Hours mg/kg Milligrams per Kilogram mg/m³ Milligrams per Cubic Metre

Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component

present.

mm Millimetre

mmH2O Millimetres of Water mPa.s Millipascals per Second

N/A Not Applicable

NIOSH National Institute for Occupational Safety and Health NOHSC National Occupational Heath and Safety Commission **OECD** Organisation for Economic Co-operation and Development

Oz Ounce

PEL Permissible Exposure Limit

Pa Pascal

ppb Parts per Billion

ppm Parts per Million ppm/2h Parts per Million per 2 Hours

ppm/6h Parts per Million per 6 Hours psi Pounds per Square Inch R Rankine

RCP Reciprocal Calculation Procedure STEL Short Term Exposure Limit

TLV Threshold Limit Value

tne Tonne

TWA Time Weighted Average ug/24H Micrograms per 24 Hours UN United Nations

wt Weight