

SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: Micro Mag Mini

Item Code:

Product Use: Compound Trace Element fertiliser

Restriction of Use: Refer to Section 15

New Zealand Supplier: Horticentre Ltd Address: 10 Firth Street Drury, 2113

Telephone: +64 9 294 8453 Fax Number: +64 9 294 7272

Emergency Telephone: 0800 764 766 (National Poison Centre)

Date of SDS Preparation: 13 February 2020

Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval No: Fertiliser (subsidiary) - HSR002571

Pictograms





Oxidiser

Irritant

Signal Word: Warning

HSNO Classification	Hazard Code	Hazard Statement	GHS Category
6.1E (oral)	H303	May be harmful if swallowed.	Acute Tox. 5
6.1E (dermal)	H313	May be harmful in contact with skin.	Acute Tox. 5
6.1E (inh)	H333	May be harmful if inhaled.	Acute Tox. 5
6.3A	H315	Causes skin irritation.	Skin Irrit. 2
6.4A	H319	Causes serious eye irritation.	Eye Irrit. 2A
9.1D	H402	Harmful to aquatic life.	Aquatic Acute 3

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read label before use.
P264	Wash hands thoroughly after handling.

P273	Avoid release to the environment.
P280	Wear protective clothing as detailed in Section 8.

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P362	Take off contaminated clothing and wash before re-use.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.
P305 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove
P351+P338	contact lenses, if present and easy to do. Continue rinsing.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Storage Code	Storage Statement
None allocated	

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Section 3. Composition / Information on Ingredients

Ingredients	Wt%	CAS NUMBER.
Magnesium Oxide	Proprietary	1309-48-4
Calcite (Calcium Carbonate)	Proprietary	471-34-1
Ferrous Sulphate	Proprietary	7720-78-7
Borax	Proprietary	1303-96-4
Zinc Sulphate	Proprietary	7733-02-0
Manganese Sulphate	Proprietary	7785-87-7
Copper Sulphate	Proprietary	7758-98-7
Ammonium Molybdate	Proprietary	12054-85-2

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes Rinse cautiously with water for 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists call

doctor/physician.

If on Skin Wash with plenty of soap and water. If skin irritation occurs: get medical

advice/attention.

If Swallowed Rinse mouth with water. DO NOT induce vomiting. Never give anything to

the mouth of an unconscious person. If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips

to prevent vomit entering the lungs. Call a POISON CENTER or

doctor/physician if you feel unwell.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. In case of lung irritation, first treatment with dexametason aerosol (spray). Get medical

advice if breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms: Refer to Section 11

Ingestion: May be harmful if swallowed. **Inhalation:** May be harmful if inhaled.

Skin: May be harmful if absorbed through the skin. Causes skin irritation.

Eyes: Causes severe eye irritation.

Treatment: Treat symptomatically.

Section 5.	Fire Fighting Measures
------------	------------------------

Hazard Type	Non Flammable, Non-combustible material.
Hazards from decomposition products	N/A
Suitable Extinguishing media	Based on surrounding materials.
Precautions for firefighters and special protective clothing	N/A
HAZCHEM CODE	None allocated

Section 6. Accidental Release Measures

Wear appropriate protective clothing. Exclude non-essential people from the area.

Do not empty into drains. Retain and dispose of contaminated wash water.

Contain spill and sweep up. Collect and place in sealable containers. Avoid generating dust. Reuse or recycle where possible. Dispose of according to Local Regulations detailed in Section 13.

Section 7. Handling and Storage

Precautions for Handling:

- Read label before use.
- Avoid contact with skin, eyes and inhalation.
- Wash hands thoroughly after handling. Do not eat, drink or smoke whilst using this product.
- · Avoid release to the environment.
- Wear protective clothing as detailed in Section 8.

Precautions for Storage:

- Keep out of reach of children.
- Store in a secure area.
- Keep away from water and substances listed in section 10 "materials to avoid"

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA ppm mg/m³	STEL ppm mg/m ³
Magnesium oxide fume [1309-48-4]	- 10	
Marble (Calcium carbonate) [471-34-1]	- 10	
Borax [1303-96-4]	- 1	

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the

short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2017 9TH EDITION.

Engineering Controls

Handle in well ventilated area. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below exposure limits. Avoid inhalation of dust.

Personal Protection Equipment







Eyes	Tightly fitting safety goggles.
Skin	Wear gloves and overalls.
Respiratory	Dust Mask.
General	Do not eat, drink or smoke while using this product. Remove protective clothing and wash hands and face before meals and after work. Wash protective clothing daily after work.

Section 9 Physical and Chemical Properties

Annanyanaa	Cypridge
Appearance	Granular
Colour	Grey
Odour	Odourless
Odour Threshold	Not available
pH	8.0 - 8.5
Boiling Point	Decomposes before boiling
Melting Point	Decomposes before melting
Freezing Point	Not available
Flash Point	Not available
Flammability	The product is not flammable.
Upper and Lower	Not available
Explosive Limits	
Vapour Pressure	Not available
Vapour Density	Not available
Bulk Density	1000-1200 kg/m ³
Solubilities	Miscible
Partition Coefficient:	Not available
Auto-ignition	Not available
Temperature	
Decomposition	Not available
Temperature	
Kinematic Viscosity	Not available
Particle Size	Not available

Section 10. Stability and Reactivity

Stability of Substance	This material is t stable when stored and used as directed.
Hazardous Reactions	No data available.
Conditions to Avoid	Avoid moisture.
Incompatible Materials	Strong acids and bases.
Hazardous Decomposition	No data available.
Products	

Section 11 Toxicological Information

Acute Effects:

Product Name: Micro Mag Mini Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 13 February 2020 Tel: 64 9 475 5240 www.techcomp.co.nz

Page 4

Swallowed	May be harmful if swallowed. Ingestion of large quantities. May lead to
	nausea, vomiting and gastrointestinal irritation.
Dermal	May be harmful if absorbed through the skin.
Inhalation	May be harmful if inhaled.
Eye	Causes severe eye irritation. Contact may result in irritation,
	lachrymation, pain and redness
Skin	Causes skin irritation. Prolonged and repeated skin exposure may
	result in irritation, skin rash and dermatitis

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive	Not applicable.
Toxicity	
Germ Cell	Not applicable.
Mutagenicity	
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

Individual component information:

Acute Toxicity:

Chemical Name	Oral - LD50	Dermal - LD50	Inhalation - LC50
Ammonium Nitrate	>2950mg/kg (rat)	>5000mg/kg (Rat)	>88.8mg/L
Potassium Nitrate	>2000mg/kg (rat)	>5000mg/kg (Rat)	0.527 mg/l (rat)

Section 12. Ecotoxicological Information

HSNO Classes: 9.1D = Harmful to aquatic life.

Persistence and degradability	No data available.
Bioaccumulation	No data available.
Mobility in Soil	No data available.
Other adverse effects	No data available.

Do not allow to enter waterways.

Section 13. Disposal Considerations

Disposal Method:

Reuse or recycle where possible. If practicable apply excess fertiliser at recommended rates to appropriate land. Observe any local authority restrictions that may apply. Rinse containers thoroughly prior to reuse. Otherwise render unusable and dispose of as waste.

Precautions or methods to avoid: Avoid release to the environment.

Section 14 Transport Information

This product is NOT classified as a Dangerous Good for transport in NZ; NZS 5433:2012

Section 15 Regulatory Information

EPA Approval Code: Fertiliser (subsidiary) - HSR002571

HSNO Classification: 6.1E(oral, dermal, inhalation), 6.3A, 6.4A, 9.1D

HSWA & EPA Controls	Trigger Quantity
Certified Handler	Not required
Location Certificate	Not required

Product Name: Micro Mag Mini Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 13 February 2020 Tel: 64 9 475 5240 www.techcomp.co.nz

Page 5

Tracking Trigger Quantities	Not required
Signage Trigger Quantities	10 000kg (9.1D)
Emergency Response Plan	10 000kg (9.1D)
Secondary Containment	10 000kg (9.1D)
Restriction of Use	None

Section 16	Other Information

Glossary

EC₅₀ Median effective concentration. EEL Environmental Exposure Limit. EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

LC₅₀ Lethal concentration that will kill 50% of the test organisms

inhaling or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible

authority.

UEL Upper Explosive Level
WES Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017

- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2012
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, if further information is required.

Issue Date: 13 February 2020 Review Date: 13 February 2025