

SAFETY DATA SHEET

Microthiol Disperss®

Date of Issue: 21st September 2020

1. SUBSTANCE/PREPARATION AND COMPANY IDENTIFICATION

Chemical name of active ingredient(s): Sulphur Recommended use: Fungicide

Supplier: UPL New Zealand Limited PO Box 51584, Pakuranga

Auckland

Phone 0800 100 325

Emergency telephone number: 0800 Poison (0800 764 766) 24 Hours

2. HAZARDS IDENTIFICATION

Hazard 9.1D

Classification:

Signal Word: WARNING

Required identification Details:

Harmful to the aquatic environment.

If medical advice is needed, have product container or label at hand. Immediately call the National

Poisons Centre 0800 POISON (0800 764 766) or a doctor. Call the POISON CENTER or doctor/physician if you feel unwell.

Rinse mouth.

Do NOT induce vomiting.

Wash contaminated clothing before reuse.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/preparation Information on hazardous ingredients

Common name CAS No %

Sulphur 7704-34-9 80 Other non-hazardous ingredients 20

4. FIRST-AID MEASURES

Description of necessary first aid measures: Rinse mouth. Do NOT induce vomiting. Wash contaminated clothing

before reuse. IF SWALLOWED: Call a POISON CENTER or

doctor/physician if you feel unwell.

1 10 10 11 7 1 11 11

Issued by UPL New Zealand Limited

Page 1 of 5

Product: Microthiol Disperss SDS ES538

Effects and symptoms Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention. Ingestion: Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear. Skin contact: Wash affected areas thoroughly with soap and water. Remove contaminated clothing and launder before re-use. If irritation persists, seek medical advice. Eye contact: Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Get medical attention. Notes to a physician: Treat according to symptoms. 5. FIRE-FIGHTING MEASURES **Extinguishing media:** Water. Foam. Carbon dioxide. Dry chemical. Use extinguishing media appropriate for surrounding fire. Avoid strong water jets - airborne dusts may form a flammable dust cloud. **Hazardous thermal** If involved in a major fire, could evolve oxides of sulphur or carbon. (de)composition products: **HAZCHEM Code:** 2W Protection of fire-fighters: Wear SCBA and chemical-protective clothing. 6. ACCIDENTAL RELEASE MEASURES For appropriate personal protective equipment (PPE), refer Section Personal precautions: **Environmental precautions:** Contain spill, do not allow material to enter sewers or bodies of water. Keep unprotected persons and animals out of the area. Sweep spills and place in waste containers. Wash area with water Methods for cleaning up: and absorb with inert material. Dispose of waste safely, according to Local Council regulations. 7. HANDLING AND STORAGE Handling: Keep out of reach of children Read label before use.

When mixing or applying, avoid contact with skin and eyes. Avoid generating dusts while handling the product and mixing. Wear protective clothing, gloves and goggles Do not eat or drink while using. Wash hands and face before meals and after work. Wash protective clothing after work. Avoid release to the environment.

Keep away from heat and protect from sunlight.

Issued by UPL New Zealand Limited Page 2 of 5

Storage:

Product: Microthiol Disperss SDS ES538

- Store in original container, tightly closed in a locked, dry, well ventilated place away from food or feedstuffs.
- Do not store near oxidisers.

Packaging materials: HDPE Plastic

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace Exposure Guidelines

Exposure Standards: Not established. The exposure standard for dusts in general is

10 mg/m3.

Engineering measures

Exposure control measures:General room ventilation is expected to be satisfactory for use at

room temperature.

Personal Protective Equipment

Detail specifications for equipment:

Respiratory system: If dusts are present, wear a dust mask.

Skin and body:When opening the container, preparing spray and using the prepared

spray wear cotton overalls buttoned to the neck and wrist and a

washable hat.

Hands: Elbow-length and PVC/nitrile gloves

Eyes: Wear face shield or goggles.

General hygiene: After use and before eating, drinking or smoking, wash hands, arms

and face thoroughly with soap and water.

After each day's use, wash contaminated clothing and safety

equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Solid granule or powder

Colour: Brown

Odour:

DH: 8 – 11 (1% dilution)

Vapour Pressure:

Boiling Point:444°CMelting point:113°CSolubility:Dispersible

Specific gravity or density:

Information for flammable material

including:

Flashpoint: 207°C for pure sulphur

Octanol/water partition coefficient: Not available

10. STABILITY AND REACTIVITY

Stability: This product is unlikely to react or decompose under normal storage

Not flammable.

conditions.

Conditions to avoid: This product should be kept in a cool place, preferably below 30°C.

Store in the closed original container in a dry, cool, well-ventilated

area out of direct sunlight.

Materials to avoid: Strong oxidizing agents.

Hazardous Decomposition

Products:

Issued by UPL New Zealand Limited

Page 3 of 5

Product: Microthiol Disperss SDS ES538

Hazardous polymerization:

This product will not undergo polymerisation reactions.

11. TOXICOLOGICAL INFORMATION

Skin irritation: May irritate the skin.

Avoid formation of dusts. Sulphur dust on (sweaty) skin can

become irritating by formation of acids.

Eye irritation: The concentrate may cause irritation of the eyes. May cause some discomfort if contact is prolonged.

Sensitization:

Chronic toxicity
Other information:

Regular exposure may result in chronic bronchitis.

12. ECOLOGICAL INFORMATION

No data available for this product. Values are for a similar product.

Aquatic Not toxic to fish

LC₅₀: >1000 mg/L (48hr, Daphnia magna)

EC₅₀: 586 mg/l (72hr, algae)

Bioaccumulation

Degradability Loss from soil is principally by microbial degradation

Soil No evidence of soil toxicity

Terrestrial vertebrate No evidence of toxicity towards terrestrial vertebrates

Terrestrial invertebrate Not toxic to bees.

13. DISPOSAL CONSIDERATIONS

Methods of disposal : Avoid contamination of any waterway with chemical or empty container.

Product: Ideally, the product should be used for its intended purpose. If there is a need to

dispose of the product, follow the recommendations in NZS 8409.

Empty Container: Triple rinse container and bury in landfill.

14. TRANSPORT INFORMATION - International transport regulations

UN number: Not a Dangerous Good

Class or Division:

Packing Group:

Marine Pollutant: No

Proper shipping name: Not a Dangerous Good

INTERNATIONAL AIR TRANSPORT

ASSOCIATION (IATA):

Loved by UDI Along 7 relayed United

15. REGULATORY INFORMATION

ACVM Registered Number: P004795 HSNO Approval Code: HSR000816

16. OTHER INFORMATION

Additional information: Original Issue Date: 21 September 2020

Revision Date: Replaces:

Disclaimer EXCLUSION OF LIABILITY: PLEASE READ

This Safety Data Sheet is based on the most recent information available. To the extent permitted by law, users of this information accept that neither the manufacturer, UPL New Zealand Limited as distributor, nor any other distributor have any liability or responsibility whatsoever for any loss, damage or injury whether in contract or tort, whether direct, indirect or consequential howsoever arising in connection with the supply of these information.

® Trademark of