Page 1 of 8

Version: 6 / 10 July 2020

# SAFETY DATA SHEET

# **Section 1: IDENTIFICATION**

**Product Name:** RIDOMIL GOLD SL

**Design Code:** A13947A **Recommended Use: Fungicide** 

**Company Details: Syngenta Crop Protection Limited** Address: Tower II, Level 7, 110 Symonds Street

> Private Bag 92618, **Symonds Street AUCKLAND NEW ZEALAND**

Telephone number: (weekdays) 09 306 1500 **Emergency Telephone number:** (24 Hours) 0800 734 607

**National Poisons & Hazchem** 

Information Centre:

0800 POISON (0800 764 766)

# **Section 2: HAZARDS IDENTIFICATION**

Hazard classification: 3.1D, 6.1D, 6.4A, 6.9B, 9.1C, 9.3C

**Priority Identifier:** WARNING

KEEP OUT OF REACH OF CHILDREN

**Secondary Identifiers:** 3.1D = Combustible liquid

6.1D = Harmful if swallowed

6.4A = Causes serious eye irritation

6.9B = May cause liver damage from repeated oral exposure at high

9.1C = Harmful to aquatic life with long lasting effects

9.3C = Harmful to terrestrial vertebrates

# Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

Mixture: Chemical Identity of ingredients:				
Ingredient	CAS no.	Content (% w/v)		
Metalaxyl-M	70630-17-0	48		
acetophenone	98-86-2	>= 10 - < 20		
2-heptanone	110-43-0	>= 1 - < 10		
amines, tallow alkyl, ethoxylated	61791-26-2	>= 1 - < 2.5		
dodecylbenzene sulphonic acid	85536-14-7	>= 1 - < 2.5		
other ingredients determined not to be hazardous	-	to 100%		

# **Section 4: FIRST AID MEASURES**

Description of First Aid measures:

**General Advice:** For advice contact the National Poisons Centre on 0800 POISON

> (0800 764 766) or a doctor immediately. Begin artificial respiration if the victim is not breathing. Use mouth to nose rather than mouth to

mouth. Obtain medical attention.

In case of skin contact: Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a doctor. Wash contaminated clothing before re-use.

In case of eye contact: Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes.

Remove contact lenses (if present). Immediate medical attention is required.

If swallowed: If swallowed seek medical advice immediately and show the container

or label.

DO NOT induce vomiting. Rinse mouth.

Important symptoms and effects, both acute and delayed:

Symptoms: Nonspecific

No symptoms known or expected.

Indication of any immediate medical attention and special treatment needed:

There is no specific antidote available.

Treat symptomatically.

#### **Section 5: FIRE-FIGHTING MEASURES**

Extinguishing media:

Suitable extinguishing media: Small fires:

Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide. Large Fires:

Alcohol resistant foam or water spray.

**Unsuitable extinguishing media:** Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture:

Specific hazards during fire-

fighting:

Fire will spread by smouldering or slow decomposition.

As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of

combustion (see section 10).

Exposure to decomposition products may be a hazard to health.

Advice for firefighters:

Special protective equipment for

firefighters:

Wear full protective clothing and self-contained breathing apparatus.

**Further information:** Do not allow run-off from fire fighting to enter drains or water courses.

Cool closed containers exposed to fire with water spray.

# **Section 6: ACCIDENTIAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Refer to protective measures listed in Sections 7 and 8.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so.

Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform respective

authorities.

Methods and material for containment and cleaning up:

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see

section 13).

Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

**Refer to disposal considerations listed in Section 13.** 

Refer to protective measures listed in sections 7 and 8.

#### Section 7: HANDLING AND STORAGE

Precautions for Safe handling:

**Advice on safe handling:**No special protective measures against fire required.

Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.

Conditions for safe storage, including any incompatibilities:

Requirements for storage area

and containers:

Store locked up. No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep

out of reach of children. Keep away from food, drink and animal

feeding stuffs.

Further information on storage

stability:

Physically and chemically stable for at least 2 years when stored in the

original unopened sales container at ambient temperatures.

Specific end use(s)

**Specific use(s)** For proper and safe use of this product, please refer to the approval

conditions laid down on the product label.

#### Section 8: EXPOSURE CONTROL / PERSONAL PROTECTION

# **Control Parameters**

**Occupational Exposure Limits:** 

Components	CAS No	Value type (form of exposure)	Control parameters	Basis
metalaxyl-M	70630-17-0	TWA	5 mg/m <sup>3</sup>	Syngenta
2-heptanone	110-43-0	TWA	50 ppm 233 mg/m <sup>3</sup>	WES

Exposure controls

Engineering measures: Containment and/or segregation is the most reliable technical

protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in

use.

Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

Personal Protective Protection:

**Eye protection:** Face shield or tightly fitting safety goggles.

Always wear eye protection when the potential for inadvertent eye

contact with the product cannot be excluded.

Hand protection:

Material: Chemical resistant, such as nitrile rubber

Break through time: >480 min

Glove thickness: 0.5 mm

**Remarks:** Wear protective gloves. The choice of an appropriate glove does not

only depend on its material but also on other quality features and is

different from one producer to the other.

Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

**Skin and body protection:** Choose body protection in relation to its type, to the concentration and

amount of dangerous substances, and to the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate: Cotton overalls.

**Respiratory protection:** No personal respiratory protective equipment normally required.

When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

**Protective measures:** The use of technical measures should always have priority over the

use of personal protective equipment.

When selecting personal protective equipment, seek appropriate

professional advice.

Personal protective equipment should be certified to appropriate

standards.

# **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties:

Appearance: Liquid

Colour:Yellow to orangeOdour:Like ketoneOdour threshold:No data

**pH value** 6 - 10, concentration: 1% w/v

**Melting point / freezing point:** No data Initial boiling point and boiling range: No data Flash point: No data Flammability (solid, gas): No data **Upper flammability / explosive limits:** No data Lower flammability / explosive limits No data Vapour pressure: No data **Vapour Density:** No data

**Density:** 1.06 g/cm<sup>3</sup> (20°C)

Solubility: No data

Partition co-efficient: n-octanol / water: log Pow: 1.71 (25°C)

Autoignition temperature 385°C

Decomposition temperature: No data

**Dynamic viscosity:** 21.0 mPa.s (40°C) **Explosive properties:** Not explosive

Oxidising properties:

Not classified as oxidizing
Surface tension

35.1 mN/m at 20°C

# **Section 10: STABILITY AND REACTIVITY**

Reactivity:

See Section: "Possibility of Hazardous Reactions".

Chemical Stability:

The product is stable when used in normal conditions.

Possibility of Hazardous Reactions:

No hazardous reactions by normal handling and storage according to provisions.

Conditions to Avoid

No decomposition if used as directed.

Incompatible Materials:

No substances are known which lead to the formation of hazardous substances or thermal reactions.

Hazardous Decomposition Products:

No hazardous decomposition products are known.

# Section 11: TOXICOLOGICAL INFORMATION

#### **HSNO Classifications:**

6.1D - Harmful if swallowed.

6.4A - Causes serious eye irritation.

6.9B - May cause liver damage from repeated oral exposure at high doses.

Acute toxicity (similar composition)

Swallowed: LD50 550 mg/kg (rat, female)

Dermal absorption:  $LD_{50}$ >2000 mg/kg (rat, male and female))

Inhaled: LC<sub>50</sub> (4 h) > 5.58 mg/L (rat, male and female)

Aspiration hazard: Not classified Respiratory irritation: Not classified

Skin corrosion / irritation: NON-IRRITANT (HSNO classification - rabbit) Eye damage / irritation: IRRITANT reversing within 21 days (rabbit)

Respiratory or Skin Sensitisation:

NON-SENSITISER (skin - guinea pig)

Chronic / Long Term Effects (active ingredients)

Germ cell mutagenicity: Animal testing did not show any mutagenic effects. Carcinogenicity: No evidence of carcinogenicity in animal studies.

Reproductive toxicity: No toxicity to reproduction.

Specific Organ toxicity: Single exposure:

> 2-heptanone: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation., The substance or mixture is classified as specific target organ toxicant, single

exposure, category 3 with narcotic effects.

Repeated exposure: Target Organs: Liver

The substance or mixture is classified as specific target organ toxicant, repeated exposure, Class 6.9B. May cause liver damage from repeated oral exposure at

high doses.

Narcotic Effects: 2-heptanone: narcotic effects

# Section 12: ECOLOGICAL INFORMATION

**HSNO Classifications:** 

9.1C = Harmful to aquatic life with long lasting effects.

9.3C = Harmful to terrestrial vertebrates.

Ecotoxicity Effects - Aquatic (product)

Acute toxicity to fish:  $LC_{50}$  (96 h) = 15 mg/L (Oncorhynchus mykiss (rainbow trout)):

**Toxicity to daphnia and other**  $EC_{50}$  (48h) = 61 mg/L (*Daphnia magna* (water flea))

aquatic invertebrates:

**Toxicity to algae:**  $E_rC_{50}$  (72 h) = 39 mg/L (*Pseudokirchneriella subcapitata* (green

algae))

Ecotoxicity Effects - Terrestrial (active ingredient)

**Toxicity to Birds:**  $LC_{50} = >5,620 \text{ ppm (8-day dietary - bobwhite quail) (metalaxyl-M)}$ 

**Toxicity to soil dwelling organisms:**  $LC_{50}$  (14 days) = 830 mg/kg (earthworms) (metalaxyl-M)

**Toxicity to Bees:** LD<sub>50</sub> (48h, oral) = >97.3  $\mu$ g/bee (metalaxyl-M)

LD<sub>50</sub> (48h, contact) = >100  $\mu$ g/bee (metalaxyl-M)

Persistence and degradability:

Biodegradability: Not readily biodegradable

**Stability in water:** Degradation half-life: 22.4 – 47.5 d

Not persistent in water.

Bioaccumulative potential:

**Bioaccumulation:** Low bioaccumulation potential.

Mobility in soil:

Distribution among environmental

compartments:

Metalaxyl has a range from low to very high mobility in soil

depending on soil type.

Stability in soil: DT<sub>50</sub>:<50 d

Percentage dissipation: 50%

Not persistent in soil.

Other adverse effects:

Results of PBT and vPvB assessment (product):

This substance contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and

very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **Section 13: DISPOSAL CONSIDERATIONS**

Product Disposal: DO NOT contaminate ponds, waterways or ditches with chemical or

used containers. DO NOT dispose of waste into sewer. Dispose of this product only by using according to the label. Otherwise, dispose of waste at an approved landfill or other approved facility that will ensure the substance does not exceed the tolerable exposure limit (TEL) or environmental exposure limit (EEL), where relevant, or will treat the

substance so that it is rendered no longer hazardous.

**Container Disposal:** Ensure the container is empty. Triple rinse empty container and add

rinsate to the spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise crush and bury in a suitable landfill. DO NOT reuse this container for any other purpose.

# **Section 14: TRANSPORT INFORMATION**

Rail / Road (NZS 5433) Not classified as dangerous good. Sea (IMDG-Code) Not classified as dangerous good. Air (IATA) Not classified as dangerous good.

#### **Section 15: REGULATORY INFORMATION**

**HSNO Approval Number:** HSR008011

**Tolerable Exposure Limit or** No TEL or EEL values are set for this substance at this time

**Environmental Exposure Limit: Required Regulatory Controls:** 

> Certified handler: No Tracking: Nο **Record Keeping:** No

**ACVM** Registration: P 7970

**ACVM Controls:** See <u>www.foodsafety.govt.nz/industry/acvm</u> for registration conditions.

Not applicable

**International Agreements related** to the substance (eq. Montreal

**Protocol, Stockholm Convention** 

or Rotterdam Convention):

Date of SDS Preparation / Review:	10 July 2020
Version number of SDS:	6

**Section 16: OTHER INFORMATION** 

#### Key / Legend to abbreviations and acronyms used:

AICS - Australian Inventory of Chemical Substances;

ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials;

bw - Body weight;

CMR -Carcinogen, Mutagen or Reproductive Toxicant;

CPR - Controlled Products Regulations;

DIN - Standard of the German Institute for Standardisation;

DSL - Domestic Substances List (Canada);

ECx - Concentration associated with x% response;

ELx - Loading rate associated with x% response;

EmS - Emergency Schedule;

ENCS - Existing and New Chemical Substances (Japan);

ErCx - Concentration associated with x% growth rate response:

ERG - Emergency Response Guide;

GHS - Globally Harmonized System;

GLP - Good Laboratory Practice;

IARC - International Agency for Research on Cancer;

IATA - International Air Transport Association;

IBC - International Code for the Construction and Equipment

of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration;

ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China;

IMDG - International Maritime Dangerous Goods;

IMO - International Maritime Organization;

ISHL - Industrial Safety and Health Law (Japan);

 ${\sf ISO-International\ Organisation\ for\ Standardization;}$ 

KECI - Korea Existing Chemicals Inventory;

LC50 - Lethal Concentration to 50 % of a test population;

LD50 - Lethal Dose to 50% of a test population (Median Lethal

Dose);

MARPOL - International Convention for the Prevention of

Pollution from Ships;

N.O.S. - Not Otherwise Specified;

Nch - Chilean Norm;

NO(A)EC - No Observed (Adverse) Effect Concentration;

NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate;

NOM - Official Mexican Norm;

NTP - National Toxicology Program;

NZIoC - New Zealand Inventory of Chemicals;

OECD - Organization for Economic Co-operation and

OPPTS - Office of Chemical Safety and Pollution Prevention:

PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical

Substances:

(Q)SAR - (Quantitative) Structure ActivityRelationship;

REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals;

SADT - Self-Accelerating Decomposition Temperature;

SDS - Safety Data Sheet;

TCSI - Taiwan Chemical Substance Inventory;

TDG - Transportation of Dangerous Goods;

TSCA - Toxic Substances Control Act (United States);

UN - United Nations;

UNRTDG - United Nations Recommendations on the

Transport of Dangerous Goods;

vPvB - Very Persistent and Very Bioaccumulative;

WES - Workplace Exposure Standard (Worksafe NZ);

WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the test.

This version replaces all previous versions.

PRODUCT NAMES are a trademark or registered trademark of a Syngenta Group Company.