Page 1 of 8

Version: 6.0 / 24 February 2023

SAFETY DATA SHEET

Section 1: IDENTIFICATION

Product Name: SWITCH
Design Code: A9219B
Recommended Use: Fungicide

Company Details: Syngenta Crop Protection Limited

Address: Level 4,

60 Parnell Road,

Parnell

AUCKLAND 1052 NEW ZEALAND

Telephone number: (weekdays) 09 306 1500 Emergency Telephone number: (24 Hours) 0800 734 607

National Poisons & Hazchem

Information Centre: 0800 POISON (0800 764 766)

Section 2: HAZARDS IDENTIFICATION

Hazard classification: 6.9B, 9.1A

Priority Identifier: WARNING

KEEP OUT OF REACH OF CHILDREN

Secondary Identifiers: 6.9B = May cause organ damage from repeated oral exposure at

high doses.

9.1A = Very toxic to aquatic organisms

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

Mixture: Chemical Identity of ingredients:				
Ingredient	CAS no.	Content (% w/w)		
Cyprodinil (technical grade)	121552-61-2	37.5		
Fludioxonil (technical grade)	131341-86-1	25		
Diatomaceous earth	61790-53-2	>= 10 - <20		
Sodium dibutyl-naphthalenesulphonate	25417-20-3	>= 3 - < 5		
2,5-Furandione, polymer with 2,4,4-trimethylpentene, sodium salt	37199-81-8	>= 1 - < 3		
Other ingredients determined not to be hazardous	-	to 100%		

Section 4: FIRST AID MEASURES

Description of First Aid measures:

General Advice: For advice contact the National Poisons Centre on 0800 POISON

(0800 764 766) or a doctor immediately. Begin artificial respiration if the victim is not breathing. Use mouth to nose rather than mouth to

mouth. Obtain medical attention.

If inhaled:Move the victim to fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Keep patient warm and at rest.

Call a Doctor or the National Poisons Centre immediately.

In case of skin contact: Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a doctor. Wash contaminated clothing before re-use.

In case of eye contact: Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes.

Remove contact lenses (if present). Immediate medical attention is required.

If swallowed: If swallowed seek medical advice immediately and show the container

or label.

DO NOT induce vomiting.

Important symptoms and effects, both acute and delayed:

Symptoms: Nonspecific

No symptoms known or expected.

Indication of any immediate medical attention and special treatment needed:

There is no specific antidote available.

Treat symptomatically.

Section 5: FIRE-FIGHTING MEASURES

Extinguishing media:

Suitable extinguishing media: Small fires:

Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide. Large Fires:

Alcohol resistant foam or water spray.

Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture:

Specific hazards during fire-

fighting:

As the product contains combustible organic components, fire will

produce dense black smoke containing hazardous products of

combustion (see section 10).

Exposure to decomposition products may be a hazard to health.

Advice for firefighters:

Special protective equipment for

firefighters:

Wear full protective clothing and self-contained breathing apparatus.

Hazchem Code: 2X

Further information: Do not allow run-off from fire fighting to enter drains or water courses.

Cool closed containers exposed to fire with water spray.

Section 6: ACCIDENTIAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Refer to protective measures listed in Sections 7 and 8.

Avoid dust formation.

Environmental Precautions:

Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform respective

authorities.

Methods and material for containment and cleaning up:

Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to

local regulations (see section 13).

Do not create a powder cloud by using a brush or compressed air.

Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

Reference to other sections: Refer to disposal considerations listed in Section 13.

Refer to protective measures listed in sections 7 and 8.

Section 7: HANDLING AND STORAGE

Precautions for Safe handling:

Advice on safe handling: Avoid contact with skin and eyes.

When using do not eat, drink or smoke. For personal protection see section 8.

This material is capable of forming flammable dust clouds in air, which,

if ignited, can produce a dust cloud explosion.

Flames, hot surfaces, mechanical sparks and electrostatic discharges

can serve as ignition sources for this material.

Electrical equipment should be compatible with the flammability characteristics of this material. The flammability characteristics will be made worse if the material contains traces of flammable solvents or is

handled in the presence of flammable solvents.

Conditions for safe storage, including any incompatibilities:

Requirements for storage area

and containers:

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of reach of children. Keep away from food, drink and animal

feeding stuffs.

Further information on storage

stability:

Physically and chemically stable for at least 2 years when stored in the

original unopened sales container at ambient temperatures.

Specific end use(s)

Specific use(s)

For proper and safe use of this product, please refer to the approval

conditions laid down on the product label.

Section 8: EXPOSURE CONTROL / PERSONAL PROTECTION

Control Parameters

Occupational Exposure Limits:

Components	CAS No	Value type (form of exposure)	Control parameters	Basis
cyprodinil	121552-61-2	TWA	5 mg/m ³	Syngenta
fludioxonil	131341-86-1	TWA	5 mg/m ³	Syngenta
Silica-Amorphous Diatomaceous earth (not calcined)	61790-53-2	TWA	10 mg/m ³	WES

Exposure controls

Engineering measures: Containment and/or segregation is the most reliable technical

protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in

use.

Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

Personal Protective Protection:

Eye protection: Face shield or tightly fitting safety goggles.

Always wear eye protection when the potential for inadvertent eye

contact with the product cannot be excluded.

Hand protection:

Material: Waterproof or chemical resistant, such as nitrile rubber

Break through time: >480 min Glove thickness: 0.5 mm

Remarks: Wear protective gloves. The choice of an appropriate glove does not

only depend on its material but also on other quality features and is

different from one producer to the other.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin and body protection: Choose body protection in relation to its type, to the concentration and

amount of dangerous substances, and to the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate:

Dust impervious protective clothing.

Respiratory protection: No personal respiratory protective equipment normally required.

When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Protective measures: The use of technical measures should always have priority over the

use of personal protective equipment.

When selecting personal protective equipment, seek appropriate

professional advice.

Personal protective equipment should be certified to appropriate

standards.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties:

Appearance: Granules
Colour: Grey to brown
Odour: Weak
Odour threshold: No data

pH value 8 – 11, concentration: 1% w/v aqueous suspension

Melting point / freezing point:No dataInitial boiling point and boiling range:No dataFlash point:No data

Flammability (solid, gas): May form combustible dust concentrations in air.

Burning number: 3 (20°C)

5 (100°C)

Upper flammability / explosive limits:

Lower flammability / explosive limits

No data

Vapour pressure:

No data

Vapour Density:

No data

Density:

1 g/cm³

Bulk density:

0.537 g/cm³

Solubility:

Not soluble

Partition co-efficient: n-octanol / water: Cyprodinil: log Pow: 4.0 (25°C)

Fludioxonil: log Pow: 4.12 (25°C)

Autoignition temperature152°CDecomposition temperature:No dataDynamic viscosity:No dataExplosive properties:Not explosive

Oxidising properties:

Not classified as oxidizing
Surface tension

57.8 mN/m at 20°C

Minimum ignition temperature: 675°C

Self-heating substances: The substance or mixture is not classified as self

heating.

Minimum ignition energy: 30 - 100 mJ

Section 10: STABILITY AND REACTIVITY

Reactivity:

See Section: "Possibility of Hazardous Reactions".

Chemical Stability:

The product is stable when used in normal conditions.

Possibility of Hazardous Reactions:

No hazardous reactions by normal handling and storage according to provisions.

Conditions to Avoid

No decomposition if used as directed.

Incompatible Materials:

No substances are known which lead to the formation of hazardous substances or thermal reactions.

Hazardous Decomposition Products:

No hazardous decomposition products are known.

Section 11: TOXICOLOGICAL INFORMATION

HSNO Classifications:

6.9B - May cause organ damage from repeated oral exposure at high doses.

Acute toxicity (similar composition)

Swallowed: LD₅₀ >5000 mg/kg (rat, female)

Dermal absorption: LD₅₀ >2000 mg/kg (rat, male and female))

Inhaled: LC50 (4 h) > 2.51 mg/L (rat, male and female)

Aspiration hazard: Not classified Respiratory irritation: Not classified

Skin corrosion / irritation:

NON-IRRITANT (rabbit)

Eye damage / irritation:

NON-IRRITANT (rabbit)

Respiratory or Skin NOT A SKIN SENSITISER (guinea pig)

Sensitisation:

Chronic / Long Term Effects (active ingredients)

Germ cell mutagenicity: Cyprodinil: Animal testing did not show any mutagenic effects.

Fludioxonil: Animal testing did not show any mutagenic effects.

Carcinogenicity: Cyprodinil: No evidence of carcinogenicity in animal studies.

Fludioxonil: No evidence of carcinogenicity in animal studies.

Reproductive toxicity: Cyprodinil: No toxicity to reproduction.

Fludioxonil: No toxicity to reproduction.

Specific Organ toxicity: Single exposure:

The substance or mixture is not classified as specific target organ toxicant, single

exposure.

Repeated exposure: Target Organs: Liver

The substance or mixture is classified as specific target organ toxicant, repeated exposure, Class 6.9B. May cause organ damage from repeated oral exposure at

high doses.

Narcotic Effects: Not classified

Section 12: ECOLOGICAL INFORMATION

-	HSNO Classi	fications:	
9.1A = Very toxic to aquatic organisms			
Ecotoxicity Effects – Aquatic (produc	:t)		
Acute toxicity to fish:	LC ₅₀ (96 h) = 3.1 mg/l (<i>Oncorhynchus mykiss</i> (Rainbow trout))		
Toxicity to daphnia and other aquatic invertebrates:	EC ₅₀ (48h) = 0.14 mg/L (<i>Daphnia magna</i> (water flea))		
Toxicity to algae:	E_rC_{50} (72 h) = 0.16 mg/L (<i>Desmodesmus subspicatus</i> (green algae))		
Ecotoxicity Effects - Terrestrial			
Toxicity to Birds:	LC_{50} = >2,000 mg/kg (bobwhite quail) (cyprodinil) LC_{50} = >500 mg/kg (mallard duck) (cyprodinil) LC_{50} = >2,000 mg/kg (bobwhite quail) (fludioxonil) LC_{50} = >2,000 mg/kg (mallard duck) (fludioxonil)		
Toxicity to soil dwelling organisms:	LC ₅₀ (14 days) = >1000 mg/kg (earthworms) (product)		
Toxicity to Bees:	LD_{50} (48h, oral) = >300 μg/bee (product) LD_{50} (48h, contact) = >200 μg/bee (product)		
Persistence and degradability:			
Biodegradability:	Cyprodinil: Fludioxonil:	Not readily biodegradable Not readily biodegradable	
Stability in water:	Cyprodinil:	Degradation half-life: ca. 10 d Not persistent in water.	
	Fludioxonil:	Degradation half-life: 450 - 700 d Stable in water.	
Bioaccumulative potential:			
Bioaccumulation:	Cyprodinil: Fludioxonil:	Does not bioaccumulate. Does not bioaccumulate.	
Mobility in soil: Distribution among environmental compartments:	Cyprodinil: Fludioxonil:	Low to slightly mobile in soil. Immobile	
Stability in soil:	Cyprodinil:	DT ₅₀ : 0.1 - 2 d Percentage dissipation: 50% Not persistent in soil.	
	Fludioxonil:	DT ₅₀ :14 d Percentage dissipation: 50% Not persistent in soil.	
Other adverse effects: Results of PBT and vPvB assessment (product):	This substance contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.		

Section 13: DISPOSAL CONSIDERATIONS

Product Disposal: DO NOT contaminate ponds, waterways or ditches with chemical or

> used containers. DO NOT dispose of waste into sewer. Dispose of this product only by using according to the label. Otherwise, dispose of waste at an approved landfill or other approved facility that will ensure the substance does not exceed the tolerable exposure limit (TEL) or environmental exposure limit (EEL), where relevant, or will treat the

substance so that it is rendered no longer hazardous.

Container Disposal: Ensure the container is empty. Triple rinse empty container and add

> rinsate to the spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise crush and bury in a suitable landfill. DO NOT reuse this container for any other purpose.

Section 14: TRANSPORT INFORMATION

Rail / Road (NZS 5433) UN-No: 3077

> Class: 9 Ш Packing Group:

Proper shipping name: **ENVIRONMENTALLY HAZARDOUS**

> SUBSTANCE, SOLID, N.O.S. (Cyprodinil and Fludioxonil)

Sea (IMDG-Code) UN-No: 3077

> Class: 9 Packing Group: Ш

Proper shipping name: **ENVIRONMENTALLY HAZARDOUS**

> SUBSTANCE, SOLID, N.O.S. (Cyprodinil and Fludioxonil)

EmS Code: F-A, S-F

MARINE POLLUTANT: Yes

Air (IATA) UN-No: 3077

> Class: a Packing Group: Ш

Proper shipping name: **ENVIRONMENTALLY HAZARDOUS**

> SUBSTANCE, SOLID, N.O.S. (Cyprodinil and Fludioxonil)

Packing instruction: 956 (cargo and passenger aircraft)

Packing instruction (LQ): Y956 (cargo and passenger aircraft)

Section 15: REGULATORY INFORMATION

HSNO Approval Number: HSR000645

Tolerable Exposure Limit or Environmental Exposure Limit: Required Regulatory Controls:

No TEL or EEL values are set for this substance at this time

Certified handler: No Tracking: No

Record Keeping: Yes, 9.1A substance

ACVM Registration: P 5113

ACVM Controls: See www.foodsafety.govt.nz/industry/acvm for registration conditions. International Agreements related to the substance (eg, Montreal Protocol, Stockholm Convention or Rotterdam Convention): Not applicable

Section 16: OTHER INFORMATION

Date of SDS Preparation / Review:	24 February 2023
Version number of SDS:	6.0

Key / Legend to abbreviations and acronyms used:

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil;

ASTM - American Society for the Testing of Materials; bw - Body weight;

CMR -Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations;

DIN - Standard of the German Institute for Standardisation;

DSL - Domestic Substances List (Canada);

ECx - Concentration associated with x% response;

ELx - Loading rate associated with x% response;

EmS - Emergency Schedule;

ENCS - Existing and New Chemical Substances (Japan);

ErCx - Concentration associated with x% growth rate response:

ERG - Emergency Response Guide;

GHS - Globally Harmonized System;

GLP - Good Laboratory Practice;

IARC - International Agency for Research on Cancer;

IATA - International Air Transport Association;

IBC - International Code for the Construction and Equipment

of Ships carrying Dangerous Chemicals in Bulk;

IC50 - Half maximal inhibitory concentration;

ICAO - International Civil Aviation Organization;

IECSC - Inventory of Existing Chemical Substances in China;

IMDG - International Maritime Dangerous Goods;

IMO - International Maritime Organization;

ISHL - Industrial Safety and Health Law (Japan);

ISO - International Organisation for Standardization;

KECI - Korea Existing Chemicals Inventory;

LC50 - Lethal Concentration to 50 % of a test population;

 $\operatorname{LD50}$ - Lethal Dose to 50% of a test population (Median Lethal

Dose);

MARPOL - International Convention for the Prevention of Pollution from Ships;

N.O.S. - Not Otherwise Specified;

Nch - Chilean Norm;

NO(A)EC - No Observed (Adverse) Effect Concentration;

NO(A)EL - No Observed (Adverse) Effect Level;

NOELR - No Observable Effect Loading Rate;

NOM - Official Mexican Norm;

NTP - National Toxicology Program;

NZIoC - New Zealand Inventory of Chemicals;

OECD - Organization for Economic Co-operation and

Development;

OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical

(Q)SAR - (Quantitative) Structure ActivityRelationship; REACH - Regulation (EC) No 1907/2006 of the European

Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals:

SADT - Self-Accelerating Decomposition Temperature;

SDS - Safety Data Sheet;

TCSI - Taiwan Chemical Substance Inventory;

TDG - Transportation of Dangerous Goods;

TSCA - Toxic Substances Control Act (United States);

UN - United Nations;

UNRTDG - United Nations Recommendations on the

Transport of Dangerous Goods;

vPvB - Very Persistent and Very Bioaccumulative;

WES – Workplace Exposure Standard (Worksafe NZ);

WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the test.

This version replaces all previous versions.

PRODUCT NAMES are a trademark or registered trademark of a Syngenta Group Company.