

1: Identification of the Substance and Supplier

Product Name TERMINATOR G4

Recommended Use Herbicide

Suppliers Details Orion AgriScience Ltd

Unit 1, 15 Sir Gil Simpson Drive, Harewood, Christchurch, 8053

PO Box 39 071, Harewood, Christchurch, 8545

 Web Address
 www.orionagriscience.co.nz

 Email Address
 orders@orionagriscience.co.nz

Telephone Number (03) 928 2386 (office hours), 0800 674 6627 (free phone)

 Emergency Telephone
 0800 CHEMCALL (0800 243 622) (24 hours)

 National Poison Centre
 0800 POISON (0800 764 766) (24 hours)

Date of Issue/Revision July 2020

2: Hazards Identification

Hazard Pictograms

Signal Words

6.1E Acute Toxicity (Oral Cat. 5)

6.4A Eye Irritation (Cat. 2)

Hazard Classes:

6.8B Reproductive Toxicity (Cat. 2)

6.9B Target Organ Systemic Toxicity (Oral Cat. 2)

9.1A Aquatic Ecotoxicity (Cat. 1)

9.2A Soil Ecotoxicity

9.3C Terrestrial Vertebrate Ecotoxicity

Precautionary Statements:

Prevention



Warning

Hazard Statements:

H303 May be harmful if swallowed

H319 Causes serious eye irritation

H361 Suspected of damaging fertility or the unborn child

H373 May cause damage to organs through prolonged or repeated exposure

H410 Very toxic to aquatic life with long lasting effects Very toxic to some plant species (selective herbicide)

Harmful to terrestrial vertebrates

P101 If medical advice is needed, have product container or label at hand

P102 Keep out of reach of children

P103 Read carefully and follow all instructions

P264 Wash hands thoroughly after handling

P203 Obtain, read and follow all safety instructions before use

P280 Wear protective gloves/protective clothing/eye protection/face protection

P260 Do not breathe dust/fume/gas/mist/vapours/spray

Avoid contact with eyes and skin. Do not breathe in the spray mist. When mixing or applying, wear personal protection as described in section 8. Take all reasonable steps to ensure that this product does not cause any significant adverse effects to the environment beyond the application area. Do not apply directly into or onto water.

P301+P317 IF SWALLOWED: Get medical help

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do so. Continue rinsing

P337+P317 If eye irritation persists: Get medical help

P318 If exposed or concerned, get medical advice

P319 Get medical help if you feel unwell

P391 Collect spillage

Page: 1 of 7

Response



First aid measures described in section 4. Contain and collect spillage for disposal. In an emergency call 111, Police or Fire Brigade. For specialist advice in an emergency only,

call 0800 CHEMCALL (0800 243 6225) (24 hrs).

Storage P405 Store locked up

Keep out of reach of children.

Disposal P501 Dispose of contents by using it in accordance with this label. Dispose of the

container via AgRecovery after triple rinsing (use the rinsate for spraying).

3: Composition/ Information on Ingredients		
Ingredient	CAS No	Content (% w/v)
Terbuthylazine (active ingredient)	5915-41-3	35
Glyphosate isopropylamine (active ingredient)	38641-94-0	10
Amitrole (active ingredient)	61-82-5	6
Terbuthylazine (active ingredient)	5915-41-3	35
Other ingredients	Proprietary	Remainder

4: First Aid Measures

If medical advice is needed, have product container or label at hand. If exposed or concerned, get medical advice. For advice call the National Poisons Centre or a Doctor.

Ingestion: Seek medical advice

Skin Contact: Wash with plenty of soap and water. Seek medical advice if irritation occurs.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if easy to do so. Continue rinsing.

Seek medical advice if irritation persists.

Inhalation:Seek medical advice if feeling unwellWorkplace Facilities:Hand wash facility. Eye wash facilityAdvice to Doctor:No specific antidote. Treat symptomaticallyNational Poison Centre0800 POISON (0800 764 766) (24 hours)

Symptoms of Exposure which could occur if this material is not handled in accordance with instructions:

Ingestion: Burning sensation in throat and chest, nausea, vomiting, diarrhoea

Skin Contact: Mild Irritation

Eye Contact: Irritation and eye damage

Inhalation: Unknown

5: Fire-Fighting Measures

Fire/Explosion Hazard Non-Flammable

HAZCHEM Code 3Z ERP Guide No 47

Extinguishing Media Water spray, foam, dry chemical or C02. Avoid water jet.

Fire Fighting InstructionsDuring a fire, toxic fumes may be emitted. Wear self-contained breathing apparatus. Contain runoff.

Specific Hazards Arising from FireNo data available

6: Accidental Release Measures

Personal PrecautionsCaution: Floors may be slippery if wet. Wear personal protective clothing and equipment as described in

section 8. Exclude non-essential people from the area.

Environmental Precautions Prevent further spillage or leakage. Prevent material from entering drains, waterways, etc.

Clean Up Absorb spillage with inert material such as spill kit, sand or cat litter. Collect and place in a sealable

container for disposal. Wash down affected area with water and detergent. Absorb and collect washings for

disposal. Dispose of safely to a suitable landfill.

Page: 2 of 7



7: Handling and Storage

Storage: Keep out of reach of children. Store in the original tightly closed container in a locked and secure area.

Handling and Use: Refer to Prevention statements in section 2 above. Exclude people and animals from the application area,

both during application and for the duration of the REI. Do not exceed the maximum application rate of

25 L/ha, and do not apply more than twice per year.

REI Until spray has dried

8: Exposure Controls / Personal Protection

Tolerable Exposure Limit None established

Workplace Exposure Standards Amitrole 0.2 mg/m3 (8hr TWA)

Engineering ControlsSelect spray application equipment to minimize exposure to operator and bystanders

Personal Protection:

Eye Safety glasses/goggles when mixing or applying

Skin Chemical resistant overalls snugly fitting at the neck, wrist and ankle, boots and gloves

RespiratoryNot required where spray mist is not inhaled. Otherwise, respirator (organic vapour and particulate matter)

is required.

Clean protective equipment after use

9: Physical and Chemical Properties

AppearanceOff-White LiquidOdourNon-specificOdour ThresholdNo data available

pH 4.0 – 10.0

Melting Point/Freezing Point No data available

Boiling Point >100°C

Flash Point

Flammability

Upper/Lower Flammability Limits

Vapour Pressure

Vapour Density

Relative Density

Not Applicable

Solubility in Water
Partition Coefficient: n-octanol/water
See section 12
Auto ignition Temperature
Not Applicable
Decomposition Temperature
No data available
Kinematic Viscosity
No data available

10: Stability and Reactivity

Stability Stable under normal conditions

Hazardous ReactionsNone ExpectedIncompatibilityNone KnownHazardous Decomposition ProductsNone Known

11: Toxicological Information

This section describes effects which could occur if this material is not handled in accordance with this data sheet and label instructions

Acute Oral ToxicityLD50 > 2000 mg/kgAcute Dermal ToxicityLD50 > 5000 mg/kgAcute Inhalation ToxicityLD50 > 5 mg/L

Page: 3 of 7



Skin Irritant/Corrosive None

Eye Irritant/Corrosive Strongly Irritating

Sensitisation EffectsNoneMutagenic EffectsNoneCarcinogenic EffectsNone

Reproductive Effects Animal feeding studies have found that rats fed amitrole at 5 – 25 mg/kg/day had fewer pups per litter,

and weight at weaning was reduced. Animal feeding studies have found that amitrole at high doses (high

enough to produce signs of toxicity in dams) birth defects occurred.

Specific Organ Toxicity

Animal feeding studies have found that rats fed amitrole at 3 - 6 mg/kg/day for 2 weeks showed enlarged

thyroid glands, and long oral exposure can cause reversible goiter. Animal feeding studies have found that

liver toxicity occurred in dogs and mice fed oyxfluorfen at 33 mg/kg/day.

12: Ecological Information

This section describes effects which could occur if this material is not handled in accordance with this data sheet and label instructions

The following information is presented in respect of the active ingredient:

Ecotoxicity

Terbuthylazine

- Acute Oral LD50 (Ducks) >1000 mg/kg
- LC50 (96 hr) (Rainbow trout) 3.8 4.6 mg/l
- LC50 (48 hr) (Daphnia) 21 50.9 mg/l
- EC50 (72 hr) (Algae) 0.016 0.024 mg/l
- Very toxic to some plant species (selective herbicide)
- Non toxic to bees

Glyphosate isopropylamine

- LC50 (96 hr) (Rainbow trout) >1000 mg/l
- LC50 (48 hr) (Daphnia) >930 mg/l
- LC50 (96 hr) (Green Algae) 72.9 mg/l
- Very toxic to plant species (herbicide)
- Non toxic to bees

Amitrole

- Acute Oral LD50 (Bobwhite quail) >2150 mg/kg
- LC50 (96 hr) (Rainbow trout) >1000 mg/l
- LC50 (48 hr) (Daphnia) >10 mg/l
- LC50 (96 hr) (Green Algae) 9 mg/l
- Very toxic to plant species (herbicide)
- Non toxic to bees

Oxyfluorfen

- Acute Oral LD50 (Bobwhite quail) >947 mg/kg
- LC50 (96 hr) (Bluegill sunfish) 0.2 mg/l
- LC50 (48 hr) (Daphnia) 1.5 mg/l
- EC50 (96 hr) (Algae) 5.04 mg/l
- Very toxic to some plant species (selective herbicide)
- Non toxic to bees

Persistence/degradability

Biodegradable. DT50 (soil) 30 - 60 days (terbuthylazine)

Biodegradable. DT50 (soil) 3 - 174 days (glyphosate)

Biodegradable. DT50 (soil) 18 days (amitrole)

Page: 4 of 7



Biodegradable. DT50 (soil) 5 - 55 days (oxyfluorfen)

Bioaccumulative Potential Octanol-water partition coefficient LogP = 3.21 (high) (terbuthylazine)

LogP = -5.4 (low) (glyphosate)

LogP = -0.97 (low) (amitrole)

LogP = 4.86 (high) (oxyfluorfen)

Soil Mobility Soil organic carbon water partitioning coefficient Koc = 39 (mobile) (terbuthylazine)

Koc = 28 (mobile) (glyphosate) Koc = 28 (mobile) (amitrole)

Koc = 28 (mobile) (oxyfluorfen)

Environmental Exposure Limit: None set

13: Disposal Considerations

Product Dispose of product by using it in accordance with the label. Waste product should be disposed of to a

suitable landfill. For disposal of large quantities contact Orion AgriScience Ltd.

Container Dispose of to a suitable landfill or via AgRecovery. Do not burn. Do not use packaging for any other

purpose.

14: Transport Information

Dangerous Goods

UN Number 3082

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TERBUTHYLAZINE 35%, GLYPHOSATE

ISOPROPYLAMINE 10%, AMITROLE 6%, OXYFLUORFEN 1.5%)

Class 9

Subsidiary Class None

Packing Group

Additional Information MARINE POLLUTANT

MTQ (Non-Commercial) 1000 litres

Passenger Service Vehicle No restriction

15 Regulatory Information

EPA Approval No
ACVM Registration No
Not required
Qualified Person
Required
Certified Handler
Workplace Only
No

Tracking Not required

Record KeepingNot required (unless > 3 L applied within 24 hours, and which is likely to leave the application area)

Site Requirements under EPA Notice

and HSWHS Regs:

Site Requirements under EFA Notice

A hazardous substance location compliance certificate is not required

• A hazardous area is not required

• Separation distances for class 3 and class 6 substances to protected places and public places is not applicable

• Fire extinguishers are not required

• Signage is required for more than 100 litres

An emergency response plan is required for more than 100 litres

Secondary containment is required for more than 100 litres

• Segregation from incompatible substances is not applicable

Additional Requirements Refer to NZS 8409:2004 'Management of Agrichemicals', and relevant local and regional council plans

Page: 5 of 7



16: Other Information

Glossary

ADE Acceptable Daily Exposure – A daily dose, received via any route, below which no adverse effects are

expected over a lifetime of exposure

ACVM Agricultural Compounds and Veterinary Medicines group of the Ministry of Primary Industries

Cat. GHS category

Ceiling A concentration that should not be exceeded at any time during any part of the working day

Certified Handler A qualification issued by a Compliance Certifier to handle and use particularly toxic substances (6.1A and

6.1B)

DT50 Time (days) for 50% reduction in concentration

EC50 Concentration required to produce an effect in 50% of organisms

Environmental Exposure Limit Maximum concentration limit of a substance in an environmental medium, e.g., water, soil.

EPA Notice Hazardous Property Controls Notice 2017

ERP Guide Dangerous Goods – Initial Emergency Response Guide SNZ HB 76:2008

GHS Globally harmonized system of classification and labelling of chemicals

Hazardous Substance Location For locations storing hazard substances of certain classes above threshold quantities

Compliance Certificate

Hazardous Area A designated area designed for the presence of flammable substances - Refer AS/NZS 60079.10.1:2009

HAZCHEM Code Emergency action code for emergency services

HSWHS Regs Health and Safety at Work (Hazardous Substances) Regulations 2017

LC50 Concentration that will kill 50% of organisms

LD50 Dose that will kill 50% or organisms

MTQ Maximum Transport Quantity. The maximum amount of dangerous goods that can be transported by road

by the user

Notification Advance notice given to neighbours and other affected parties, of details of proposed application, and

other details as described

Octanol-Water Partition Coefficient The partition coefficient of a substance between n-octanol and water, used as the Logarithm base 10

form, as an indicator that a substance may bioaccumulate

PDE Permitted Daily Exposure - A daily dose below which no adverse effects are expected over a lifetime of

exposure

Protected Place Residential properties, schools, hospitals, kindys, factories, shops, warehouses, etc., and other places where

people assemble

Public Place A place frequented by the public, including roads (does not include private property)

Qualified Person A requirement for the loader, contractor or person applying the product to hold a qualification such as a

GROWSAFE Certificate, Unit Standard 21563, etc.

Record Keeping Includes a spray diary or other record of application

REI Restricted Entry Interval – The length of time after application before entry into the treated area is

permitted without the use of protective equipment. For indoor environments, this time period commences

once ventilation after treatment begins.

Segregation Certain classes of substances must not be in contact with, and must be stored separately from, certain

other classes as specified in HSWHS Regs

Separation Distances The distances specified in Part 11 and Part 13 of HSWHS Regs between storage and/or use of hazardous

substances and protected places and/or public places

Signage Positioned at entrances to commercial premises providing information on the hazardous substances

present



Soil Adsorption Coefficient (Kd) The ratio of the concentrations of a substance adsorbed onto a solid sorbent to that dissolved in a liquid

phase. The higher the value the less mobile the chemical is in soil

Soil Organic Carbon-WaterThe ratio of the mass of a chemical that is adsorbed in the soil per unit mass of organic carbon in the soil.

Partitioning Coefficient (Koc)

The higher the value the less mobile the chemical is in soil

STEL

Short term exposure level – 15 minute time weighted average

Tolerable Exposure Limit

Maximum concentration limit of a substance above which persons must not be exposed

Tracking For some particularly hazardous substances, a record must be kept of the transport, storage, sale and use

of the product

TWA Time weighted average calculated over an 8 hour working day

Workplace Exposure Standard

An occupational health standard limiting concentrations of specified substances to which persons are

exposed

Workplace Only A product that is restricted to a workplace only and under the supervision of a certified handler

Please Note

Users must ensure that the most up to date version of this safety data sheet is used.

This Safety Data Sheet summarises information on this product, and how to safely handle and use the product. Each user should familiarise themselves with the product label and Safety Data Sheet, and consider the information in the context of how the product will be handled and used, including in conjunction with other products. Orion AgriScience Ltd assumes no responsibility for the accuracy, completeness or suitability of this information. The user is responsible for determining the suitability and accuracy of this information for their particular purposes.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Page: 7 of 7