

SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: WUXAL Boron plus

Product No: 23238
Product Use: Fertilizer

Restrictions of Use: Refer to Section 15

New Zealand Supplier: Horticentre Ltd Address: 10 Firth Street

Drury, 2113

Telephone: +64 9 294 8453 Fax Number: +64 9 294 7272

New Zealand: 0800 764 766 (National Poison Centre)

Date of SDS Preparation: 15 March 2023 v2

Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval Code: Fertilisers (subsidiary) - HSR002571

Pictograms





Signal Word: Warning

GHS Classification and Category	Hazard Code	Hazard Statement
Eye irritation Cat. 2	H319	Causes serious eye irritation.
Reproductive toxicity Cat. 2	H361	Suspected of damaging fertility or the unborn child

Prevention Code Prevention Statement

P103	Read carefully and follow all instructions.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P264	Wash hands thoroughly after handling.
P280	Wear protective clothing as detailed in Section 8.
P281	Use personal protective equipment as required.

Response Code Response Statement

Product Name: Wuxal Boron plus

Date of SDS: 15 March 2023

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd www.techcomp.co.nz

Tel: 64 9 475 5240

P305 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove
P351+P338	contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Storage Code	Storage Statement
--------------	--------------------------

Disposal Code Disposal Statement

		Triple rinse container. Cleaned packaging maybe offered for recycling or
	P501	landfill in accordance with local regulations. Dispose of unwanted product as
Ĺ		a hazardous material according to Local Regulations.

Section 3. Composition / Information on Ingredients

Ingredients	Wt%	CAS NUMBER.
Boric Acid	30-<45	10043-35-3
(1-hydroxyethylidene)bisphosphonic acid, sodium salt	2.5 - <3	29329-71-3
ammonium nitrate	2.5-<3	6484-52-2
Non hazardous	To bal	

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. If eye irritation persists: Get medical advice.

If on Skin Wash with plenty of soap and water. If skin irritation occurs: get medical

advice/attention.

If Swallowed Immediately rinse the mouth with water. Seek medical advice if you feel

unwell. Keep calm.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if

breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Eyes: Causes severe eye irritation.
Skin: May cause mild skin irritation.
Swallowed: May be harmful if swallowed.

Chronic: Suspected of damaging fertility or the unborn child.

Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically.

Section 5. Fire Fighting Measures

Hazard Type	Non Flammable
Hazards from	Nitrogen oxides, Ammonia, Phosphorus oxides
combustion	
products	
Suitable	Water spray jet, Water mist, carbon dioxide, Powder
Extinguishing	Do not use: strong water jet

media	
Precautions for	Wear self-contained breathing apparatus. Do not allow water used to
firefighters and	extinguish fire to enter drains, ground o waterways.
special protective	
clothing	
HAZCHEM CODE	None allocated

Section 6. Accidental Release Measures

Wear appropriate PPE as detailed in Section 8. Evacuate unnecessary personnel.

Do not allow to enter into surface water or drains.

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect for disposal in appropriate containers in accordance with the local regulations.

Section 7. Handling and Storage

Handling

- Read carefully and follow all instructions.
- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Wash hands thoroughly after handling.
- Wear protective clothing as detailed in Section 8.

Storage

- Store locked up.
- Store away from incompatible materials listed in Section 10 and away from good and feeding stuffs.
- Protect from heat and direct sunlight. Keep container tightly closed. Always keep in containers that correspond to the material of the original container.
- Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 5 °C and 40 °C.
- Carefully store closed containers upright to prevent any leaks.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL
Substance ppm mg/m³ ppm mg/m³

No ingredients have exposure limits.

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 13TH EDITION.

Control parameters

DNEL:

(1-hydroxyethylidene)bisphosphonic acid, sodium salt

EC No. 249-559-4 / CAS No. 29329-71-3

DNEL long-term oral (repeated), Workers: 13 mg/kg bw/day

ammonium nitrate

EC No. 229-347-8 / CAS No. 6484-52-2

DNEL long-term dermal (systemic), Workers: 21,3 mg/kg DNEL long-term inhalative (systemic), Workers: 37,6 mg/m3

boric acid

INDEX No. 005-007-00-2 / EC No. 233-139-2 / CAS No. 10043-35-3 DNEL long-term dermal (systemic), Workers: 392 mg/kg bw/day DNEL long-term inhalative (systemic), Workers: 8,28 mg/m3

DNEL short-term oral (acute), Consumer: 0,98 mg/kg bw/day DNEL long-term oral (repeated), Consumer: 0,98 mg/kg

DNEL long-term dermal (systemic), Consumer: 196 mg/kg bw/day DNEL long-term inhalative (systemic), Consumer: 4,15 mg/m3

PNEC:

(1-hydroxyethylidene)bisphosphonic acid, sodium salt

EC No. 249-559-4 / CAS No. 29329-71-3 PNEC aquatic, freshwater: 0,136 mg/l PNEC aquatic, marine water: 0,0136 mg/l PNEC sediment, freshwater: 59 mg/kg wwt

PNEC sediment, marine water: 5,9 mg/kg wwt PNEC, soil: 96 mg/kg wwt

PNEC sewage treatment plant (STP): 20 mg/l

ammonium nitrate

PNEC aquatic, marine water: 0,045 mg/l PNEC aquatic, intermittent release: 4,5 mg/l PNEC sewage treatment plant (STP): 18 mg/l

boric acid

INDEX No. 005-007-00-2 / EC No. 233-139-2 / CAS No. 10043-35-3

PNEC aquatic, freshwater: 2,02 mg B/L PNEC aquatic, marine water: 2,02 mg B/L

PNEC, soil: 5,4 mg B/kg

PNEC sewage treatment plant (STP): 10 mg B/L

Engineering Controls

Technical measures and the application of suitable work processes have priority over personal protection equipment. No additional measures necessary.

Personal Protective Equipment





Eyes	Wear eye glasses with side protection according to EN 166.	
Hands and	For prolonged or repeated handling the following glove material must be	
Skin	used: e.g. NBR (Nitrile rubber). Barrier creams can help protecting exposed	
	skin areas.	
Respiratory	Respiratory Usually no personal respirative protection necessary.	
General After contact clean skin thoroughly with water and soap or use appropriate		
	cleanser.	

Section 9 Physical and Chemical Properties

Appearance	Liquid
Colour	Green
Odour	Characteristic
Odour Threshold	Not available
pH @ 20°C	5.2 @ 20 °C
Boiling Point	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available

Flammability	The product is not flammable.
Upper and Lower	Not available
Explosive Limits	
Vapour Pressure	Not available
Relative Density @ 20°C	1.41 g/cm3
Solubilities	Very soluble
Partition Coefficient:	Not available
Auto-ignition	Not available
Temperature	
Decomposition	Not available
Temperature	
Kinematic Viscosity	Not available
Particle Characteristics	Not applicable

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.		
Conditions to Avoid	Protect from heat and direct sunlight.		
Hazardous Reactions	No hazardous reaction when handled and stored according to		
	provisions.		
Incompatible Materials	Alkali (lye)		
Hazardous Decomposition	Does not decompose when used for intended uses. Hazardous		
Products	decomposition byproducts may form with exposure to h		
	temperatures: nitrogen oxides, Ammonia, Phosphorus oxides		

Section 11 Toxicological Information

Acute Effects:

Swallowed	Not applicable.	
Dermal	Not applicable.	
Inhalation	Not applicable.	
Eye	Causes severe irritation to eyes.	
Skin	Not applicable.	

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive	Not applicable.
Toxicity	
Germ Cell	Not applicable.
Mutagenicity	
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

Components:

Ammonium nitrate:

Acute oral toxicity : LD50 (Rat): 2217 mg/kg

Boric Acid:

Acute oral toxicity : LD50 (Rat): 466 mg/kg

(1-hydroxyethylidene)bisphosphonic acid, sodium salt Acute oral toxicity : LD50 (Rat): >1340 mg/kg

Section 12. Ecotoxicological Information

Product Name: Wuxal Boron plus
Date of SDS: 15 March 2023

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd
www.techcomp.co.nz

Tel: 64 9 475 5240

Not expected to be a hazard to the environment, but does contain components that have biocidal properties.

Persistence and degradability	No data available.
Bioaccumulation	No data available.
Mobility in Soil	No data available.
Other adverse effects	No data available.

Do not allow to enter waterways.

Section 13. Disposal Considerations

Disposal Method:

Triple rinse container. Cleaned packaging maybe offered for recycling or landfill in accordance with local regulations. Dispose of unwanted product as a hazardous material according to Local Regulations.

Precautions and methods to avoid:

Do not allow to enter into surface water or drains where possible.

Section 14 Transport Information

This product is NOT classified as a Dangerous Good for transport in NZ; NZS 5433:2020

Section 15 Regulatory Information

EPA Approval Code: Fertilisers (subsidiary) - HSR002571

Trigger quantities:

HSWA & EPA Controls	Trigger Quantity	
Certified Handler	Not required	
Location Certificate	Not required	
Tracking Trigger Quantities	Not required	
Signage Trigger Quantities	Not required	
Emergency Response Plan	Not required	
Secondary Containment	Not required	
Restriction of Use	None	

Section 16 Other Information

Glossary

Cat Category

EC50 Median effective concentration.
EEL Environmental Exposure Limit.
EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

 LC_{50} Lethal concentration that will kill 50% of the test organisms

inhaling or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible

authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2022 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2020
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, if further information is required.

Issue Date: 15 March 2023 Review Date: 15 March 2028