

## DuPont™ Zorvec™ Enicade™ fungicide

Version 2.0

Revision Date 02.08.2016 Document no. 130000124356

This SDS adheres to the standards and regulatory requirements of New Zealand and may not meet the regulatory requirements in other countries.

#### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name : DuPont™ Zorvec™ Enicade™ fungicide

**Other names** : B13124414

Oxathiapiprolin 100 OD

#### Recommended use of the chemical and restriction on use

Recommended use : Fungicide

Restrictions on use : Do not use product for anything outside of the above specified uses.

#### Manufacturer, importer, supplier

Company : DuPont (New Zealand) Limited

Street address : Level 1, 14 Ormiston Road, East Tamaki, Auckland 2016

New Zealand

Telephone : 0800 658080 Telefax : (09)-271-2961

**Emergency telephone**: NZ Poisons Information Centre Ph: 0800 764766

**number** 24-hour Medical Emergency: 0800 111174 Transport Emergency: 0800 387668

#### 2. HAZARDS IDENTIFICATION

Classified as hazardous according to criteria in the HS (Minimum Degrees of Hazard) Regulations 2001 Classified as a Dangerous Good according to NZS 5433

### **HSNO Classification:**

6.3A : Skin irritation 6.5B : Skin sensitisation

9.1D : Aquatic toxicity (Acute or Chronic)

Endpoints which are not classified, cannot be classified or are not applicable are not shown.

#### Label content

Pictogram :



Signal word : Warning

Hazardous warnings : Causes skin irritation.

May cause an allergic skin reaction.

Harmful to aquatic life.

Precautionary : Read label before use.

statements Wash thoroughly after handling.

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.



## DuPont™ Zorvec™ Enicade™ fungicide

Version 2.0

Revision Date 02.08.2016 Document no. 130000124356

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves.

IF ON SKIN: Wash with plenty of soap and water.

Specific treatment (see supplemental first aid instructions on this label).

If skin irritation or rash occurs: Get medical advice/ attention.

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Take off contaminated clothing and wash before reuse.

Dispose of contents/ container to an approved waste disposal plant.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

Components

Chemical nameCAS-No.ConcentrationOxathiapiprolin1003318-67-910.2 %Other Ingredients89.8 %

#### 4. FIRST AID MEASURES

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Contact the National Poisons Centre 0800 POISON (0800 764766) or a doctor if you feel unwell.

Inhalation : Move to fresh air. Consult a physician after significant exposure. Artificial

respiration and/or oxygen may be necessary.

Skin contact: Take off contaminated clothing and shoes immediately. Wash off immediately with

soap and plenty of water. In the case of skin irritation or allergic reactions see a

physician. Wash contaminated clothing before re-use.

**Eye contact** : If easy to do, remove contact lens, if worn. Hold eye open and rinse slowly and

gently with water for 15-20 minutes. If eye irritation persists, consult a specialist.

Ingestion : Call a physician or poison control centre immediately. Do not induce vomiting

without medical advice. If victim is conscious: Rinse mouth with water. Drink 1 or 2

glasses of water.

Most important

symptoms/effects, acute

and delayed

No information available.

**Protection of first-aiders** : No information available.

Notes to physician : Treat symptomatically.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing

media

Water spray, Dry chemical, Foam, Carbon dioxide (CO2)

Unsuitable extinguishing

media

High volume water jet, (contamination risk)



## DuPont™ Zorvec™ Enicade™ fungicide

Version 2.0

Revision Date 02.08.2016 Document no. 130000124356

**Specific hazards** : No information available.

Special protective equipment for firefighters

Wear full protective clothing and self-contained breathing apparatus.

Specific extinguishing

methods

No information available.

Further information : Prevent fire extinguishing water from contaminating surface water or the ground

water system. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing

water must be disposed of in accordance with local regulations.

(on small fires) If area is heavily exposed to fire and if conditions permit, let fire

burn itself out since water may increase the area contaminated. Cool

containers/tanks with water spray.

Hazchem Code : .3Z

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Evacuate personnel, thoroughly ventilate area, use self-contained breathing

apparatus. Use personal protective equipment. Keep people away from and upwind of spill/leak.

Environmental precautions

Prevent material from entering sewers, waterways, or low areas.

Methods and materials for containment and

cleaning up

Clean-up methods - small spillage Soak up with inert absorbent material. Sweep

up or vacuum up spillage and collect in suitable container for disposal.

Clean-up methods - large spillage Prevent further leakage or spillage. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). Large spills should be collected mechanically (remove by pumping) for disposal. Collect leaking liquid in sealable (metal/plastic) containers. Collect and contain contaminated absorbent and dike

material for disposal.

Additional advice : Never return spills in original containers for re-use. Dispose of in accordance with

local regulations.

#### 7. HANDLING AND STORAGE

### Handling

Technical

measures/Precautions

Before using, read the product label. Do not breathe spray mist. Wash hands after use.

Precautions for safe

handling

Keep away from heat and sources of ignition.

## Storage



## DuPont™ Zorvec™ Enicade™ fungicide

Version 2.0

Revision Date 02.08.2016 Document no. 130000124356

Suitable storage

conditions

: Store in original container. Keep containers tightly closed in a cool, well-ventilated

place. Keep locked up. Do not store with feed, seeds or foodstuffs.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

No occupational exposure limit values are applicable.

**Engineering measures** : Ensure adequate ventilation.

Biological occupational

exposure limits

: No information available.

#### Personal protective equipment

Respiratory protection : None specified.

Hand protection : Material: Chemical-resistant gloves

Glove length: elbow length

Eye protection : None specified.

Skin protection : When opening the container, preparing spray and using the prepared spray:,

Wear cotton overalls buttoned to the neck and wrist (or equivalent clothing).

Elbow length chemical resistant gloves

**Hygiene measures** : Avoid breathing spray mist. After each day's use wash gloves and contaminated

clothing Contaminated work clothing should not be allowed out of the workplace.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (Physical state, form, colour, etc.)

Physical state : liquid
Form : liquid
Colour : off-white

Odour : oily characteristic

Odour Threshold : No information available.

**pH** : 6.5

(1% solution in water)

Melting point/freezing point

No information available.

Initial boiling point and boiling range

No information available.

Flash point :  $>80 \, ^{\circ}\text{C}$ 

**Evaporation rate** : No information available.



# DuPont™ Zorvec™ Enicade™ fungicide

Version 2.0

Revision Date 02.08.2016 Document no. 130000124356

Flammability (solid, gas) : No information available.

Upper/lower flammability or explosive limits

Upper explosion limit : No information available. Lower explosion limit : No information available.

**Vapour pressure** : No information available.

**Vapour density** : No information available.

**Density** 

Density : 0.99 g/cm3

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

: No information available.

**Auto-ignition temperature** 

Auto-ignition : 335 °C

temperature Auto-ignition temperature

Ignition temperature : no data available

Decomposition temperature

No information available.

**Viscosity** 

Viscosity, kinematic : No information available.

**Molecular weight** : No information available.

#### 10. STABILITY AND REACTIVITY

**Reactivity** : No information available.

Chemical stability : The product is chemically stable under recommended conditions of storage, use

and temperature.

No decomposition if stored and applied as directed.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use. Polymerization will

not occur.

Conditions to avoid : Elevated temperature

**Materials to avoid** : No materials to be especially mentioned.

Hazardous : N

decomposition products

: No information available.

## 11. TOXICOLOGICAL INFORMATION

**Acute toxicity** 

Oral

DuPont<sup>™</sup> Zorvec <sup>™</sup> Enicade <sup>™</sup> : LD50/Rat: > 5,000 mg/kg

5/9



## DuPont™ Zorvec™ Enicade™ fungicide

Version 2.0

Document no. 130000124356 Revision Date 02.08.2016

fungicide Inhalation

DuPont<sup>™</sup> Zorvec<sup>™</sup> Enicade <sup>™</sup>

: LC50/4 h/Rat(dust/mist): > 5.0 mg/l

fungicide Dermal

The substance or mixture has no acute inhalation toxicity

DuPont<sup>™</sup> Zorvec<sup>™</sup> Enicade<sup>™</sup>

: LD50/Rat: > 5,000 mg/kg

fungicide

Skin corrosion/irritation

DuPont<sup>™</sup> Zorvec<sup>™</sup> Enicade<sup>™</sup> Species: Rabbit

fungicide Result: Mild skin irritation

Serious eye damage/eye irritation

DuPont<sup>™</sup> Zorvec<sup>™</sup> Enicade <sup>"</sup> Species: Rabbit

fungicide Result: No eye irritation

Respiratory or skin sensitisation

DuPont Zorvec Enicade : Buehler Test

fungicide Species: Guinea pig

Result: May cause sensitisation by skin contact.

Germ cell mutagenicity

Oxathiapiprolin Tests on bacterial or mammalian cell cultures did not show mutagenic

effects. Animal testing did not show any mutagenic effects.

Carcinogenicity

Oxathiapiprolin Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Oxathiapiprolin Reproductive toxicity: No toxicity to reproduction

Slight delays in maturation observed in rats.

Teratogenicity: Animal testing showed no developmental toxicity.

**Specific Target Organ Toxicity** 

Specific target organ toxicity - single exposure

Oxathiapiprolin The substance or mixture is not classified as specific target organ

toxicant, single exposure.

Specific target organ toxicity - repeated exposure

Oxathiapiprolin The substance or mixture is not classified as specific target organ

toxicant, repeated exposure.

**Aspiration hazard** 

No information available.

Other

Oxathiapiprolin Repeated dose toxicity:

Oral - gavage/Rat

Method: OECD Test Guideline 407

No toxicologically significant effects were found., Information source:

Internal study report Oral - feed/Dog

Method: No information available.



## DuPont™ Zorvec™ Enicade™ fungicide

Version 2.0

Document no. 130000124356 Revision Date 02.08.2016

No toxicologically significant effects were found., Information source:

Internal study report Oral - feed/Mouse 28 d

No toxicologically significant effects were found., Information source:

Internal study report

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity effects** 

Acute and prolonged toxicity to fish DuPont <sup>™</sup> Zorvec <sup>™</sup> Enicade <sup>™</sup>

fungicide

: LC50/96 h/Oncorhynchus mykiss (rainbow trout): > 10 mg/l

Toxicity to aquatic plants

DuPont<sup>™</sup> Zorvec<sup>™</sup> Enicade<sup>™</sup>

fungicide

EC50/72 h/Pseudokirchneriella subcapitata (green algae): > 3.5 mg/l

Acute toxicity to aquatic invertebrates

DuPont<sup>™</sup> Zorvec<sup>™</sup> Enicade<sup>™</sup>

fungicide

: EC50/48 h/Daphnia magna (Water flea): > 9.62 mg/l

Chronic toxicity to fish

Oxathiapiprolin Early Life-Stage/NOEC/35 d/Cyprinodon variegatus (sheepshead

minnow): 0.34 mg/l

Method: US EPA Test Guideline OPPTS 850.1400

Information source: Internal study report

Chronic toxicity to aquatic Invertebrates

Oxathiapiprolin flow-through test/NOEC/32 d/Americamysis bahia (mysid shrimp): 0.058

mg/l

Information source: Internal study report

## Persistence and degradability

No information available.

## **Bioaccumulation**

No information available.

#### Mobility in soil

No information available.

#### Other adverse effects

No information available.

#### 13. DISPOSAL CONSIDERATIONS

Waste disposal methods In accordance with local and national regulations. Do not contaminate ponds,

waterways or ditches with chemical or used container.

Ensure container is empty.



## DuPont™ Zorvec™ Enicade™ fungicide

Version 2.0

Revision Date 02.08.2016 Document no. 130000124356

**Contaminated packaging**: Do not re-use empty containers.

Triple rinse containers. Add rinsings to spray tank. Recycle empty container. If not recycling crush and bury in a suitable landfill. Do not burn. Dispose of this product

only by using according to this label.

## 14. TRANSPORT INFORMATION

NZS 5433

UN number : 3082

UN proper shipping

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

name

(Oxathiapiprolin)

(Oxathiapiprolin)

Transport hazard class : 9
Packing group : III

**IMDG** 

UN number : 3082

UN proper shipping

name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport hazard class : 9
Packing group : III

Marine pollutant : yes (Oxathiapiprolin)

**IATA** 

UN number : 3082

UN proper shipping

name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Oxathiapiprolin)

Transport hazard class : 9
Packing group : III

Special precaution which a user to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises

Marine Pollutants in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code and IATA special

provision A197. If the product meets these special provisions, it may be shipped in New Zealand as a non-dangerous goods under provisions in NZS 5433 code

which accepts IMDG and IATA classification.

#### 15. REGULATORY INFORMATION

HSNO Number : HSR101125

HSNO Controls : E1, E6

P1, P3, P13

D4, D5, D6, D7, D8

EM1, EM6, EM7, EM8, EM11, EM12, EM13

T1, T2, T4, T5, T7

11, 111, 116, 117, 118, 119, 121, 128, 129

ACVM Number: P9225



## DuPont™ Zorvec™ Enicade™ fungicide

Version 2.0

Revision Date 02.08.2016 Document no. 130000124356

#### 16. OTHER INFORMATION

References

SDS Number: 130000124356

Revision Date/Version

Date of first preparation : 02.08.2016 Revision Date : 02.08.2016 Version : 2.0

Take notice of the directions of use on the label.

Significant change from previous version is denoted with a double bar.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.

<sup>&</sup>lt;sup>™</sup> Trademark of E.I. du Pont de Nemours and Company.

<sup>®</sup> Registered trademark of E.I. du Pont de Nemours and Company