

# SAFETY DATA SHEET



## Altacor® insecticide

Version 1.1      Revision Date: 11.01.2023      SDS Number: 50000012      Date of last issue: -  
Date of first issue: 03.01.2018

---

### Section 1: Identification

Product name : Altacor® insecticide

#### Recommended use of the chemical and restrictions on use

Recommended use : Can be used as insecticide only.

Restrictions on use : Use as recommended by the label.

#### Manufacturer or supplier's details

Company : FMC New Zealand Ltd

Address : IRD number: 101-200-019  
6 Clayton Street, Newmarket  
1023 Auckland  
New Zealand

Telephone : +640800658080

Telefax : (09)-271-2961

E-mail address : SDS-Info@fmc.com

Emergency telephone number : For leak, fire, spill or accident emergencies, call:  
0800 734 607 (Ixom)

Medical emergency:  
0800 764 766 (NZ Poisons Information Centre)  
0800 111174 (24 hour Medical Emergency)  
0800 387668 (Transport Emergency)

---

### Section 2: Hazard identification

#### GHS Classification

Hazardous to the aquatic environment - acute hazard : Aquatic Acute1

Hazardous to the aquatic environment - chronic hazard : Aquatic Chronic1

#### GHS label elements

Hazard pictograms :

# SAFETY DATA SHEET



## Altacor® insecticide

Version 1.1      Revision Date: 11.01.2023      SDS Number: 50000012      Date of last issue: -  
Date of first issue: 03.01.2018

Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.  
**Response:**  
P391 Collect spillage.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Chlorantraniliprole	500008-45-7	35
kaolin	1332-58-7	>= 1 -< 10

### Section 4: First-aid measures

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.

In case of skin contact : If on clothes, remove clothes.  
If on skin, rinse well with water.  
Wash off with soap and plenty of water.  
Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Do not induce vomiting without medical advice.

# SAFETY DATA SHEET



## Altacor® insecticide

Version 1.1      Revision Date: 11.01.2023      SDS Number: 50000012      Date of last issue: -  
Date of first issue: 03.01.2018

---

Most important symptoms and effects, both acute and delayed : None known.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

---

### Section 5: Fire-fighting measures

Suitable extinguishing media : Dry chemical  
Water spray  
Foam  
Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Thermal decomposition can lead to release of irritating gases and vapours.  
Nitrogen oxides (NO<sub>x</sub>)  
Carbon oxides  
Hydrogen chloride  
Sulphur oxides  
Bromine compounds  
Chlorine compounds

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Remove undamaged containers from fire area if it is safe to do so.  
Use a water spray to cool fully closed containers.  
Standard procedure for chemical fires.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special protective equipment for firefighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

Hazchem Code : 2Z

---

### Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Use personal protective equipment.  
If it can be safely done, stop the leak.  
Do not touch or walk through the spilled material.

# SAFETY DATA SHEET



## Altacor® insecticide

Version 1.1      Revision Date: 11.01.2023      SDS Number: 50000012      Date of last issue: -  
Date of first issue: 03.01.2018

---

- Avoid dust formation.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Collect as much of the spill as possible with a suitable absorbent material.  
Pick up and transfer to properly labelled containers.  
Never return spills in original containers for re-use.
- Keep in suitable, closed containers for disposal.
- 

### Section 7: Handling and storage

- Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.
- Normal measures for preventive fire protection.
- Advice on safe handling : For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.  
Avoid formation of respirable particles.
- Hygiene measures : General industrial hygiene practice.  
Avoid contact with skin, eyes and clothing.  
Provide adequate ventilation.  
Do not breathe dust or spray mist.
- Wash hands before breaks and at the end of workday.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.
- 

### Section 8: Exposure controls/personal protection

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
kaolin	1332-58-7	WES-TWA	10 mg/m <sup>3</sup>	NZ OEL

# SAFETY DATA SHEET



## Altacor® insecticide

Version 1.1      Revision Date: 11.01.2023      SDS Number: 50000012      Date of last issue: -  
Date of first issue: 03.01.2018

		WES-TWA (Respirable dust)	2 mg/m <sup>3</sup>	NZ OEL
		TWA (Respirable particulate matter)	2 mg/m <sup>3</sup>	ACGIH

### Personal protective equipment

- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
- Filter type : Particulates type
- Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles
- Skin and body protection : Dust impervious protective suit  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Protective measures : Plan first aid action before beginning work with this product.

### Section 9: Physical and chemical properties

- Appearance : granular
- Colour : light brown
- Odour : slight, sweet
- Odour Threshold : No data available
- pH : 7 - 10 (25 °C)  
Concentration: 10 g/l
- Melting point/range : Not available for this mixture.
- Boiling point/boiling range : Not applicable
- Flash point : not determined

# SAFETY DATA SHEET



## Altacor® insecticide

Version 1.1      Revision Date: 11.01.2023      SDS Number: 50000012      Date of last issue: -  
Date of first issue: 03.01.2018

---

Evaporation rate : Not applicable

Flammability (solid, gas) : Not expected to be ignitable

Self-ignition : > 155 °C

Upper explosion limit / Upper flammability limit : Not available for this mixture.

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : Not applicable

Relative density : No data available

Density : No data available

Bulk density : 0.7 - 0.86 g/cm<sup>3</sup>

Solubility(ies)  
Water solubility : dispersible

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available  
Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Particle size : not determined

---

### Section 10: Stability and reactivity

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if used as directed.  
Dust may form explosive mixture in air.

Conditions to avoid : Avoid dust formation.

# SAFETY DATA SHEET



## Altacor® insecticide

Version 1.1      Revision Date: 11.01.2023      SDS Number: 50000012      Date of last issue: -  
Date of first issue: 03.01.2018

---

Avoid extreme temperatures  
Heat, flames and sparks.

Incompatible materials : Strong acids and strong bases  
Strong oxidizing agents

Hazardous decomposition products : Sulphur oxides  
Halogenated compounds  
Nitrogen oxides (NOx)  
Carbon oxides

---

### Section 11: Toxicological information

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg  
Method: OECD Test Guideline 425  
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 6.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes

#### Components:

##### Chlorantraniliprole:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg  
Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 402

##### kaolin:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

# SAFETY DATA SHEET



## Altacor® insecticide

Version 1.1      Revision Date: 11.01.2023      SDS Number: 50000012      Date of last issue: -  
Date of first issue: 03.01.2018

---

Method: OECD Test Guideline 401

LD50: > 2,000 mg/kg

Method: OECD Test Guideline 420

Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LD50: 5.07 mg/l  
Method: OECD Test Guideline 436

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

LD50: > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Not classified based on available information.

#### Product:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

#### Components:

##### Chlorantraniliprole:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

##### kaolin:

Method : OECD Test Guideline 404  
Result : No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

#### Product:

Species : Rabbit  
Result : slight irritation  
Method : OECD Test Guideline 405  
GLP : yes  
Remarks : Minimal effects that do not meet the threshold for classification.

#### Components:

##### Chlorantraniliprole:

Species : Rabbit



# SAFETY DATA SHEET



## Altacor® insecticide

Version 1.1      Revision Date: 11.01.2023      SDS Number: 50000012      Date of last issue: -  
Date of first issue: 03.01.2018

---

Result : No eye irritation  
Method : OECD Test Guideline 405

### kaolin:

Result : No eye irritation  
Method : OECD Test Guideline 405

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### Product:

Test Type : Local lymph node test  
Species : Mouse  
Method : OECD Test Guideline 406  
Result : Animal test did not cause sensitization by skin contact.

### Components:

#### Chlorantraniliprole:

Test Type : Maximisation Test  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

Test Type : Local lymph node assay (LLNA)  
Species : mice  
Method : OECD Test Guideline 429  
Result : Does not cause skin sensitisation.

#### kaolin:

Method : OECD Test Guideline 429  
Result : Does not cause skin sensitisation.

### Chronic toxicity

#### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Chlorantraniliprole:

Genotoxicity in vitro : Test Type: reverse mutation assay  
Metabolic activation: with and without metabolic activation  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster ovary cells  
Method: OECD Test Guideline 476

# SAFETY DATA SHEET



## Altacor® insecticide

Version 1.1      Revision Date: 11.01.2023      SDS Number: 50000012      Date of last issue: -  
Date of first issue: 03.01.2018

---

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### kaolin:

Genotoxicity in vitro : Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Remarks: No data available

### Carcinogenicity

Not classified based on available information.

### Components:

#### Chlorantraniliprole:

Species : Rat, male and female  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 805 - 1,076 mg/kg bw/day  
Method : OECD Test Guideline 453  
Result : negative

Species : Mouse, male and female  
Application Route : Oral  
Exposure time : 18 month(s)  
NOAEL : 158 - 1,155 mg/kg bw/day  
Method : OECD Test Guideline 453  
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

### Reproductive toxicity

Not classified based on available information.

### Components:

#### Chlorantraniliprole:

Effects on fertility : Test Type: Two-generation study  
Species: Rat, male and female  
Application Route: Oral  
General Toxicity - Parent: NOAEL: 20,000 ppm  
General Toxicity F1: NOAEL: 20,000 ppm  
Method: OECD Test Guideline 416  
Result: negative

# SAFETY DATA SHEET



## Altacor® insecticide

Version 1.1      Revision Date: 11.01.2023      SDS Number: 50000012      Date of last issue: -  
Date of first issue: 03.01.2018

---

Effects on foetal development : Test Type: Pre-natal  
Species: Rat  
Application Route: Oral  
Duration of Single Treatment: 6 - 20 d  
General Toxicity Maternal: NOEL: 1,000 mg/kg bw/day  
Developmental Toxicity: NOEL: 1,000 mg/kg bw/day  
Method: OECD Test Guideline 414  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### **kaolin:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

### **STOT - single exposure**

Not classified based on available information.

### **Components:**

#### **Chlorantraniliprole:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Remarks : No significant adverse effects were reported

#### **kaolin:**

Remarks : No significant adverse effects were reported

### **STOT - repeated exposure**

Not classified based on available information.

### **Product:**

Remarks : Refer to acute toxicity and/or repeated dose toxicity data for more information on target organs if applicable.

### **Components:**

#### **Chlorantraniliprole:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **kaolin:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

# SAFETY DATA SHEET



## Altacor® insecticide

Version 1.1      Revision Date: 11.01.2023      SDS Number: 50000012      Date of last issue: -  
Date of first issue: 03.01.2018

---

### Repeated dose toxicity

#### Components:

##### Chlorantraniliprole:

Species : Rat, male and female  
NOEL : 1188 - 1526 mg/kg  
Application Route : Oral  
Exposure time : 90 days  
Method : OECD Test Guideline 408

##### kaolin:

Remarks : No data available

### Aspiration toxicity

Not classified based on available information.

#### Components:

##### Chlorantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

### Further information

#### Product:

Remarks : No data available

---

## Section 12: Ecological information

### Ecotoxicity

#### Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 3.2 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.029 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EbC50 (Pseudokirchneriella subcapitata (green algae)): > 5.0 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.00447 mg/l  
Exposure time: 21 d  
Remarks: Information refers to the main component.

# SAFETY DATA SHEET



## Altacor® insecticide

Version 1.1      Revision Date: 11.01.2023      SDS Number: 50000012      Date of last issue: -  
Date of first issue: 03.01.2018

---

- Toxicity to soil dwelling organisms : (Eisenia fetida (earthworms)): > 1,000 mg/kg  
Exposure time: 14 d  
Method: OECD Test Guideline 207
- Toxicity to terrestrial organisms : LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg  
Exposure time: 14 d  
Method: US EPA Test Guideline OPPTS 850.2100
- LD50 (Apis mellifera (bees)): 340.5 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Method: OECD Test Guideline 213  
GLP: yes
- LD50 (Apis mellifera (bees)): 285.7 µg/bee  
Exposure time: 48 h  
End point: Acute contact toxicity  
Method: OECD Test Guideline 214  
GLP: yes

### Components:

#### **Chlorantraniliprole:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 13.8 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0116 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l  
Exposure time: 120 h
- EC50 (Lemna gibba (duckweed)): > 2 mg/l  
Exposure time: 14 d
- NOEC (Lemna gibba (duckweed)): 2 mg/l  
Exposure time: 14 d
- ErC50 (Selenastrum capricornutum (green algae)): > 2 mg/l  
Exposure time: 72 h
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to fish (Chronic toxicity) : NOEC (Cyprinodon variegatus (sheepshead minnow)): 1.28 mg/l  
Exposure time: 36 d
- NOEC (Oncorhynchus mykiss (rainbow trout)): 0.110 mg/l  
Exposure time: 28 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic) : NOEC (Daphnia magna (Water flea)): 0.00447 mg/l  
Exposure time: 21 d

# SAFETY DATA SHEET



## Altacor® insecticide

Version 1.1      Revision Date: 11.01.2023      SDS Number: 50000012      Date of last issue: -  
Date of first issue: 03.01.2018

---

ic toxicity)

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): > 1,000 mg/kg  
Exposure time: 14 d

Toxicity to terrestrial organisms : LD50 (*Apis mellifera* (bees)): > 4.0 µg/bee  
Exposure time: 72 h  
End point: Acute contact toxicity  
Remarks: Active substance dissolved in acetone

LD50 (*Apis mellifera* (bees)): > 0.005 µg/bee  
Exposure time: 48 h  
End point: Acute contact toxicity  
Remarks: Active substance dissolved in water

LD50 (*Apis mellifera* (bees)): > 104.1 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Remarks: Active substance dissolved in acetone

LD50 (*Apis mellifera* (bees)): > 0.0274 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Remarks: Active substance dissolved in water

LD50 (*Colinus virginianus* (Bobwhite quail)): > 2,250 mg/kg

LC50 (*Anas platyrhynchos* (Mallard duck)): > 5,620 ppm

LD50 (*Poephila guttata* (zebra finch)): > 2,250 mg/kg

### kaolin:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 1,000 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (*Raphidocelis subcapitata* (freshwater green alga)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

# SAFETY DATA SHEET



## Altacor® insecticide

Version 1.1      Revision Date: 11.01.2023      SDS Number: 50000012      Date of last issue: -  
Date of first issue: 03.01.2018

---

### Persistence and degradability

#### Components:

##### **Chlorantraniliprole:**

Biodegradability : Result: Not readily biodegradable.  
Stability in water : Degradation half life (DT50): 10 d pH: 9

##### **kaolin:**

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

### Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: Does not bioaccumulate.  
Estimation based on data obtained on active ingredient.

#### Components:

##### **Chlorantraniliprole:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 15  
Remarks: Bioaccumulation is unlikely.  
Partition coefficient: n-octanol/water : log Pow: 2.77 (20 °C)  
pH: 4  
log Pow: 2.86 (20 °C)  
pH: 7  
log Pow: 2.80 (20 °C)  
pH: 9

##### **kaolin:**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.  
Partition coefficient: n-octanol/water : Remarks: Not applicable

### Mobility in soil

#### Components:

##### **Chlorantraniliprole:**

Distribution among environmental compartments : Koc: 362 ml/g, log Koc: 2.55  
Remarks: Mobile in soils  
Stability in soil : Remarks: Very persistent in soil.

# SAFETY DATA SHEET



## Altacor® insecticide

Version 1.1      Revision Date: 11.01.2023      SDS Number: 50000012      Date of last issue: -  
Date of first issue: 03.01.2018

---

### kaolin:

Distribution among environmental compartments : Remarks: Low mobility in soil

### Other adverse effects

#### Product:

Results of PBT and vPvB assessment : This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).

Additional ecological information : See product label for additional application instructions relating to environmental precautions.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

---

## Section 13: Disposal considerations

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Do not re-use empty containers.  
Packaging that is not properly emptied must be disposed of as the unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

## Section 14: Transport information

### International Regulations

#### **UNRTDG**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Chlorantraniliprole)  
Class : 9  
Subsidiary risk : ENVIRONM.  
Packing group : III  
Labels : 9 (ENVIRONM.)

#### **IATA-DGR**

UN/ID No. : UN 3077

---



# SAFETY DATA SHEET



## Altacor® insecticide

Version 1.1      Revision Date: 11.01.2023      SDS Number: 50000012      Date of last issue: -  
Date of first issue: 03.01.2018

---

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Chlorantraniliprole)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

**IMDG-Code**  
UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(Chlorantraniliprole)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes  
Remarks : Environmentally hazardous substances/Marine Pollutants in  
single or combination packaging containing a net quantity per  
single or inner packaging of 5 kg or less for solids, or having a  
net quantity per single or inner packaging of 5 L or less for  
liquids may be transported as non-dangerous goods as pro-  
vided in special provision A197 of the IATA and section  
2.10.2.7 of IMDG code.

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### NZS 5433

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(Chlorantraniliprole)  
Class : 9  
Packing group : III  
Labels : 9  
Hazchem Code : 2Z

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## Section 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

# SAFETY DATA SHEET



## Altacor® insecticide

Version 1.1      Revision Date: 11.01.2023      SDS Number: 50000012      Date of last issue: -  
Date of first issue: 03.01.2018

---

### HSNO Approval Number

HSR007968  
ACVM Number : P7831

### The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.  
  
3-BROMO-4'-CHLORO-1-(3-CHLORO-2-PYRIDYL)-2'-METHYL-6'-(METHYLCARBAMOYL)-1H-PYRAZOLE-5-CARBOXANILIDE

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI : Not in compliance with the inventory

---

### Section 16: Other information

Revision Date : 11.01.2023

Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

ACGIH / TWA : 8-hour, time-weighted average

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;

# SAFETY DATA SHEET



## Altacor® insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	11.01.2023	50000012	Date of first issue: 03.01.2018

---

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

NZ / 6N