

SAFETY DATA SHEET

According to HSNO Hazardous Substances (Safety Data Sheets) Notice 2017

Section 1. Identification of the material and the supplier

DockPro 750WG Product:

Product Use: Herbicide

Restriction of Use: Refer to Section 15

New Zealand Supplier: **Adria Crop Protection Solutions**

Address: 407 State Highway 16

Kumeu 0841, Auckland

Telephone: +64 9 412 9817 +64 9 412 9807 Fax: www.adria.nz Website:

0800 734 607 (24hr)3 **Emergency No:**

0800 764 766 (National Poison Centre)

Date of SDS Preparation: 8 MaY 2020

Hazards Identification Section 2.

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval No: HSR101057

Pictograms



Ecotoxic

Signal Word: Warning

HSNO Classification	Hazard Code	Hazard Statement	GHS Category
6.3B	H316	Causes mild skin irritation.	Skin Irrit. 3
9.1A	H410	Very toxic to aquatic life with long lasting effects.	Aquatic Chronic 1
9.2A	H421	Very toxic to the soil environment.	

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read label before use.
P273	Avoid release to the environment.

Product Name: DockPro 750WG SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 8 May 2020

Tel: 64 9 475 5240 www.techcomp.co.nz

Response code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P391	Collect spillage.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.

Storage Code	Storage Statement
None allocated	

Disposal Code	Disposal Statement
P501	Refer to Section 13.

Section 3. **Composition / Information on Hazardous Ingredients**

Ingredients	Content (%)	CAS NUMBER.
Thifensulfuron-methyl	<80%	79277-27-3
Sulfonic acids, C14-16 (even	<10%	68439-57-6
numbered)-alkane hydroxy and C14-		
16 (even numbered)-alkene, sodium		
salts		
2,3,4,5,6-pentahydroxyhexanal acetic	<0.5%	9004-32-4
acid sodium hydride		

Section 4. **First Aid Measures**

Routes of Exposure:

If in Eyes If product enters eyes, rinse slowly with clean water for at least 15-20

> minutes. If the victim is wearing contact lenses, remove the contact lenses after the first 5 minutes, and then continue rinsing eyes. Contact the poison control center or medical practitioner for treatment advice.

If on Skin After contact with skin, remove contaminated clothes immediately and

rinse affected area with water for 15-20 minutes. Contact the poison

control center or medical practitioner for treatment advice.

If Swallowed If the victim is able to swallow, have him/her sip a glass of water. If

> swallowed do NOT induce vomiting unless directed to do so by a medical practitioner or poison control center. Do not administer anything orally to an unconscious person. For advice, contact the National Poisons Centre on

0800 POISON (0800 764766) or a doctor immediately.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

> remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes

difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Ingestion: Not applicable. Inhalation: Not applicable.

Skin: Causes mild skin irritation.

Eye: Not applicable.

Treatment: Treat according to symptoms (decontamination, vital functions). No known

specific antidote.

Section 5. **Fire Fighting Measures**

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Product Name: DockPro 750WG Date of SDS: 8 May 2020

Tel: 64 9 475 5240 www.techcomp.co.nz

Hazard Type	This product is Non-Flammable.
Hazards from products	The product my form explosive mixtures in the air if exposed
	to severe dusting conditions
Suitable Extinguishing	Water spray, carbon dioxide (CO2), foam, dry chemical.
media	
Recommended protective	Wear SCBA and appropriate chemical-protective clothing. Do
clothing & Precautions	not allow the run off from firefighting media to reach sewage
for firefighters	or effluent systems. Dispose of fire debris and contaminated
	extinguishing water in accordance with official regulations.
	Addition of water may cause excessive foaming. Vapours may
	be toxic.
HAZCHEM CODE	2Z

Section 6. Accidental Release Measures

Personal precautions:

Use protective clothing as per Section 8. Avoid contact with skin, eyes and clothing. Remove contaminated clothes and shoes immediately. Evacuate personnel from the contaminated area and thoroughly ventilate the area.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Spill and Disposal procedures:

Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely, according to Local Council regulations.

Section 7. Handling and Storage

Precautions for Handling:

- Keep out of reach of children.
- Read label before use.
- · Avoid skin and eye contact.
- · Avoid inhaling the vapour, or spray mist.
- · Wash thoroughly after handling.
- Wash clothing after use.
- Avoid release to the environment.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Store in the closed, original container in a dry, well ventilated area, as cool as possible out of direct sunlight and under lock and key.
- Keep from contact with fertilisers, fungicides and seeds.
- Store in original container. Keep out of the reach of children.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL Substance ppm mg/m³ ppm mg/m³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2019 11TH EDITION.

Product Name: DockPro 750WG SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 8 May 2020 Tel: 64 9 475 5240 www.techcomp.co.nz

Engineering Controls / Industrial Hygiene

Only use product in a well-ventilated area.

Personal Protection Equipment



Eyes	Wear safety goggles with side-shields.
Hands	Wear suitable gloves resistant to chemical penetration e.g. nitrile rubber gloves with a minimum thickness of 0.4 mm. Contaminated gloves should be washed. Gloves should be disposed of when contaminated on the inside, perforated or contamination on the outside cannot be removed.
Skin	Body protection (chemical protection suit, boots) must be chosen depending on activity and possible exposure. Decontaminate contaminated clothing, remove and dispose of in accordance with the manufacturer's instructions.
Respiratory	Wear respiratory protection if ventilation is inadequate. Respiratory protection should have appropriate dust/mist cartridge.
General	Keep out of reach of children. Wear protective clothing such as impervious gloves, waterproof hat, coat and trousers when using. Avoid contact with skin or eyes and inhalation of spray mist. Wash hands and exposed skin after use and before meals, using tobacco or using the toilet.

Section 9 Physical and Chemical Properties

	0 1 110
Appearance	Granules, WDG
Colour	Brown
Odour	Characteristic
Odour Threshold	Not available
pH	4 - 6.5
Boiling/Melting Point	Not available
Freezing Point	Not available
Flash Point	Not flammable
Flammability	Not available
Upper and Lower	Not available
Explosive Limits	
Vapour Pressure	Not available
Vapour Density	Not available
Density	Not available
Water Solubility	Disperse in water
Partition Coefficient:	Not available
Ignition Temperature	Not explosive
Decomposition	Not available
Temperature	
Viscosity	Not available
Particle Characteristics	Not available
Surface tension	Not available

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Possibility of hazardous reactions	None known.
Conditions to Avoid	Temperature extremes and direct sunlight.
Incompatible Materials	None known.
Hazardous Decomposition	None known.
Products	

Product Name: DockPro 750WG SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 8 May 2020 Tel: 64 9 475 5240

Section 11 Toxicological Information

Acute Effects:

Swallowed	Not applicable. LD50: >2000 mg/kg for rat
Dermal	Not applicable. LD50: >2000 mg/kg
Inhalation	Not applicable.
Eye	Not applicable.
Skin	Causes mild skin irritation.

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive	Not applicable.
Toxicity	
Germ Cell	Not applicable.
Mutagenicity	
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

<u>Toxicological Information (Based on the active ingredient Thifensulfuron-methyl):</u>

Acute oral toxicity [LD ₅₀ mg/kg]:	Rats > 5000
Acute inhalation toxicity [LC ₅₀ mg/L]:	Rats > 7.9 (4h)
Acute dermal toxicity [LD ₅₀ mg/kg]:	Rats > 2000, rabbits > 2000

Section 12. Ecotoxicological Information

Ecological effects information	9.1A = Very toxic to aquatic life with long lasting effects.	
	9.2A = Very toxic to the soil environment.	
Persistence and degradability	No data available	
Bioaccumulation	No data available	
Mobility in Soil	No data available	
Other adverse effects	No data available	
Precautions:	Do not allow to enter waterways.	

Ecological Information (Based on the active ingredient Thifensulfuron-methyl):

Acute fish toxicity [LC ₅₀ mg/L] (96 h, flow-	Rainbow trout 100, bluegill sunfish 520
through):	
Toxicity for daphnia [EC ₅₀ mg/L] (48 h, flow-	470
through):	
Toxicity for worms [LC50 mg/kg] (14 d)	Eisenia fetida >2000
Toxicity bees [LD50 µg/bee] (48 h)	>7.1 (oral), >100 (contact)

Section 13. Disposal Considerations

Disposal Method:

Triple rinse container and add residue to spray tank. Return empty container to an AgRecovery collection point for disposal.



Empty container precautions:

Avoid contamination of any water supply with chemical or empty container.

Precautions or methods to avoid: Avoid release to the environment.

Product Name: DockPro 750WG SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 8 May 2020 Tel: 64 9 475 5240 www.techcomp.co.nz

This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2012





Road, Rail, Sea and Air Transport

UN No	3077
Class - Primary	9
Packing Group	III
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
	N.O.S. (Thifensulfuron-methyl)
Marine Pollutant	YES
Special Provisions-	If the product's individual container is below 5L/kg, it can be
Limited Quantities	transported as a non-DG as long as the product packaging is still
	labelled as per DG requirements and the driver is given safety
	information in accordance with Chapter 3.4 of the UNRTDG.

Section 15 Regulatory Information

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval Code: HSR101057

HSNO Classification: 6.3B, 9.1A, 9.2A

HSW (HS) Regulations 2017	Trigger Quantity	
Certified Handlers	Not required	
Location Certificate	Not required	
Signage Trigger Quantities (Schedule 3)	100KG (9.1A)	
Emergency Response Plan (Schedule 5)	100KG (9.1A)	
Secondary Containment (Schedule 5)	100KG (9.1A)	
Tracking (Schedule 26)	Not required	
For all further controls	Refer to EPA <u>www.epa.govt.nz</u> for controls	
	document - HSR101057	
HSNO Additional Controls (Restrictions of use)		
77A	The substance must not be applied onto or	
	into water.	
Hazardous Property Controls Notice 2017		
HPC Notice Part 4 Clause 47	Equipment for class 9 substances must be	
	appropriate	
HPC Notice Part 4 Clause 48	Records of application of class 9 pesticides	
	and plant growth regulators	
Hpc Notice Part 3	Hazardous substances in a place other than	
	a workplace	
HPC Notice Part 4 Subpart A	Site and storage controls for class 9	
	substances	
HPC Notice Part 4 Subpart C	Qualifications required for application of	
	class 9 pesticides	
ACVM Act and Regulations		
ACVM Approval No	P9774	
See <u>www.foodsafety.govt.nz</u> for registration		
controls		

Product Name: DockPro 750WG SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 8 May 2020

Tel: 64 9 475 5240 www.techcomp.co.nz

Section 16 Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label. The data contained in this safety data sheet is based on our current knowledge and describes the product only with regard to safety requirements. The data does not describe the products properties. Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any existing laws and legislation are observed.

Glossary

EC₅₀ Median effective concentration. EEL Environmental Exposure Limit. EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC₅₀ Lethal concentration that will kill 50% of the test organisms

inhaling or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible

authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017

- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2012
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Adria, if further information is required.

Issue Date: 8 May 2020 Review Date: 8 May 2025

Product Name: DockPro 750WG SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 8 May 2020 Tel: 64 9 475 5240 www.techcomp.co.nz