

SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: Florissant 100C
 Product No:
 Product Use: Cut Flower Conditioner
 Restrictions of Use: Refer to Section 15

New Zealand Supplier: Horticulture Ltd
 Address: 10 Firth Street
 Drury, 2113

Telephone: +64 9 294 8453
 Fax Number: +64 9 294 7272

New Zealand: **0800 764 766 (National Poison Centre)**

Date of SDS Preparation: 24 January 2023

Section 2. Hazards Identification

Classified as hazardous according to Regulation (EC) No. 1272/2008 [CLP] which meets New Zealand jurisdiction criteria as per EPA Hazardous Substances (Safety Data Sheets) Notice 2017.

EPA Approval No: Additives, Process Chemicals and Raw Materials (subsidiary) – HSR002503

Pictograms



Signal Word: **WARNING**

GHS Classification and Category	Hazard Code	Hazard Statement
Hazardous to the aquatic environment chronic Cat. 1	H410	Very toxic to aquatic life with long lasting effects.

Prevention Code Prevention Statement

P102	Keep out of reach of children.
P103	Read label before use.
P273	Avoid release to the environment.

Response Code Response Statement

P101	If medical advice is needed, have product container or label at hand.
P391	Collect spillage.

Storage Code Storage Statement

Product Name: Florissant 100C
 Date of SDS: 24 January 2023

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd
www.techcomp.co.nz Tel: 64 9 475 5240

None allocated	
----------------	--

Disposal Code Disposal Statement

P501	Triple rinse container. Cleaned packaging maybe offered for recycling or landfill in accordance with local regulations. Dispose of unwanted product as a hazardous material according to Local Regulations.
------	---

Section 3. Composition / Information on Ingredients

Ingredients	Wt%	CAS NUMBER.
Sodium thiosulfate pentahydrate	15 - <50	10102-17-7
Silver Nitrate	2.5 - <10	7761-88-8

Section 4. First Aid Measures

Routes of Exposure:

- If in Eyes Rinse eyes thoroughly with lukewarm water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. Seek medical assistance if required.
- If on Skin Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. If skin irritation occurs: Get medical advice/attention.
- If Swallowed Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Rinse out the mouth and throat, as they may have been affected during ingestion. Keep the person affected at rest. Seek medical assistance if needed.
- If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms: None known.

Section 5. Fire Fighting Measures

Hazard Type	Non Flammable
Hazards from combustion products	As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.
Suitable Extinguishing media	Use water. Do not use chemical extinguishers or foam.
Precautions for firefighters and special protective clothing	Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,) in accordance with Directive 89/654/EC. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.
HAZCHEM CODE	3Z

Section 6. Accidental Release Measures

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilled product (See section 8). Evacuate the area and keep out those who do not have protection.

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

Section 7. Handling and Storage

Handling

- Read label before use.
- Avoid release to the environment.
- Wear protective clothing as detailed in Section 8.
- Do not eat or drink during the process and wash hands afterwards.
- Keep containers hermetically sealed.
- Avoid leakages from the container.
- Maintain order and cleanliness where dangerous products are used.
- Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

Storage

- Store away from incompatible materials listed in Section 10.
- Keep out of reach of children.
- Storage temp: Minimum: 4°C Maximum: 30°C
- Maximum time: 24 months.
- Avoid sources of heat, radiation, static electricity and contact with food.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA		STEL	
	ppm	mg/m ³	ppm	mg/m ³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 13TH EDITION.

Engineering Controls

Ensure adequate ventilation is available.

Personal Protective Equipment



Eyes	Panoramic glasses against splash/projections.
Hands and Skin	NON-disposable chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.12 mm).
Respiratory	The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

Section 9 Physical and Chemical Properties

Appearance	Liquid
Colour	Not available
Odour	Characteristic
Odour Threshold	Not available
pH	5.8
Boiling Point	100°C
Melting/Freezing Point	Not available
Flash Point	Not available
Flammability	Not flammable
Upper and Lower Explosive Limits	Not available
Vapour Pressure	3066 Pa @ 20°C
Density @ 20°C	1247 kg/m ³
Relative Density @ 20°C	Not available
Solubilities	Not available
Partition Coefficient:	Not available
Auto-ignition Temperature	1010°C
Decomposition Temperature	Not available
Kinematic Viscosity @ 20°C	1.66 mm ² /s
Dynamic Viscosity @ 20°C	2.09 cP
Particle Characteristics	Not available

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Conditions to Avoid	None known.
Hazardous Reactions	None known.
Incompatible Materials	Oxidising materials, combustible materials, alkalis or strong bases.
Hazardous Decomposition Products	Depending on the decomposition complex mixtures of chemical substances can be released: carbon dioxide (CO ₂), carbon monoxide and other organic compounds.

Section 11 Toxicological Information

Acute Effects:

Swallowed	Not applicable.
Dermal	Not applicable.
Inhalation	Not applicable.
Eye	Not applicable.
Skin	Not applicable.

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive Toxicity	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
	Route	Value	
Sodium thiosulfate pentahydrate CAS: 10102-17-7 EC: 600-156-5	ID50 oral	>2000 mg/kg	
	ID50 dermal	>2000 mg/kg	
	IC50 inhalation	>5 mg/L (4 h)	
silver nitrate CAS: 7761-88-8 EC: 231-853-9	ID50 oral	>2000 mg/kg	
	ID50 dermal	>2000 mg/kg	
	IC50 inhalation	>5 mg/L (4 h)	
	ID50 dermal	87,12 mg/kg	Rabbit
	IC50 inhalation	0,33 mg/L (4 h)	Rat

Section 12. Ecotoxicological Information

Very toxic to aquatic life with long lasting effects.

Acute Toxicity:

Identification	Concentration		Species	Genus
	Route	Value		
silver nitrate CAS: 7761-88-8 EC: 231-853-9	LC50	0.0012 mg/L (96 h)	<i>Pleurocetes platessa</i>	Fish
	EC50	0.00022 mg/L (48 h)	<i>Daphnia magna</i>	Crustacean
	EC50	Non-applicable		

Persistence and degradability: No data available.

Bioaccumulative Potential:

Identification	Bioaccumulation potential	
	Parameter	Value
silver nitrate CAS: 7761-88-8 EC: 231-853-9	BCF	70
	Pow Log	
	Potential	Moderate

Mobility of Soil: No data available.

Do not allow to enter waterways.

Section 13. Disposal Considerations

Disposal Method:

Triple rinse container. Cleaned packaging maybe offered for recycling or landfill in accordance with local regulations. Dispose of unwanted product as a hazardous material according to Local Regulations.

Precautions and methods to avoid:

Do not allow to enter into surface water or drains where possible.

Section 14 Transport Information

This product is classified as a Dangerous Good for transport in NZ ; NZS 5433:2020 and SNZ HB 5433:2021



Road, Rail, Sea and Air Transport

UN No	3082
Class - Primary	9
Packing Group	III
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (silver nitrate)
Marine Pollutant	Yes
Special Provisions	If the product's individual container is below 5L/kg, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.

Section 15 Regulatory Information

Classified as hazardous according to Regulation (EC) No. 1272/2008 [CLP] which meets New Zealand jurisdiction criteria as per EPA Hazardous Substances (Safety Data Sheets) Notice 2017.

EPA Approval Code: Additives, Process Chemicals and Raw Materials (subsidiary) – HSR002503

Trigger quantities:

HSWA & EPA Controls	Trigger Quantity
Certified Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	100L
Emergency Response Plan	100L
Secondary Containment	100L
Restriction of Use	None

Section 16 Other Information

Glossary

Cat	Category
EC ₅₀	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
LC ₅₀	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD ₅₀	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices Nov 2022 edition.

Product Name: Florissant 100C
Date of SDS: 24 January 2023

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd
www.techcomp.co.nz Tel: 64 9 475 5240

3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2020
5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, if further information is required.

Issue Date: 24 January 2023 Review Date: 24 January 2028