

SAFETY DATA SHEET

According to
HSNO Hazardous Substances (Safety Data Sheets) Notice 2017

Section 1. Identification of the material and the supplier

Product: **Piritek**
 Product Use: Insecticide
 Restriction of Use: Refer to Section 15

New Zealand Supplier: **Adria Crop Protection Solutions**
 Address: 407 State Highway 16
 Kumeu 0841,
 Auckland

Telephone: +64 9 412 9817
 Fax: +64 9 412 9807
 Website: www.adria.nz

Emergency No: 0800 734 607 (24hr)
0800 764 766 (National Poison Centre)

Date of SDS Preparation: 21 March 2023 v2

Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No: HSR007884

Pictograms



Signal Word: **DANGER**

GHS Classification and Category	Hazard Code	Hazard Statement
Acute oral toxicity Cat. 3	H301	Toxic if swallowed.
Acute inhalation toxicity Cat. 4	H332	Harmful if inhaled.
Eye irritation Cat. 2	H319	Causes serious eye irritation.
Skin sensitisation Cat. 1	H317	May cause an allergic skin reaction.
Specific target organ toxicity – repeated exposure Cat. 2	H373	May cause damage to organs through prolonged or repeated exposure.
Hazardous to the aquatic environment acute Cat. 1	H400	Very toxic to aquatic life.
Hazardous to the aquatic environment chronic Cat. 1	H410	Very toxic to aquatic life with long lasting effects.
Hazardous to terrestrial vertebrates	H431	Hazardous to terrestrial vertebrates
Hazardous to terrestrial invertebrates	H442	Hazardous to terrestrial invertebrates

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P260	Do not breathe fumes, mist, vapours or spray.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective clothing as detailed in Section 8.

Response code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P330	Rinse mouth.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Storage Code	Storage Statement
P405	Store locked up.

Disposal Code	Disposal Statement
P501	Refer to Section 13.

Section 3. Composition / Information on Hazardous Ingredients

Ingredients	Content (%w/v)	CAS NUMBER.
Pirimicarb	50 %	23103-98-2
Non-hazardous ingredients	To bal	-

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes If splashed in eyes, wash out immediately with water. If product or spray enters eyes, wash out immediately and continue rinsing with clean water for at least 15 minutes. Remove contact lenses if easy to do so, continue rinsing. If eye irritation persists immediately call a POISON CENTRE or doctor/physician.

If on Skin If skin or hair contact occurs, remove contaminated clothing and wash with plenty of soap and water. Do not scrub the skin. If skin irritation or rash occurs: Get medical advice/attention.

If Swallowed If swallowed, do NOT induce vomiting. Rinse mouth. For advice contact the National Poisons Centre 0800 POISONS (0800 764 766) or a doctor immediately.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position

and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Ingestion: Toxic if swallowed.

Inhalation: Harmful if inhaled.

Skin: May cause an allergic skin reaction.

Eye: Causes serious eye irritation.

Chronic: May cause damage to organs through single, prolonged or repeated exposure.

Treatment: Treat according to symptoms (decontamination, vital functions). No known specific antidote.

Section 5. Fire Fighting Measures

Hazard Type	This product is not flammable.
Hazards from products	There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. This product is likely to decompose only after heating to dryness, followed by further strong heating. Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.
Suitable Extinguishing media	Water spray, foam, dry extinguishing media, carbon dioxide.
Recommended protective clothing & Precautions for firefighters	Wear SCBA and chemical-protective clothing.
HAZCHEM CODE	2X

Section 6. Accidental Release Measures

Personal precautions:

Use protective clothing as per Section 8. Avoid contact with skin, eyes and clothing. Remove contaminated clothes and shoes immediately.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Spill and Disposal procedures:

Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely, according to Local Council regulations.

Section 7. Handling and Storage

Precautions for Handling:

- Read carefully and follow all instructions.
- Do not breathe fumes, mist, vapours or spray.
- Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Use only outdoors or in a well-ventilated area.
- Contaminated work clothing should not be allowed out of the workplace.
- Avoid release to the environment.
- Wear protective clothing as detailed in Section 8.
- Apply using calibrated and maintained equipment in accordance with the NZ Standard for the Management of Agrichemicals (NZS8409).

Precautions for Storage:

- Keep away from children.
- Store locked up.
- Store in a cool, dry area, out of direct sunlight.
- Avoid temperature extremes.
- Storage must be generally in accordance with the NZ Standard for the Management of Agrichemicals (NZS8409).
- Store away from incompatible materials listed in Section 10.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA		STEL	
	ppm	mg/m ³	ppm	mg/m ³

No ingredient has exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 13TH EDITION.

Engineering Controls / Industrial Hygiene

Provide local exhaust or general room ventilation to minimize dust and/or vapour concentrations.

Restricted Entry Interval (Rei):

The REI is 24 hours. The person in charge is responsible for making sure no person enters the application area before the end of the REI.

Personal Protection Equipment



Eyes	Safety goggles with side-shields.
Skin	Suitable chemical resistant safety gloves (e.g. nitrile rubber (.4mm)). Body protection (chemical protection suit, boots) must be chosen depending on activity and possible exposure.
Respiratory	Respirator (organic vapour and particulate matter) should be used if airborne particles are generated when handling this material.
General	Females of childbearing age should not come into contact with the product. Keep away from food, drink and animal feedstuffs. No eating, drinking or smoking during use. Wash hands and face before breaks and after work.

Section 9 Physical and Chemical Properties

Appearance	Water dispersible granule
Colour	Beige
Odour	Characteristic odour
Odour Threshold	Not available
pH	+/-6.6
Melting Point/Boiling Point	>90°C
Freezing Point	Not available
Flash Point	Not available
Flammability	Not available
Upper and Lower Explosive Limits	Not available

Product Name: Piritek
Date of SDS: 21 March 2023

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd
Tel: 64 9 475 5240 www.techcomp.co.nz

Vapour Pressure	Not available
Vapour Density	Not available
Density	± 600 g/L
Water Solubility	Not available
Octanol/water partition coefficient:	Not available
Auto Ignition Temperature	Not available
Decomposition Temperature	Not available
Viscosity	Not available
Particle Characteristics	Not available

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Possibility of hazardous reactions	None known.
Conditions to Avoid	Temperature extremes.
Incompatible Materials	None known at time of publishing.
Hazardous Decomposition Products	None known at time of publishing.

Section 11 Toxicological Information

Acute Effects:

Swallowed	Toxic if swallowed. LD 50 > 150 mg/kg
Dermal	Not applicable. LD 50 > 500 mg/kg
Inhalation	Harmful if inhaled. LC50 (rat)0.3mg/l/6h
Eye	Causes serious eye irritation.
Skin	May cause an allergic skin irritation.

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive Toxicity	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	May cause damage to organs through prolonged or repeated exposure.

Section 12. Ecotoxicological Information

Ecological effects information	Very toxic to aquatic life with long lasting effects. Hazardous to terrestrial vertebrates. Hazardous to terrestrial invertebrates.
Persistence and degradability	No data available
Bioaccumulation	No data available
Mobility in Soil	No data available
Other adverse effects	No data available
Acute fish toxicity:	LC50 (96 h) for rainbow trout 79, bluegill sunfish 55, fathead minnows >100 mg/l.
Toxicity for daphnia:	EC50 (48 h) 0.017 mg/l.
Toxicity to algae:	EC50 (96 h) for Selenastrum sp. 140 mg/l.
Precautions:	Do not allow to enter waterways.

Section 13. Disposal Considerations

Disposal Method:

Triple rinse container and add residue to spray tank. Return empty container to an AgRecovery collection point for disposal.



Empty container precautions:

Avoid contamination of any water supply with chemical or empty container.

Precautions or methods to avoid: Avoid release to the environment.

Section 14 Transport Information

This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2020



Road, Rail, Sea and Air Transport

UN No	2757
Class - Primary	6.1
Packing Group	III
Proper Shipping Name	CARBAMATE PESTICIDE, SOLID, TOXIC (Pirimicarb)
Marine Pollutant	Yes
Special Provisions-Limited Quantities	If the product's individual container is below 5kg, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.

Section 15 Regulatory Information

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval Code: HSR007884

HSW (HS) Regulations 2017	Trigger Quantity
Certified Handlers	Not required
Location Certificate	1000kg
Signage Trigger Quantities (Schedule 3)	100kg
Emergency Response Plan (Schedule 5)	100kg
Secondary Containment (Schedule 5)	100kg
Tracking (Schedule 26)	Not required
HSNO Additional Controls (Restrictions of use)	Refer to EPA www.epa.govt.nz for controls document - HSR007884
R-4: Spray drift mitigation	(1) No person may apply the substance in a manner that results in adverse effects beyond the boundary of the subject property. (2) Any person applying the substance must take all reasonable care to avoid off-target movement of the substance.

	<i>The person applying this substance must not cause adverse effects beyond the boundary of the treated property and must also avoid adverse effects from spray drift occurring. Mitigation measures employed must be recorded as part of the application records.</i>
77A- Label warning	<p>The label for this substance must:</p> <ul style="list-style-type: none"> • clearly state that the substance is an organophosphate-containing substance. • show that notification of affected parties and neighbours, in accordance with the notification requirements for this substance, must be carried out in advance of application. • state that the substance must only be used by a person with the required qualifications, or someone under the direct supervision of a person with the required qualifications, or words to that effect. • state that aerial application of the substance is prohibited. • include the relevant requirements relating to any restricted entry interval (REI) set under the HSW Regulations.
77A	This substance must not be applied onto or into water.
ACVM Act and Regulations	
ACVM Approval No See www.foodsafety.govt.nz for registration controls	P7737

Section 16 Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label. The data contained in this safety data sheet is based on our current knowledge and describes the product only with regard to safety requirements. The data does not describe the products properties. Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any existing laws and legislation are observed.

Glossary

EC ₅₀	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
HSW	Health and Safety at Work.
LC ₅₀	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD ₅₀	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017

2. Workplace Exposure Standards and Biological Exposure Indices April 2022 edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2020
5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Adria, if further information is required.

Issue Date: 21 March 2023 Review Date: 21 March 2028