

SAFETY DATA SHEET

According to HSNO Hazardous Substances (Safety Data Sheets) Notice 2017

Section 1. Identification of the material and the supplier

Product: Sledge 700WG

Product Use: Herbicide

Restriction of Use: Refer to Section 15

New Zealand Supplier: Adria Crop Protection Solutions

Address: 407 State Highway 16

Kumeu 0841, Auckland

Telephone: +64 9 412 9817 Fax: +64 9 412 9807 Website: www.adria.nz

Emergency No: 0800 734 607 (24hr)3

0800 764 766 (National Poison Centre)

Date of SDS Preparation: 29 November 2022

Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No: HSR101461

Pictograms





Signal Word: DANGER

GHS Classification and Category	Hazard Code	Hazard Statement
Reproductive toxicity Cat. 2	H361	Suspected of damaging fertility or the unborn child.
Specific target organ toxicity - repeated exposure Cat. 1	H372	Causes damage to organs through prolonged or repeated exposure.
Hazardous to the aquatic environment acute Cat. 1	H400	Very toxic to aquatic life.

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read label before use.
P201	Obtain special instructions before use.

Product Name: Sledge 700WG SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 29 November 2022 Tel: 64 9 475 5240 www.techcomp.co.nz

P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust, fumes, gas, mist, vapours or spray.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P281	Use personal protective equipment as required.

Response code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P314	Get medical advice/attention if you feel unwell.
P391	Collect spillage.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.

Storage Code	Storage Statement
P405	Store locked up.

Disposal Code	Disposal Statement
P501	Refer to Section 13.

Section 3. **Composition / Information on Hazardous Ingredients**

Ingredients	Content (w/v)	CAS NUMBER.
Saflufencacil	<72%	372137-35-4
Non-hazardous ingredients	To bal	

Section 4.	First Aid Measures

Routes of Exposure:

If in Eyes Rinse cautiously with water for at least 15 minutes under running water

holding eyelids open. Get medical advice/attention.

If on Skin Remove affected clothing and wash all exposed skin area with mild soap

and water, followed by warm water rinse.

If Swallowed Do NOT induce vomiting if swallowed. Immediately rinse mouth and then

> drink 200-300 ml water. Seek medical attention immediately. For advice, contact the National Poisons Centre on 0800 POISON (0800 764766).

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

> remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes

difficult.

Most important symptoms and effects, both acute and delayed

Suspected of damaging fertility or the unborn child. Symptoms:

Causes damage to organs through prolonged or repeated exposure.

Treatment: Treat according to symptoms (decontamination, vital functions). No known

specific antidote.

Product Name: Sledge 700WG SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 29 November 2022

Tel: 64 9 475 5240 www.techcomp.co.nz

Section 5. Fire Fighting Measures

Hazard Type	Non Flammable.
Hazards from products	Carbon monoxide, carbon dioxide, ammonia, anhydrous, Hydrogen chloride, nitrogen oxides, sulphur oxides,
	organochloric compounds.
	The substances/groups of substances mentioned can be
	released in case of fire.
Suitable Extinguishing	Water. Foam. Dry powder. Use extinguishing media
media	appropriate for surrounding fire.
Recommended protective	Wear SCBA and appropriate chemical-protective clothing. Wear
clothing & Precautions	self-contained breathing apparatus.
for firefighters	
HAZCHEM CODE	2Z

Section 6. Accidental Release Measures

Personal precautions:

Use protective clothing as per Section 8. Avoid contact with skin, eyes and clothing. Remove contaminated clothes and shoes immediately. Wash contaminated clothing before re-use. Avoid dust formation.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Spill and Disposal procedures:

Small amounts spilled: Contain with dust binding material and dispose of.

Large amounts spilled: Sweeps/shovel up.

Avoid raising dust. Dispose of absorvbed material in accordance with regulations. Collect waste in suitable containers, which can be labelled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Dispose of waste safely, according to Local Council regulations.

Section 7. Handling and Storage

Precautions for Handling:

- · Read label before use.
- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Do not breathe dust, fumes, gas, mist, vapours or spray.
- Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Avoid release to the environment.
- Use personal protective equipment as required.
- Prevent electrostatic charge.
- A warning that persons suffering from variegate porphyria should not use or apply this substance.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Store locked up.
- Keep out of reach of children.
- No smoking.
- Protect against moisture.
- Protect from temperatures above 50°C

Product Name: Sledge 700WG SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 29 November 2022 Tel: 64 9 475 5240 www.techcomp.co.nz

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL
Substance ppm mg/m³ ppm mg/m³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 13TH EDITION.

Engineering Controls / Industrial Hygiene

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

Personal Protection Equipment



Eyes	Wear safety goggles with side-shields (frame goggles)
Hands	Wear suitable gloves resistant to chemical penetration e.g. nitrile rubber
	gloves with a minimum thickness of 0.4 mm.
Skin	Body protection (chemical protection suit, boots) must be chosen depending
	on activity and possible exposure.
Respiratory	Suitable respiratory protection for higher concentrations or long-term
	effects. Particle filter with medium efficiency for solid particles.
General	Keep away from food, drink and animal feedstuffs. No eating, drinking or
	smoking during use. Wash hands and face before breaks and after work.

Section 9 Physical and Chemical Properties

Appearance	Solid
Colour	Light brown
Odour	Characteristic
Odour Threshold	No data available
pH	4-6
Boiling/Melting Point	No data available
Freezing Point	No data available
Flash Point	No data available
Flammability	No data available
Upper and Lower	No data available
Explosive Limits	
Vapour Pressure	No data available
Vapour Density	No data available
Density	na
Water Solubility	Dispersible
Partition Coefficient:	No data available
Ignition Temperature	No data available
Decomposition	No data available
Temperature	
Viscosity	No data available

Product Name: Sledge 700WG SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 29 November 2022 Tel: 64 9 475 5240 www.techcomp.co.nz

Particle Characteristics	No data available
Surface tension	No data available

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.	
Possibility of hazardous	None known.	
reactions		
Conditions to Avoid	None known.	
Incompatible Materials	Strong acids, strong bases, strong oxidizing agents.	
Hazardous Decomposition	No hazardous decomposition products if stored and handled as	
Products	prescribed/indicated.	

Section 11 **Toxicological Information**

Acute Effects (Based on the active ingredient):

Swallowed	Not applicable. LD50(rats) = >2000 mg/kg	
Dermal	Not applicable. LD50(rats) = >2000 mg/kg	
Inhalation	Not applicable. LC50 (rats) = >5.3 mg/L (4 h)	
Eye	Not an irritant (rabbits)	
Skin	Not an irritant or sensitiser (guinea pigs)	

Chronic Effects:

Carcinogenicity	No data available	
Reproductive	Suspected of damaging fertility or the unborn child.	
Toxicity		
Germ Cell	No data available	
Mutagenicity		
Aspiration	No data available	
STOT/SE	No data available	
STOT/RE	Causes damage to organs through prolonged or repeated exposure.	

Section 12. Ecotoxicological Information

Very toxic to aquatic life.

Based on the active ingredient:

Ecological effects information	No relevant data found.	
Persistence and degradability	Not readily biodegradable (by OECD criteria).	
Bioaccumulation	Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.	
Mobility in Soil	Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.	
Other adverse effects		
Acute fish toxicity:	LC ₅₀ (96 h) >98 mg/l.	
Toxicity for daphnia:	LC ₅₀ (48 h) >100 mg/l.	
Toxicity to algae:	EC ₅₀ for <i>Pseudokirchneriella subcapitata</i> 0.041 mg/l.	
Precautions:	Do not allow to enter waterways.	

Section 13. Disposal Considerations

Disposal Method:

Triple rinse container and add residue to spray tank. Return empty container to an AgRecovery collection point for disposal.



Empty container precautions:

Avoid contamination of any water supply with chemical or empty container.

Product Name: Sledge 700WG SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 29 November 2022 Tel: 64 9 475 5240 www.techcomp.co.nz

Section 14 Transport Information

This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2020



Road, Rail, Sea and Air Transport

UN No	3077	
Class - Primary	9	
Packing Group	III	
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,	
	N.O.S. (SAFLUFENACIL)	
Marine Pollutant	YES	
Special Provisions-	If the product's individual container is below 5L/kg, it can be	
Limited Quantities	transported as a non-DG as long as the product packaging is still	
-	labelled as per DG requirements and the driver is given safety	
	information in accordance with Chapter 3.4 of the UNRTDG.	

Section 15 Regulatory Information

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval Code: HSR101461

HSW (HS) Regulations 2017	Trigger Quantity			
Certified Handlers	Not required			
Location Certificate	Not required			
Signage Trigger Quantities (Schedule 3)	100L			
Emergency Response Plan (Schedule 5)	100L			
Secondary Containment (Schedule 5)	100L			
Tracking (Schedule 26)	Not required			
For all further controls	Refer to EPA <u>www.epa.govt.nz</u> for controls			
	document -			
HSNO Additional Controls (Restrictions of use)				
77A	This substance must be applied using			
	ground-based methods only.			
ACVM Act and Regulations				
ACVM Approval No	P9971			
See <u>www.foodsafety.govt.nz</u> for registration				
controls				

Section 16 Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label. The data contained in this safety data sheet is based on our current knowledge and describes the product only with regard to safety requirements. The data does not describe the products properties. Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any existing laws and legislation are observed.

Glossary

EC₅₀ Median effective concentration. EEL Environmental Exposure Limit.

Product Name: Sledge 700WG SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 29 November 2022 Tel: 64 9 475 5240 www.techcomp.co.nz

EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

Health and Safety at Work. **HSW**

Lethal concentration that will kill 50% of the test organisms LC_{50}

inhaling or ingesting it.

LD50 Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

American Occupational Safety and Health Administration. OSHA

Tolerable Exposure Limit. TEL

TLV Threshold Limit Value-an exposure limit set by responsible

authority.

Upper Explosive Level UEL WES Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017

2. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 edition.

3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).

4. Transport of Dangerous goods on land NZS 5433:2020

5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-todate information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Adria, if further information is required.

29 November 2022 29 November 2027 Issue Date: Review Date:

Product Name: Sledge 700WG SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 29 November 2022

Tel: 64 9 475 5240 www.techcomp.co.nz