



SAFETY DATA SHEET

SURE-CANE NZ

Infosafe No.: X01DB

Version No.: 2.0

ISSUED Date : 8/11/2021

ISSUED by: SST NEW ZEALAND LIMITED

Section 1: Identification

Product Identifier

SURE-CANE NZ

Product Code

140010670

Company Name

SST NEW ZEALAND LIMITED

Address

119 Carbine Road, Mt Wellington, Auckland 1060
NEW ZEALAND

Telephone/Fax Number

Telephone: +64 9 2593777

Emergency Phone Number

0800 154 666

Email

regaffairs.anz@dksh.com

Recommended uses and any restrictions on use or supply

Sticker/wetting agent and drift reducing agent when used with air inclusion nozzles to enhance deposition and retention of hydrogen cyanamide sprays on kiwi fruit.

Section 2: Hazard identification

GHS classification of the substance/mixture

Classified as Hazardous according to the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017, New Zealand.

Not classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433:2020 Transport of Dangerous Goods on Land.

6.1E (Oral) - Substance that is acutely toxic

6.1D (Inhalation – vapours, dusts or mists) - Substance that is acutely toxic

6.3B Substance that is mildly irritating to the skin

8.3A Substance that is corrosive to ocular tissue

9.1C Substance that is harmful in the aquatic environment

Signal Word (s)

DANGER

Hazard Statement (s)

H303 May be harmful if swallowed.

H316 Causes mild skin irritation.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H412 Harmful to aquatic life with long lasting effects.

Pictogram (s)

Corrosion, Exclamation mark



Precautionary Statement – Prevention

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280e Wear eye protection/face protection.

Precautionary Statement – Response

P310 Immediately call a POISON CENTER/doctor.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

Precautionary Statement – Disposal

P501 Dispose of contents/container to an approved waste disposal plant.

Section 3: Composition/information on ingredients

Chemical Characterization

Emulsion

Ingredients

Name	CAS	Proportion
Carboxylated styrene-butadiene copolymer		30-60 %
1,2-Propanediol	57-55-6	10-30 %
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	1-10 %
Methyl (propylhydroxide, ethoxylated) bis(trimethylsiloxy) silane	67674-67-3	1-<10 %
Mixture of foam destroying polysiloxanes and hydrophobic solids in polyglycol		1-<5 %
Polyethylene Oxide Monoallyl Ether	27274-31-3	1-<3 %
2-Methyl-4-isothiazolin-3-one	2682-20-4	<0.01 %
1,2-Benzisothiazolin-3-one	2634-33-5	<0.01 %
Ingredients determined not to be hazardous		Balance

Section 4: First-aid measures

Inhalation

If inhaled, remove affected person from contaminated area. Apply artificial respiration if not breathing. Seek medical attention.

Ingestion

Do not induce vomiting. Wash out mouth thoroughly with water. Seek immediate medical attention.

Skin

Remove all contaminated clothing immediately. Wash affected area thoroughly with soap and water. Wash contaminated clothing before reuse or discard. Seek medical attention.

Eye

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Seek immediate medical attention.

First-aid Facilities

Eyewash, safety shower and normal washroom facilities.

Advice to Doctor

Treat symptomatically.

Other Information

For advice in an emergency, contact a Poisons Information Centre or a doctor at once. (0800 764 766)

Section 5: Fire-fighting measures

Suitable Extinguishing Media

Carbon dioxide, dry chemical, foam, water mist or water spray.

Hazards from Combustion Products

Non combustible material.

Specific hazards arising from the chemical

This product is non combustible.

Decomposition Temperature

Not available

Precautions in connection with fire

Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) operated in positive pressure mode. Fight fire from safe location.

Section 6: Accidental release measures

Emergency Procedures

Wear appropriate personal protective equipment and clothing to prevent exposure. Increase ventilation. If possible contain the spill. Place inert absorbent material onto spillage. Collect the material and place into a suitable labelled container. Do not dilute material but contain. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

Section 7: Handling and storage

Precautions for Safe Handling

Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Maintain high standards of personal hygiene i.e. washing hands prior to eating, drinking, smoking or using toilet facilities.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated area, out of direct sunlight. Store in suitable, labelled containers. Keep containers tightly closed. Store away from incompatible materials. Ensure that storage conditions comply with applicable local and national regulations.

Section 8: Exposure controls/personal protection

Occupational Exposure Limits (OEL)

Substance	Regulations	Exposure Duration	Exposure Limit	Units	Notes
1,2-Propanediol	NZ OELs List	TWA	150	ppm	(Vapour and particulates)
1,2-Propanediol	NZ OELs List	TWA	474	mg/m3	(Vapour and particulates)
1,2-Propanediol	NZ OELs List	TWA	10	mg/m3	(Particulates only)

Biological Limit Values

No biological limits allocated.

Appropriate Engineering Controls

This substance is hazardous and should be used with a local exhaust ventilation system, drawing vapours away from workers' breathing zone. If the engineering controls are not sufficient to maintain concentrations of vapours/mists below the exposure standards, suitable respiratory protection must be worn.

Respiratory Protection

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable mist/dust filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements.

Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

Eye Protection

Safety glasses with full face shield should be used. Eye protection devices should conform to relevant regulations.

Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 (series) - Eye Protectors for Industrial Applications.

Hand Protection

Wear gloves of impervious material such as PVC. Final choice of appropriate gloves will vary according to individual circumstances i. e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations.

Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

Body Protection

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

Section 9: Physical and chemical properties

Properties	Description	Properties	Description
Form	Emulsion	Appearance	White emulsion
Colour	White	Odour	Not available
Decomposition Temperature	Not available	Melting Point	Not available
Freezing Point	<0 °C	Boiling Point	Not available
Solubility in Water	Miscible	Specific Gravity	1.0 (20 °C) (approximate)
pH	7-9	Vapour Pressure	Not available
Vapour Density (Air=1)	Not available	Evaporation Rate	Not available
Odour Threshold	Not available	Viscosity	Refer to Section 9: Kinematic Viscosity and Dynamic Viscosity
Volatile Component	Not available	Partition Coefficient: n-octanol/water	Not available
Flash Point	Not applicable	Flammability	Non combustible material.
Auto-Ignition Temperature	Not available	Flammable Limits - Lower	Not applicable
Flammable Limits - Upper	Not applicable	Explosion Properties	Not available
Oxidising Properties	Not available	Kinematic Viscosity	Not available
Dynamic Viscosity	Not available		

Section 10: Stability and reactivity

Reactivity

Refer to Section 10: Possibility of hazardous reactions

Chemical Stability

Stable under normal conditions of storage and handling.

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

Not available

Hazardous Decomposition Products

Thermal decomposition may result in the release of toxic and/or irritating fumes.

Possibility of hazardous reactions

Excessive free metallic ions may cause coagulation. Will coagulate under low pH conditions.

Hazardous Polymerization

Will not occur.

Section 11: Toxicological information

Toxicology Information

Harmful to aquatic life with long lasting effects.

Acute Toxicity - Oral

LD50 (rat): >2000 mg/kg

Acute Toxicity - Inhalation

LC50 (rat): 4.73 mg/l/4h

Acute Toxicity - Dermal

LD50 (rabbit): >2000 mg/kg

Ingestion

May be harmful if swallowed. Ingestion of this product may cause irritation to the mouth, throat, oesophagus and stomach with symptoms of nausea, abdominal discomfort, vomiting and diarrhoea.

Inhalation

Harmful if inhaled. Inhalation of product dust/vapours can cause irritation of the nose, throat and respiratory system.

Breathing in high concentrations of vapours or aerosols of this material may cause nausea and irritation of the nose, throat and respiratory tract. Respiratory symptoms associated with pre-existing lung disorders (e.g. asthma-like conditions) may be aggravated by exposure to this material.

Skin

Causes mild skin irritation. Skin contact will cause redness, itching and swelling. Repeated exposure may cause skin dryness and cracking and may lead to dermatitis.

Eye

Causes serious eye damage. Eye contact will cause stinging, blurring, tearing, severe pain and possible burns, necrosis, permanent damage and blindness.

Respiratory Sensitisation

Not expected to be a respiratory sensitiser.

Skin Sensitisation

Not expected to be a skin sensitiser.

Germ Cell Mutagenicity

Not considered to be a mutagenic hazard.

Carcinogenicity

Not considered to be a carcinogenic hazard.

Styrene-butadiene copolymer is listed as a Group 3: Not classifiable as to carcinogenicity to humans according to International Agency for Research on Cancer (IARC).

Reproductive Toxicity

Not considered to be toxic to reproduction.

STOT - Single Exposure

Not expected to cause toxicity to a specific target organ.

STOT - Repeated Exposure

Not expected to cause toxicity to a specific target organ.

Aspiration Hazard

Not expected to be an aspiration hazard.

Section 12: Ecological information

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Persistence and degradability

Not available

Mobility

Not available

Bioaccumulative Potential

Not available

Other Adverse Effects

Not available

Environmental Protection

Prevent this material entering waterways, drains and sewers.

Acute Toxicity - Fish

LC50 (Rainbow trout): >100 mg/l/96h

Acute Toxicity - Daphnia

EC50 (Daphnia): >250 mg/l/24h

Hazardous to the Ozone Layer

This product is not expected to deplete the ozone layer.

Section 13: Disposal considerations

Disposal Considerations

Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.

Product Disposal:

Product wastes are controlled wastes and should be disposed of in accordance with all applicable local and national regulations. This product can be disposed through a licensed commercial waste collection service. The product should be rendered non-hazardous before being sent to a licensed landfill facility.

Personal protective clothing and equipment as specified in Section 8 of this SDS must be worn during handling and disposal of this product. The ventilation requirements as specified in the same section must also be followed, and the precautions given in Section 7 of this SDS regarding handling must also be followed. Do not dispose into the sewerage system. Do not discharge into drains or watercourses or dispose where ground or surface waters may be affected.

In New Zealand, the disposal agency or contractor must comply with the New Zealand Hazardous Substances (Disposal) Notice 2017. Further details regarding disposal can be obtained on the EPA New Zealand website under specific group standards.

Container Disposal:

The container or packaging must be cleaned and rendered incapable of holding any substance. It can then be disposed of in a manner consistent with that of the substance it contained. In this instance the packaging can be disposed through a commercial waste collection service.

Alternatively, the container or packaging can be recycled if the hazardous residues have been thoroughly cleaned or rendered non-hazardous.

In New Zealand, the packaging (that may or may not hold any residual substance) that is lawfully disposed of by householders or other consumers through a public or commercial waste collection service is a means of compliance with regulations.

Section 14: Transport information

Transport Information

Not classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433:2020 Transport of Dangerous Goods on Land.

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

UN Number

None Allocated

Proper Shipping Name

None Allocated

Hazard Class

None Allocated

Packing Group

None Allocated

UN Number (Air Transport, ICAO)

None Allocated

IATA/ICAO Proper Shipping Name

Not dangerous for conveyance under IATA code

IATA/ICAO Hazard Class

None Allocated

IATA/ICAO Packing Group

None Allocated

IMDG UN Number

None Allocated

IMDG Proper Shipping Name

Not dangerous for conveyance under IMO/IMDG code

IMDG Hazard Class

None Allocated

IMDG Packing Group

None Allocated

IMDG Marine pollutant

No

Transport in Bulk

Not available

Special Precautions for User

Not available

Section 15: Regulatory information

Regulatory Information

Classified as Hazardous according to the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017, New Zealand. Group Standard: Additives, Process Chemicals and Raw Materials (Subsidiary Hazard) Group Standard 2017.

HSNO Approval Number

HSR002503

New Zealand (NZIoC)

All components of this product are listed on the Inventory or exempted.

Tolerable exposure limit (TEL)

Not available

Environmental exposure limit (EEL)

Not available

Certified Handler

Not available

Tracking

Not required

Controlled Substance Licence Requirements

Not available

Montreal Protocol

Not Listed

Stockholm Convention

Not Listed

Rotterdam Convention

Not Listed

Agricultural Compounds, including Veterinary Medicines (ACVM)

Not available

Section 16: Other information

Date of preparation or last revision of SDS

SDS Reviewed: November 2021, Supersedes: July 2016

Literature References

Hazardous Substances and New Organisms Act 1996.

Health and Safety at Work (Hazardous Substances) Regulations 2017.

Workplace Exposure Standards and Biological Exposure Indices.

Agricultural Compounds and Veterinary Medicines Act 1997.

Montreal Protocol on Substances that Deplete the Ozone Layer.

Stockholm Convention on Persistent Organic Pollutants (POPs).

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.

Transport of Dangerous goods on land NZS 5433.

Recommendations on the Transport of Dangerous Goods – Model Regulations.

Dangerous Goods Emergency Action Code List.

Preparation of Safety Data Sheets - Approved Code of Practice Under the HSNO Act 1996 (HSNO CoP 8-1 09-06).

Assigning a hazardous substance to a group standard.

Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH).

Contact Person/Point

IMPORTANT ADVICE: An SDS summarizes our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. The information contained in this SDS is believed to be correct but is not guaranteed. Prior to using the product(s) referred to in this SDS, each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace, including its use in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact the supplier listed in section 1 of the SDS. Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request. SST does not accept any other liability either directly or indirectly for any losses suffered in connection with the use and application of the product whether or not in accordance with any advice, specification, recommendation or information given by it.

SST SDS WARNING: SST is aware that third parties are distributing documents purporting to be SDSs (or the like) in relation to SST products without any authorisation from SST ("Unauthorised SDS"). SST accepts no responsibility for the distribution of an Unauthorised SDS by a third party or for any information contained therein. All SST products must be used in accordance with the corresponding original and current SDS authorised by SST for use with that SST product ("Authorised SDS"). In the event that an SDS in relation to an SST product has expired and is not marked as obsolete, please contact SST immediately to obtain a current SDS. Further, if an SST product is used without the Authorised SDS and/or with an Unauthorised SDS, or an expired SDS which is not marked obsolete, SST hereby excludes absolutely and to the maximum extent permitted by law all liability whatsoever and howsoever arising under contract, tort (including negligence) or otherwise for all loss and/or damage including, but not limited to, for personal injury, sickness or death, damage to real property and/or chattels and all indirect and consequential loss (including loss of profits).

END OF SDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.