

SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: WUXAL[®] 39N

Product No: 92578

Product Use: Fertiliser, preparation for plant nutrition.

Restriction of Use: Refer to Section 15

New Zealand Supplier: Horticentre Ltd Address: 10 Firth Street

Drury, 2113

Telephone: +64 9 294 8453 Fax Number: +64 9 294 7272

Emergency Telephone: 0800 764 766 (National Poison Centre)

Date of SDS Preparation: 25 July 2019

Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval Code: Fertilisers (subsidiary) - HSR002571

Pictograms



Signal Word: WARNING

HSNO Class.	Hazard Code	Hazard Statement	GHS Category
6.1E	H303	May be harmful if swallowed.	Acute Tox. 5
6.4A	H319	Causes serious eye irritation.	Eye Irrit. 2A
9.1D	H401	Toxic to aquatic life.	Aquatic Chronic 4

Prevention Code Prevention Statement

P102	Keep out of reach of children.
P103	Read label before use.
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective clothing as detailed in Section 8.

Response Code — Response Stateme	Response	Code	Response	Statemen
----------------------------------	----------	------	----------	----------

I II IIIEUICAI AUVICE IS HEEUEU, HAVE DIOUUCI COHIAIHEI OI IADEI AI HAHU.		P101	If medical advice is needed, have product container or label at hand.
---	--	------	---

Product Name: WUXAL 39N
Date of SDS: 25 July 2019

Prepared by: Technical Compliance Consultants (NZ) Ltd
Tel: 64 9 475 5240 www.techcomp.co.nz

Page 1

P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P305 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove
P351+P338	contact lenses, if present and easy to do. Continue rinsing.

Storage Code	Storage Statement
None Allocated	

Disposal Code	Disposal Statement
	Triple rinse container. Cleaned packaging maybe offered for recycling or
P501	landfill in accordance with local regulations. Dispose of unwanted product as
	a hazardous material according to Local Regulations.

Section 3. Composition / Information on Ingredients

Ingredients	Wt%	CAS NUMBER.
Ammonium Nitrate	<45	6484-52-2

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Apply continuous irrigation with water for at least 15 minutes holding eyelids apart. If eye irritation persists: Get medical

advice.

If on Skin Wash with plenty of soap and water. If skin irritation occurs: get medical

advice/attention.

If Swallowed Immediately rinse the mouth with water, then drink a lot of water. Consult

the doctor in case of persistent trouble.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if

breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Ingestion: May be harmful if swallowed

Inhalation: Not applicable **Skin:** Not applicable

Eye: Causes severe eye irritation.

Section 5. Fire Fighting Measures

Hazard Type	Non Flammable
Hazards from decomposition products	The material itself is hardly inflammable. If larger quantities of the product are on fire, the formation of nitrous gases and ammonia is possible.
Suitable Extinguishing media	Water, carbon dioxide, dry extinguishing media. Unsuitable: Extinguishing substances on an organic basis or with organic additions.
Precautions for firefighters and special protective clothing	Do not stay in dangerous zone without suitable protecting clothes and self-contained breathing apparatus. Contain escaping vapours with water. Prevent fire-fighting water from entering surface water or groundwater.

Product Name: WUXAL 39N

Date of SDS: 25 July 2019

Prepared by: Technical Compliance Consultants (NZ) Ltd

Tel: 64 9 475 5240 www.techcomp.co.nz

HAZCHEM CODE None allocated

Section 6. **Accidental Release Measures**

Wear full protection as in Section 8. Remove soiled clothes.

Absorb with inorganic absorption media; do not use saw dust or other organic materials.

Disposal of contaminated material as waste according to section 13.

Ensure that the product does not reach the ground-water, water bodies or the drainage system.

Section 7. **Handling and Storage**

Handling

- Keep out of reach of children.
- Read label before use.
- Wash hands thoroughly after handling.
- Avoid release to the environment.
- Wear suitable protecting clothes.
- Product rests to be cleared away by rinsing with water before starting fire and hot works on containers and devices. Fire and hot works can only be carried out by an expert after previous permission in writing or under permanent supervision of an expert. Pumps must be so constituted and used that no hazardous reactions can occur. Pumps without stuffing boxes to be used only. Crystallized product to be dissolved again with plenty of water.

Storage

- Protect the product from impurity and drying up.
- Keep containers tightly closed.
- Do not store in metal containers (corrosion risk).
- Do not store below +5 °C and above +40 °C.
- Do not store together with food and luxury food, beverage and animal feed.
- Store away from incompatible materials listed in Section 10.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance ppm mg/m³ ppm mg/m³

No ingredient has exposure limits

Workplace Exposure Standard - Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard - Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2017 9TH EDITION.

Engineering Controls

Ensure adequate ventilation to minimize exposure

Personal Protection Equipment



Prepared by: Technical Compliance Consultants (NZ) Ltd Product Name: WUXAL 39N Date of SDS: 25 July 2019

Tel: 64 9 475 5240 www.techcomp.co.nz

Eyes	Wear safety glasses.	
Hands	Chemical resistance rubber or plastic gloves.	
Skin	Closed working clothes.	
Respiratory	Not required.	

Section 9 Physical and Chemical Properties

Appearance	Aqueous Solution
Colour	Clear Colourless
Odour	Product specific
Odour Threshold	Not applicable
pH (original state)	Approx 6-8
pH at 13g/l H2O and 20°C:	Approx 7.1
Change in physical	> 100°C evaporation of water
state	> 100 C evaporation of water
Boiling Point	Not applicable
Melting Point	Not applicable
Freezing Point	Not applicable
Flash Point	Not applicable
Flammability	Not applicable
Upper and Lower	Not applicable
Explosive Limits	The state of the s
Explosive hazards	The product is harmless as a solution/suspension, but in
_	crystallized state exists explosion hazard if mixed with
	inflammable materials.
Vapour Pressure	Not applicable
Vapour Density	Not applicable
Density @ 20°C	approx. 1.3 g/cm ³
Water Solubility @ 20°C	To a very high degree
Partition Coefficient:	Not applicable
Self ignition	The product is not spontaneously flammable.
Decomposition	Not applicable
Temperature	
Kinematic Viscosity	Not applicable
Particle Characteristics	Not applicable

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Possibility of hazardous	Reacts with alkalis setting ammonia free.
reactions	
Conditions to Avoid	Temperatures above +40° C. Keep the product from drying up.
Incompatible Materials	Alkalis.
Hazardous Decomposition	If larger quantities of the product are on fire, the formation of
Products	nitrous gases, ammonia, sulfuric acid gases and phosphoric acid
	gases is possible.

Section 11 Toxicological Information

Acute Effects:

Swallowed	May be harmful if swallowed. LD50 (oral): = 4926 mg/kg. Nausea and		
	vomiting. The following applies to ammonium salts in general:		
	local irritation symptoms, nausea, vomiting, diarrhoea. Systemic		
	effect: after the uptake of very large quantities: drop in blood		

Product Name: WUXAL 39N
Date of SDS: 25 July 2019

Prepared by: Technical Compliance Consultants (NZ) Ltd
Tel: 64 9 475 5240 www.techcomp.co.nz

	pressure, collapse, CNS disorders, spasms, narcotic conditions, respiratory paralysis, haemolysis. Diarrhoea, disturbed electrolyte balance. The following applies to nitrates in general: methaemoglobinaemia after the uptake of large quantities.	
Dermal	Not applicable.	
Inhalation	Not applicable.	
Eye	Cause serious eye irritation.	
Skin	Not applicable.	

Chronic Effects:

Carcinogenicity	Not applicable.	
Reproductive	Not applicable.	
Toxicity		
Germ Cell	Not applicable.	
Mutagenicity		
Aspiration	Not applicable.	
STOT/SE	Not applicable.	
STOT/RE	Not applicable.	

Section 12. Ecotoxicological Information

HSNO Classes: 9.1D = Toxic to aquatic life.

Product:	
Persistence and degradability	No data available
Bioaccumulation	No data available
Mobility in Soil	No data available
Other adverse effects	No data available

Ensure that the product does not reach the ground-water, water bodies or the drainage system.

Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of drinking-water supplies.

The following applies to ammonium ions in general:

Biological effects: fish: toxic as from 0.3 mg/l;

animal nourishment for fish: toxic as from 0.3 mg/l.

No ecological problems are to be expected when the product is handled and used with due care and attention.

Section 13. Disposal Considerations

Disposal Method:

Triple rinse container. Cleaned packaging maybe offered for recycling or landfill in accordance with local regulations.

Precautions or methods to avoid: Dispose of unwanted product as a hazardous material according to Local Regulations.

Section 14 **Transport Information**

This product is NOT classified as a Dangerous Good for transport in NZ; NZS 5433:2012

Section 15 **Regulatory Information**

EPA Approval Code: EPA Approval Code: Fertilisers (subsidiary) - HSR002571

Product Name: WUXAL 39N Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 25 July 2019

Tel: 64 9 475 5240 www.techcomp.co.nz

HSNO Classification: 6.1E(oral), 6.4A, 9.1D

HSW (HS) Regulations 2017 and EPA Notices	Trigger Quantity
Certified Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	Not required
Emergency Response Plan	10 000L (9.1D)
Secondary Containment	10 000L (9.1D)
Restriction of Use	Only use for the intended purpose.

Section 16 Other Information

Glossary

 EC_{50} Median effective concentration. Environmental Exposure Limit. EEL **Environmental Protection Authority EPA**

Hazardous Substances and New Organisms. **HSNO**

HSW Health and Safety at Work.

Lethal concentration that will kill 50% of the test organisms LC_{50}

inhaling or ingesting it.

 LD_{50} Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

American Occupational Safety and Health Administration. OSHA

Tolerable Exposure Limit. TEL

Threshold Limit Value-an exposure limit set by responsible TLV

authority.

Upper Explosive Level UEL WES Workplace Exposure Limit

References:

- EPA Hazardous Substances (Safety Data Sheets) Notice 2017 1.
- Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition. 2.
- Assigning a hazardous substance to a HSNO Approval (Aug 2013). 3.
- 4. Transport of Dangerous goods on land NZS 5433:2012
- HSW (Hazardous Substances) Regulations 2017 5.

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-todate information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, if further information is required.

25 July 2019 Issue Date: Review Date: 25 July 2024

Product Name: WUXAL 39N Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 25 July 2019

Tel: 64 9 475 5240 www.techcomp.co.nz