

# **SAFETY DATA SHEET**

# Section 1. Identification of the material and the supplier

Product: Intra Horti-Foam

Product Use: Disinfectant - Foam activation of Intra Hydro Pure

Restriction of Use: Refer to Section 15

New Zealand Supplier: Horticentre Ltd Address: 10 Firth Street Drury, 2113

Telephone: +64 9 294 8453 Fax Number: +64 9 294 7272

**Emergency Telephone:** 0800 764 766 (National Poison Centre)

Date of SDS Preparation: 25 October 2022

# Section 2. Hazards Identification

Classified hazardous as per EPA Hazardous Substances (Classification) Notice 2020.

EPA Approval No: Cleaning Products (subsidiary) - HSR002530

#### **Pictograms:**



Signal Word: **DANGER** 

<b>GHS Classification and Category</b>	Hazard Code	Hazard Statement
Skin irritation Cat. 2	H315	Causes skin irritation.
Serious eye damage Cat. 1	H318	Causes serious eye damage.
Hazardous to the aquatic	H412	Harmful to aquatic life with long
environment chronic Cat. 3		lasting effects.

<b>Prevention Code</b>	Prevention Statement
P102	Keep out of reach of children.
P103	Read label before use.
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective clothing as detailed in Section 8.

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P310	Immediately call a POISON CENTER or doctor/physician.
P362	Take off contaminated clothing and wash before re-use.

P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P305 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove
P351+P338	contact lenses, if present and easy to do. Continue rinsing.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.

Storage Code	Storage Statement
None allocated	

<b>Disposal Code</b>	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

# Section 3. Composition / Information on Ingredients

Ingredients	Wt%	CAS NUMBER.
Surfactant	<75	Proprietary

# Section 4. First Aid Measures

#### Routes of Exposure:

If in Eyes Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON

CENTER or doctor/physician.

If on Skin Take off contaminated clothing and wash before re-use. Wash off with

soap and plenty of warm water. If skin irritation occurs: Get medical

advice/ attention.

If Swallowed Do not induce vomiting. Rinse mouth. Give small amounts of water to

drink. Never give anything by mouth to an unconscious person. Keep

warm. Consult a physician if needed.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if

breathing becomes difficult.

# Most important symptoms and effects, both acute and delayed

Symptoms: Causes skin irritation.

Causes serious eye damage.

#### **Section 5.** Fire Fighting Measures

Hazard Type	The product is non-flammable and non-combustible.
Hazards from products	The product itself does not burn.
Suitable Extinguishing media	Use: water, water mist. The product itself does not burn.
Precautions for firefighters and special protective clothing	Self-contained breathing apparatus (EN 133). Complete suit protecting against chemicals. Cool containers / tanks with water spray.
HAZCHEM CODE	None allocated.

#### Section 6. Accidental Release Measures

Wear protective clothing, for example eye protection, gloves and/or an overall. After working with the product, wash hands.

Do not release into the environment.

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal. Dispose as per Section 13.

## Section 7. Handling and Storage

#### **Precautions for Handling:**

- · Read label before use.
- Wash hands thoroughly after handling.
- Avoid release to the environment.
- Wear protective clothing as detailed in Section 8.
- Never return unused material to storage receptacle.
- Open drum carefully as content may be under pressure.

## **Precautions for Storage:**

- Keep in a cool, well-ventilated place.
- Condition of containers should be checked regularly.
- Store in original container.
- Keep out of reach of children.

# Section 8 Exposure Controls / Personal Protection

# **WORKPLACE EXPOSURE STANDARDS (provided for guidance only)**

TWA STEL Substance ppm mg/m³ ppm mg/m³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 13TH EDITION.

#### **PNEC**

The information relates to the resolved main component

# Components with PNEC

fresh water: 0.0135 mg / l sea water: 0.00135 mg / l sporadic release: 0.013 mg / l Water treatment plant: 2.7 mg / l sediment (fresh water): 0.028 mg / kg

sediment (sea water): 0.0028 mg / kg soil: 0.002 mg / kg

oral (secondary poisoning - Eng. secondary poisoning): 0.16 mg / kg

#### **DNEL**

The information relates to the solved main component

worker: Long-term exposure - systemic effects, Inhalation: 63.6 mg / m3 worker: Long-term exposure - systemic effects, dermal: 60.42 mg / kg consumer: Long-term exposure - systemic effects, Inhalation: 12.61 mg / m3 consumer: Long-term exposure - systemic effects, dermal: 36.25 mg / kg

#### **Engineering Controls**

Ensure proper ventilation. Read the MSDS/label of the product before use. Keep running water within arm reach.

#### **Personal Protection Equipment**

Product Name: Intra Horti-Foam SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 25 October 2022 Tel: 64 9 475 5240 www.techcomp.co.nz

Page 3



Eyes	Wear suitable safety goggles and if deemed necessary, a face shield (e.g. EN 166).
Hands	Use suitable protective gloves, resistant to corrosive substances.
Respiratory	Not required.

# **Section 9** Physical and Chemical Properties

	<u>,                                      </u>
Appearance	Liquid
Odour	Slightly yellow, clear liquid
Odour Threshold	Not available
pH (100%)	6.0-8.0
<b>Boiling Point</b>	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Not flammable
Upper and Lower	Not available
<b>Explosive Limits</b>	
Vapour Pressure	Not available
Vapour Density	Not available
Relative Density	Not available
Solubilities in water	Completely soluble
Partition coefficient	Not available
Auto-ignition	Not available
Temperature	
Decomposition	Not available
Temperature	
Viscosity	Not available
Particle Characteristics	Not available

# Section 10. Stability and Reactivity

Stability of Substance	Stable under normal conditions.
Conditions to Avoid	None known.
Incompatible Materials	No incompatible materials known.
<b>Hazardous Decomposition</b>	No dangerous decomposition products.
Products	

# Section 11 Toxicological Information

# **Acute Effects:**

Swallowed	Not applicable.
Dermal	Not applicable.
Inhalation	Not applicable.
Eye	Causes serious eye damage.
Skin	Causes skin irritation.

# **Chronic Effects:**

Carcinogenicity	Not applicable.
Reproductive	Not applicable.
Toxicity	
Germ Cell	Not applicable.
Mutagenicity	

Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

## Section 12. Ecotoxicological Information

## Harmful to aquatic life with long lasting effects.

**Toxicity** 

Oncoryhynchus mykiss

Acute toxicity LC50: 141mg/l (96h)

Daphnia magna

Acute Immobilisation: EC50 > 800mg/l (48h)

Reproduction: NOEC = 3.4 mg/l (21d)

**Chironomus riparius** 

Chronic toxicity NOEC = 0.573 mg/l

**Scenedesmus subspicatus** 

Growth rate ErC50 = >2494mg/I (72h)

**Apis mellifera:** 

Acute oral toxicity: LD50 >  $561\mu g/bee$  ( Acute contact toxicity: LD50 >  $2000\mu g/bee$ 

Eisenia fetida

Acute toxicity: EC50 >1000 mg/kg

Persistence and degradability	Readily biodegradable (according to OECD criteria).
Bioaccumulation	Bioaccumulation is unlikely
Mobility in Soil	No data available.
Other adverse effects	Easily eliminated from water.
	Information on elimination:
	(Annex III, part A) The surfactant (s) contained in this
	preparation complies (comply) with the biodegradability
	criteria as laid down in Regulation (EC) No. 648/2004 on
	detergents. Data to support this assertion are held at
	the disposal of the competent authorities of the Member
	States and will be made available to them, at their
	direct request or at the request of a detergent
	manufacturer

Do not allow to enter waterways.

# Section 13. Disposal Considerations

**Disposal methods:** The product can be used completely.

Packaging:

The product will be delivered in a polyethylene can. After use the rinsed packaging can be treated as normal waste.

**Precautions or conditions to avoid:** Avoid release to the environment

# Section 14 Transport Information

# This product is NOT classified as a Dangerous Good for transport in NZ; NZS 5433:2020

# Section 15 Regulatory Information

**EPA Approval No:** Cleaning Products (subsidiary) – HSR002530

Additives, Process Chemicals, & Raw Materials (subsidiary) - HSR002503

HSWA & EPA Controls	Trigger Quantity

Certified Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	1000L
Emergency Response Plan	10 000L
Secondary Containment	10 000L
Restriction of Use	Refer to controls documents on
	www.epa.govt.co.nz

Section 16	Other Information	
Glossary		
Cat	Category	
EC <sub>50</sub>	Median effective concentration.	
EEL	Environmental Exposure Limit.	
EPA	Environmental Protection Authority	
HSNO	Hazardous Substances and New Organisms.	
LC <sub>50</sub>	Lethal concentration that will kill 50% of the test organisms	
	inhaling or ingesting it.	
LD <sub>50</sub>	Lethal dose to kill 50% of test animals/organisms.	
LEL	Lower explosive level.	
OSHA	American Occupational Safety and Health Administration.	
TEL	Tolerable Exposure Limit.	
TLV	Threshold Limit Value-an exposure limit set by responsible	
	authority.	
UEL	Upper Explosive Level	
WES	Workplace Exposure Limit	

#### References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2020
- 5. HSW (Hazardous Substances) Regulations 2017

# Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, if further information is required.

Issue Date: 25 October 2022 Review Date: 25 October 2027