

Product name: Korvetto™ Herbicide**Issue Date:** 07.10.2021

CORTEVA AGRISCIENCE NEW ZEALAND LIMITED encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container.

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: Korvetto™ Herbicide
Identified uses: End use herbicide product

COMPANY IDENTIFICATION

CORTEVA AGRISCIENCE NEW ZEALAND LIMITED
Private Bag 2017
NEW PLYMOUTH 4342
NEW ZEALAND

Customer Information Number: 0800-803-939
NZCustomerservice@corveva.com

EMERGENCY TELEPHONE NUMBER

24-Hour Emergency Contact: +64 6 751 2407
Local Emergency Contact: 0800 844 455

For medical advice, contact the New Zealand Poisons Information Centre:
0800 POISON (0800 764 766)
Transport Emergency Only Dial: 111

This SDS may not provide exhaustive guidance for all the GHS controls assigned to this substance. The NZ EPA website www.epa.govt.nz should be consulted for a full list of triggered controls and cited regulations.

2. HAZARDS IDENTIFICATION

Hazard classification

NEW ZEALAND HAZARDOUS SUBSTANCES CLASSIFICATION: Classified as hazardous according to criteria in the New Zealand Hazardous Substances (Minimum Degrees of Hazard) Notice 2017, and the Hazardous Substances (Classification) Notice 2017. Refer to Section 15 for EPA Approval Number.

GHS classifications:

Flammable liquid - Category 4
Eye irritation - Category 2
Specific target organ toxicity (repeated exposure) - Category 2
Hazardous to soil organisms
Hazardous to the aquatic environment acute - Category 1
Hazardous to the aquatic environment chronic - Category 1



Signal word: **WARNING!**

Hazards

Combustible liquid.

Causes mild skin irritation.

Causes serious eye irritation.

May cause damage to organs (Kidney. Liver. Thyroid.) through prolonged or repeated exposure.

Very toxic to aquatic life with long lasting effects.

Very toxic to the soil environment.

Prevention

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Read label before use.

Do not breathe mist/vapour/spray.

Do not eat, drink or smoke when using this product.

Avoid contact with eyes.

Avoid skin contact.

Wash skin thoroughly after handling.

Avoid unintentional release to the environment.

Response

In case of fire: Use Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. Alcohol resistant foams (ATC type) are preferred.

Get medical advice if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

If skin irritation occurs: Get medical advice/ attention.

Collect spillage.

Storage

Store in a well-ventilated place. Keep cool.

Store locked up.

Disposal

Dispose of contents/ container to an approved waste disposal plant.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CASRN	Concentration
Clopyralid (ISO)	1702-17-6	12.2 %
Halauxifen-methyl	943831-98-9	0.5 %
Dipropylene glycol monomethyl ether	34590-94-8	25 – 30 %
Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamid	Not available	20 – 25%
Benzenesulfonic acid, 4-C10-13- sec-alkyl derivs., compds. with 2- propanamine	84961-74-0	3 – 10%
Balance	Not available	22.3 – 39.3 %

4. FIRST AID MEASURES

Consult the National Poisons Information Centre (0800 POISON (0800 764 766)) or a doctor in every case of suspected chemical poisoning. Never give fluids or induce vomiting if a patient is unconscious or convulsing regardless of cause of injury. If breathing difficulties occur seek medical attention immediately.

Description of first aid measures

General advice: First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Inhalation: Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.

Skin contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Suitable emergency safety shower facility should be available in work area.

Eye contact: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice. Suitable emergency eye wash facility should be immediately available.

Ingestion: No emergency medical treatment necessary.

Most important symptoms and effects, both acute and delayed: Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

Indication of any immediate medical attention and special treatment needed

Notes to physician: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

5. FIREFIGHTING MEASURES

Hazchem code: ●3Z

Suitable extinguishing media: Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. Alcohol resistant foams (ATC type) are preferred. General purpose synthetic foams (including AFFF) or protein foams may function, but will be less effective. Water fog applied gently may be used as a blanket for fire extinguishment.

Unsuitable extinguishing media: Do not use direct water stream. May spread fire.

Special hazards arising from the substance or mixture

Hazardous combustion products: During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.

Unusual Fire and Explosion Hazards: Violent steam generation or eruption may occur upon application of direct water stream to hot liquids. Dense smoke is produced when product burns.

Advice for firefighters

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Consider feasibility of a controlled burn to minimize environment damage. Foam fire extinguishing system is preferred because uncontrolled water can spread possible contamination. Burning liquids may be extinguished by dilution with water. Do not use direct water stream. May spread fire. Burning liquids may be moved by flushing with water to protect personnel and minimize property damage. Water fog applied gently may be used as a blanket for fire extinguishment. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS.

Special protective equipment for firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire-fighting clothing (includes fire-fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to section 7: Handling, for additional precautionary measures. Keep upwind of spill. Ventilate area of leak or spill. No smoking in area. Use appropriate safety equipment. For additional information, refer to Section 8: Exposure Controls and Personal Protection.

Environmental precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12: Ecological Information. Spills or discharge to natural waterways is likely to kill aquatic organisms.

Methods and materials for containment and cleaning up: Contain spilled material if possible. Small spills: Absorb with materials such as: Clay. Dirt. Sand. Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Corteva Agriscience for clean-up assistance. See Section 13: Disposal Considerations, for additional information.

7. HANDLING AND STORAGE

Precautions for safe handling: Keep away from heat, sparks and flame. Keep out of reach of children. Do not swallow. Avoid breathing vapour or mist. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Keep container closed. Used with adequate ventilation. Containers, even those that have been emptied, can contain vapours. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers. Spills of these organic materials on hot fibrous insulations may lead to lowering of the auto-ignition temperatures possibly resulting in spontaneous combustion. See Section 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION.

Conditions for safe storage: Store in a dry place. Store in original container. Keep container tightly closed when not in use. Do not store near food, foodstuffs, drugs or potable water supplies.

This substance is subject to a requirement for an emergency management plan, secondary containment and signage, whenever it is held in quantities of 100 L or more, either alone or in aggregate with other hazardous substances. See Hazardous Substances Emergency Management and Identification Regulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters: Exposure limits are listed below, if they exist:

Component	Regulation	Type of listing	Value/Notation
Clopyralid (ISO)	Dow IHG	TWA	10 mg/m ³
Dipropylene glycol monomethyl ether	ACGIH	TWA - Skin	100 ppm
	ACGIH	STEL - Skin	150 ppm
	Dow IHG	TWA - Skin	10 ppm
	Dow IHG	STEL - Skin	30 ppm
	NZ OEL	WES-STEL - Skin	909 mg/m ³ 150 ppm
	NZ OEL	WES-TWA - Skin	606 mg/m ³ 100 ppm

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration
Dipropylene glycol monomethyl ether	34590-94-8				100 mg/g

Exposure controls

Engineering controls: Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

Individual protection measures

Eye/face protection: Use chemical goggles.

Hand protection: Use chemical resistant gloves classified under standard AS/NZS 2161.10: Protective gloves against chemicals and micro-organisms. Examples of preferred glove barrier materials include: Butyl rubber. Chlorinated polyethylene. Neoprene. Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Examples of acceptable glove barrier materials include: Natural rubber ("latex"). Nitrile/butadiene

rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). Viton. When prolonged or frequently repeated contact may occur, a glove with a protection class of 4 or higher (breakthrough time greater than 120 minutes according to AS/NZS 2161.10) is recommended. When only brief contact is expected, a glove with a protection class of 1 or higher (breakthrough time greater than 10 minutes according to AS/NZS 2161.10) is recommended. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Other protection: Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

Respiratory protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. In misty atmospheres, use an approved particulate respirator

The following should be effective types of air-purifying respirators: Organic vapour cartridge with a particulate pre-filter.

Other Information: Selection and use of personal protective equipment should be in accordance with the recommendations in one or more of the relevant Australian/New Zealand Standards, including:

AS/NZS 1336: Eye and Face protection - Guidelines.

AS/NZS 1337: Personal eye protection - Eye and face protectors for occupational applications.

AS/NZS 1715: Selection, use and maintenance of respiratory protective equipment.

AS/NZS 2161: Occupational protective gloves.

AS/NZS 2210: Occupational protective footwear.

AS/NZS 4501: Occupational protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance - Physical state	Liquid.
- Colour	Yellow
Odour	Solvent
Odour Threshold	No data available
pH	2.45 <i>pH Electrode</i> (1% solution)
Melting point/range	Not applicable to liquids
Freezing point	No data available
Boiling point (760 mmHg)	No data available
Flash point	86.0 °C <i>PMCC, ASTM D93</i>
Evaporation Rate (Butyl Acetate = 1)	No data available
Flammability (solid, gas)	Not applicable to liquids
Lower explosion limit	No data available
Upper explosion limit	No data available
Vapour Pressure	No data available
Relative Vapour Density (air = 1)	No data available
Relative Density (water = 1)	No data available
Water solubility	Emulsifies in water

Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	232 °C <i>EC Method A15</i>
Decomposition temperature	No data available
Dynamic Viscosity	25.3 mPa.s at 20 °C <i>OECD 114</i>
Kinematic Viscosity	No data available
Explosive properties	Not explosive <i>EC Method A.14</i>
Oxidizing properties	No <i>EC Method A.21</i>
Liquid density	0.9805 g/ml at 20.0 °C <i>OECD 109</i>
Molecular weight	No data available
Surface tension	30.5 mN/m at 25 °C <i>EC Method A5</i>

NOTE: The physical data presented above are typical values and should not be construed as a specification.

10. STABILITY AND REACTIVITY

Reactivity: No dangerous reaction known under conditions of normal use.

Chemical stability: Thermally stable at typical use temperatures.

Possibility of hazardous reactions: Polymerization will not occur.

Conditions to avoid: Some components of this product can decompose at elevated temperatures.

Incompatible materials: Avoid contact with: Strong oxidizers.

Hazardous decomposition products: Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Carbon monoxide. Carbon dioxide. Nitrogen oxides.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Acute oral toxicity

Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.

As product: LD50, Rat, female > 2,000 mg/kg. OECD Test Guideline 423. No deaths occurred at this concentration.

Acute dermal toxicity

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

As product: LD50, Rat, male and female > 2,000 mg/kg. No deaths occurred at this concentration.

Acute inhalation toxicity

No adverse effects are anticipated from single exposure to mist. Mist may cause irritation of upper respiratory tract (nose and throat).

As product: LC50, Rat, male and female, 4 Hour, dust/mist > 5.79 mg/l. No deaths occurred at this concentration.

Skin corrosion/irritation

Brief contact may cause slight skin irritation with local redness.

Serious eye damage/eye irritation

May cause severe eye irritation. May cause slight corneal injury. Effects may be slow to heal.

Sensitization

Did not demonstrate the potential for contact allergy in mice.

For respiratory sensitization: No relevant data found.

Specific Target Organ Systemic Toxicity (Single Exposure)

May cause respiratory irritation. Route of Exposure: Inhalation

Specific Target Organ Systemic Toxicity (Repeated Exposure)

For the active ingredient(s): Halauxifen-methyl. In animals, effects have been reported on the following organs: Kidney. Liver. Thyroid.

Symptoms of excessive exposure may be anaesthetic or narcotic effects; dizziness and drowsiness may be observed.

For the active ingredient(s): Clopyralid. Based on available data, repeated exposures are not anticipated to cause additional significant adverse effects.

Carcinogenicity

For the active ingredient(s): Did not cause cancer in laboratory animals.

Teratogenicity

Clopyralid caused birth defects in test animals, but only at greatly exaggerated doses that were severely toxic to the mothers. No birth defects were observed in animals given clopyralid at doses several times greater than those expected during normal exposure.

For the active ingredient(s): Has been toxic to the foetus in laboratory animals at doses toxic to the mother. Did not cause birth defects in laboratory animals.

For the minor component(s): Has been toxic to the foetus in laboratory animals at doses toxic to the mother. Did not cause birth defects in laboratory animals.

Reproductive toxicity

For the active ingredient(s): In animal studies, did not interfere with reproduction.

Based on information for component(s): In laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals.

Mutagenicity

For the active ingredient(s): In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.

Aspiration Hazard

Based on physical properties, not likely to be an aspiration hazard.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Acute toxicity to fish

LC50, *Oncorhynchus mykiss* (rainbow trout), semi-static test, 96 Hour, 22 mg/l. OECD Test Guideline 203

Acute toxicity to aquatic invertebrates

EC50, *Daphnia magna* (Water flea), semi-static test, 48 Hour > 80.0 mg/l. OECD Test Guideline 202

Acute toxicity to algae/aquatic plants

Material is very highly toxic to aquatic organisms on an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive species).

ErC50, *Pseudokirchneriella subcapitata* (green algae), 72 Hour, 41.6 mg/l. OECD Test Guideline 201

ErC50, *Lemna gibba*, 7 d, 27.0 mg/l

ErC50, *Myriophyllum spicatum*, 14 d, 0.0938 mg/l

NOEC, *Myriophyllum spicatum*, 14 d, 0.0063 mg/l

Toxicity to Above Ground Organisms

Material is practically non-toxic to birds on an acute basis (LD50 > 2,000 mg/kg).

Oral LD50, *Colinus virginianus* (Bobwhite quail), 14 d > 2,000 mg/kg bodyweight.

Contact LD50, *Apis mellifera* (bees), 48 Hour > 250 µg/bee

Oral LD50, *Apis mellifera* (bees), 48 Hour > 129 µg/bee

Toxicity to soil-dwelling organisms

LC50, *Eisenia fetida* (earthworms), 14 d > 1,000 mg/kg

Persistence and degradability

Clopyralid (ISO)

Biodegradability: Material is expected to biodegrade very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability.

10-day Window: Fail

Biodegradation: 5 - 10 %

Exposure time: 28 d

Method: OECD Test Guideline 301B or Equivalent

Theoretical Oxygen Demand: 0.71 mg/mg

Chemical Oxygen Demand: 0.73 mg/mg

Biological oxygen demand (BOD): Incubation time: 20 day: BOD: 0%

Stability in Water (1/2-life): Hydrolysis, pH 4 - 9, Stable

Photodegradation

Test Type: Half-life (direct photolysis)

Atmospheric half-life: 261 d

Halauxifen-methyl

Biodegradability: For similar active ingredient(s). Halauxifen. Material is expected to biodegrade very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability.

10-day Window: Not applicable

Biodegradation: 7.7 %

Exposure time: 28 d

Method: OECD Test Guideline 310 or Equivalent

Dipropylene glycol monomethyl ether

Biodegradability: Material is readily biodegradable. Passes OECD test(s) for ready biodegradability. Material is ultimately biodegradable (reaches > 70% mineralization in OECD test(s) for inherent biodegradability).

10-day Window: Pass

Biodegradation: 75 %

Exposure time: 28 d

Method: OECD Test Guideline 301F or Equivalent

Theoretical Oxygen Demand: 2.06 mg/mg

Chemical Oxygen Demand: 2.02 mg/mg Dichromate

Biological oxygen demand (BOD)

Incubation Time	BOD
5 d	0 %
10 d	0 %
20 d	31.6 %

Photodegradation

Test Type: Half-life (indirect photolysis)

Sensitizer: OH radicals

Atmospheric half-life: 3.4 - 10.4 Hour. *Estimated*

Fatty acid dimethylamide

Biodegradability: Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

10-day Window: Pass

Biodegradation: > 80 %

Exposure time: 28 d

Method: OECD Test Guideline 301F or Equivalent

Chemical Oxygen Demand: 2.890 mg/g

Balance

Biodegradability: No relevant data found.

Bioaccumulative potential

Clopyralid (ISO)

Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient: n-octanol/water (log Pow): -2.63

Bioconcentration factor (BCF): < 1 Fish *Measured*

Halauxifen-methyl

Bioaccumulation: Bioconcentration potential is moderate (BCF between 100 and 3,000 or Log Pow between 3 and 5).

Partition coefficient: n-octanol/water (log Pow): 3.76

Bioconcentration factor (BCF): 233 *Lepomis macrochirus* (Bluegill sunfish) 42 d

Dipropylene glycol monomethyl ether

Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient: n-octanol/water (log Pow): 1.01 *Measured*

Fatty acid dimethylamide

Bioaccumulation: Bioconcentration potential is moderate (BCF between 100 and 3,000 or Log Pow between 3 and 5).

Partition coefficient: n-octanol/water (log Pow): <3.44 at 20 °C

Balance

Bioaccumulation: No relevant data found.

Mobility in Soil**Clopyralid (ISO)**

Potential for mobility in soil is very high (Koc between 0 and 50).

Partition coefficient (Koc): 4.9

Halauxifen-methyl

Expected to be relatively immobile in soil (Koc > 5,000).

Partition coefficient (Koc): 5,684

Dipropylene glycol monomethyl ether

Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.

Potential for mobility in soil is very high (Koc between 0 and 50).

Partition coefficient (Koc): 0.28 *Estimated*.

Fatty acid dimethylamide

Potential for mobility in soil is low (Koc between 500 and 2,000).

Partition coefficient (Koc): 527.3

Balance

No relevant data found.

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

13. DISPOSAL CONSIDERATIONS

Disposal methods: If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

Waste handling, treatment and disposal practices must be in compliance with the New Zealand Hazardous Substances (Disposal) Notice 2017. Additional local requirements may be applicable in accordance with planning controls under the Resource Management Act. Regulations concerning waste management may vary in different locations.

14. TRANSPORT INFORMATION

PUBLIC PASSENGER VEHICLE TRANSPORT: To be transported **ONLY** in the sealed original container. Maximum volume permitted to be transported in a passenger service vehicle: 1 Litre.

Classification for ROAD and Rail transport:

Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Clopyralid)
UN number	UN 3082
Class	9
Packing group	III
Environmental hazards	Clopyralid

Classification for SEA transport (IMO-IMDG):

Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Clopyralid)
UN number	UN 3082
Class	9
Packing group	III
Marine pollutant	Clopyralid
Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code	Consult IMO regulations before transporting ocean bulk

Classification for AIR transport (IATA/ICAO):

Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Clopyralid)
UN number	UN 3082
Class	9
Packing group	III

Hazchem code: ●3Z

Matters needing attention for transportation

Marine Pollutants in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code and IATA special provision A197. If the product meets these special provisions, it may be shipped in New Zealand as a non-dangerous goods under provisions in NZS 5433 code which accepts IMDG and IATA classification.

This information is not intended to convey all specific regulatory or operational requirements/ information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

15. REGULATORY INFORMATION

ACVMG APPROVAL NUMBER: P9554

EPA Approval Code: HSR101282

ADVICE TO PRODUCT USERS REGARDING GHS CONTROLS: Users of this product should make reference to the New Zealand Hazardous Substances and New Organisms Act and Regulations, and

the Health and Safety at Work Act for relevant risk management controls. Additional local requirements may be applicable in accordance with planning controls under the Resource Management Act. Refer to Environment Protection Authority for more information <http://www.epa.govt.nz>

16. OTHER INFORMATION

Revision

Identification Number: 102989370/ A157 / Issue Date: 07.10.2021 / Version: Replaces 07.04.2021

DAS code: GF-3488

Sections amended: 2, 14, 15

Legend

ACGIH	American Conference of Governmental Industrial Hygienists. Threshold Limit Values
Dow IHG	Dow Industrial Hygiene Guideline
NZ OEL	New Zealand. Workplace Exposure Standards for Atmospheric Contaminants
SKIN	Absorbed via skin
STEL	Short term exposure limit
TWA	Time weighted average
WES-STEL	Workplace Exposure Standard - Short-Term Exposure Limit
WES-TWA	Workplace Exposure Standard - Time Weighted average

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

CORTEVA AGRISCIENCE NEW ZEALAND LIMITED urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDS's, we are not and cannot be responsible for (M)SDS's obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.

™ ® Trademarks of Corteva Agriscience and its affiliated companies. © 2021 Corteva.