

SAFETY DATA SHEET



Rovral® Aquaflo Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10.11.2023	50001560	Date of first issue: 10.11.2023

Section 1: Identification

Product name : Rovral® Aquaflo Fungicide

Other means of identification : IPRODIONE 500 G/L SC

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as fungicide only.

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC New Zealand Ltd

Address : IRD number: 101-200-019
6 Clayton Street, Newmarket
1023 Auckland
New Zealand

Telephone : +640800658080

Telefax : (09)-271-2961

E-mail address : SDS-Info@fmc.com

Emergency telephone number : For leak, fire, spill or accident emergencies, call:
0800 734 607 (Ixon)

Medical emergency:
0800 764 766 (NZ Poisons Information Centre)
0800 111174 (24 hour Medical Emergency)
0800 387668 (Transport Emergency)

Section 2: Hazard identification

GHS Classification

Specific target organ toxicity - repeated exposure : Category 2

Hazardous to the aquatic environment - acute hazard : Category 1

Hazardous to the aquatic environment - chronic hazard : Category 1

SAFETY DATA SHEET



Rovral® Aquaflo Fungicide

Version 1.0 Revision Date: 10.11.2023 SDS Number: 50001560 Date of last issue: -
Date of first issue: 10.11.2023

GHS label elements

Hazard pictograms :

Signal word : Warning

Hazard statements : H373 May cause damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P260 Do not breathe mist or vapours.
P273 Avoid release to the environment.
Response:
P314 Get medical advice/ attention if you feel unwell.
P391 Collect spillage.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
iprodione (ISO)	36734-19-7	>= 30 -< 50
propane-1,2-diol	57-55-6	>= 1 -< 10

Section 4: First-aid measures

General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.
Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.

SAFETY DATA SHEET



Rovral® Aquaflo Fungicide

Version 1.0 Revision Date: 10.11.2023 SDS Number: 50001560 Date of last issue: -
Date of first issue: 10.11.2023

- Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Induce vomiting immediately and call a physician.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : May cause damage to organs through prolonged or repeated exposure.
- Notes to physician : Treat symptomatically.
-

Section 5: Fire-fighting measures

- Suitable extinguishing media : Carbon dioxide (CO₂)
Dry chemical
Foam
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Thermal decomposition can lead to release of irritating gases and vapours.
Nitrogen oxides (NO_x)
Carbon oxides
Chlorine compounds
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Hazchem Code : 3Z
-

Section 6: Accidental release measures

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

SAFETY DATA SHEET



Rovral® Aquaflo Fungicide

Version 1.0 Revision Date: 10.11.2023 SDS Number: 50001560 Date of last issue: -
Date of first issue: 10.11.2023

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

Section 7: Handling and storage

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propane-1,2-diol	57-55-6	WES-TWA (particulate)	10 mg/m ³	NZ OEL
		WES-TWA (Vapour and particulates)	150 ppm 474 mg/m ³	NZ OEL

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

SAFETY DATA SHEET



Rovral® Aquaflo Fungicide

Version 1.0 Revision Date: 10.11.2023 SDS Number: 50001560 Date of last issue: -
Date of first issue: 10.11.2023

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Section 9: Physical and chemical properties

Physical state : liquid

Form : suspension

Colour : white

Odour : mild

pH : 4 - 6 (23 °C)

Melting point/freezing point : not determined

Boiling point/boiling range : > 100 °C

Flash point : does not flash

Self-ignition : does not ignite

Vapour pressure : 2.37 kPa (20 °C)

Density : 1.155 g/cm³ (20 °C)

Solubility(ies)
Water solubility : Miscible

Partition coefficient: n-octanol/water : log Pow: 3
pH: 3 - 5
Active ingredient

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Section 10: Stability and reactivity

SAFETY DATA SHEET



Rovral® Aquaflo Fungicide

Version 1.0 Revision Date: 10.11.2023 SDS Number: 50001560 Date of last issue: -
Date of first issue: 10.11.2023

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : Protect from frost, heat and sunlight.

Incompatible materials : Strong acids
Strong bases
Strong oxidizing agents

Hazardous decomposition products : Stable under recommended storage conditions.

Section 11: Toxicological information

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Components:

iprodione (ISO):

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The component/mixture is minimally toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat): > 3.29 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Symptoms: Breathing difficulties
Assessment: The component/mixture is minimally toxic after short term inhalation.
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: EPA OPP 81-2
Symptoms: Irritation
GLP: yes
Assessment: The component/mixture is minimally toxic after single contact with skin.

propane-1,2-diol:

Acute oral toxicity : LD50 (Rat, male and female): 22,000 mg/kg

Acute inhalation toxicity : LC0 (Rabbit): 31.7 mg/l
Exposure time: 2 h

SAFETY DATA SHEET



Rovral® Aquaflo Fungicide

Version 1.0 Revision Date: 10.11.2023 SDS Number: 50001560 Date of last issue: -
Date of first issue: 10.11.2023

Test atmosphere: vapour
Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No skin irritation

Components:

iprodione (ISO):

Species : Rabbit
Assessment : Not classified as irritant
Method : EPA OPP 81-5
Result : No skin irritation
GLP : yes

propane-1,2-diol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No eye irritation

Components:

iprodione (ISO):

Species : Rabbit
Result : No eye irritation
Method : EPA OPP 81-4
Remarks : Based on available data, the classification criteria are not met.

propane-1,2-diol:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Rovral® Aquaflo Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10.11.2023	50001560	Date of first issue: 10.11.2023

Respiratory or skin sensitisation**Skin sensitisation**

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Not classified based on available information.

Product:

Species : Guinea pig
Result : Not a skin sensitizer.

Components:**iprodione (ISO):**

Test Type : Buehler Test
Species : Guinea pig
Assessment : Not a skin sensitizer.
Method : EPA OPP 81-6
Result : Does not cause skin sensitisation.

propane-1,2-diol:

Test Type : Maximisation Test
Species : Guinea pig
Result : negative

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**iprodione (ISO):**

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: in vitro DNA damage and/or repair study
Test system: Bacillus subtilis
Metabolic activation: with and without metabolic activation
Result: positive

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: sister chromatid exchange assay
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

SAFETY DATA SHEET



Rovral® Aquaflo Fungicide

Version 1.0 Revision Date: 10.11.2023 SDS Number: 50001560 Date of last issue: -
Date of first issue: 10.11.2023

Species: Mouse
Result: negative

propane-1,2-diol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

iprodione (ISO):

Species : Rat, male
Exposure time : 2 y
: 6.1 mg/kg bw/day
: 12.4 mg/kg bw/day
Result : positive
Symptoms : Testicular effects
Target Organs : Adrenal gland, Testes

Species : Rat, female
Exposure time : 2 y
: 8.4 mg/kg bw/day
: 16.5 mg/kg bw/day
Target Organs : Adrenal gland

Carcinogenicity - Assessment : The observed tumors do not appear to be relevant for men.

propane-1,2-diol:

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

iprodione (ISO):

Effects on foetal development : Species: Rabbit
General Toxicity Maternal: NOAEL: 20 mg/kg bw/day
Developmental Toxicity: NOAEL: 60 mg/kg bw/day
Symptoms: Reduced body weight, Total Resorptions / resorption rate

Species: Rat

SAFETY DATA SHEET



Rovral® Aquaflo Fungicide

Version 1.0 Revision Date: 10.11.2023 SDS Number: 50001560 Date of last issue: -
Date of first issue: 10.11.2023

General Toxicity Maternal: NOAEL: 20 mg/kg bw/day
Developmental Toxicity: NOAEL: 20 mg/kg bw/day
Symptoms: Reduced body weight, foetal mortality
Target Organs: Adrenal gland

propane-1,2-diol:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Mouse
Application Route: Oral
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 414
Result: Animal testing did not show any effects on fertility.
Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

Components:

iprodione (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Product:

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Components:

iprodione (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

iprodione (ISO):

Species : Rat, male
NOAEL : 78 mg/kg
LOAEL : 151 mg/kg
Application Route : Oral
Exposure time : 90 d
Target Organs : Reproductive organs

Species : Rat, female

SAFETY DATA SHEET



Rovral® Aquaflo Fungicide

Version 1.0 Revision Date: 10.11.2023 SDS Number: 50001560 Date of last issue: -
Date of first issue: 10.11.2023

NOAEL : 89 mg/kg
LOAEL : 189 mg/kg
Application Route : Oral
Exposure time : 90 d
Target Organs : Reproductive organs

Species : Rat, male
NOAEL : 28 mg/kg
LOAEL : 207 mg/kg
Application Route : Inhalation
Exposure time : 28 d
Target Organs : Adrenal gland

Species : Rat, female
NOAEL : 43 mg/kg
LOAEL : 241 mg/kg
Application Route : Inhalation
Exposure time : 28 d
Target Organs : Adrenal gland

propane-1,2-diol:

Species : Rat, male and female
NOAEL : 1,700 mg/kg
Application Route : Oral
Exposure time : 2 Years

Species : Rat, male and female
NOAEL : 1,000 mg/kg
LOAEL : 160 mg/kg
Application Route : Inhalation
Exposure time : 90 Days

Aspiration toxicity

Not classified based on available information.

Components:

iprodione (ISO):

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

Section 12: Ecological information

Ecotoxicity

Components:

iprodione (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.1 mg/l

SAFETY DATA SHEET



Rovral® Aquaflo Fungicide

Version 1.0 Revision Date: 10.11.2023 SDS Number: 50001560 Date of last issue: -
Date of first issue: 10.11.2023

		Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.25 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Scenedesmus subspicatus): > 0.5 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC (Fish): 0.26 mg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.17 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	:	1
Toxicity to soil dwelling organisms	:	LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg Exposure time: 14 d
Toxicity to terrestrial organisms	:	LD50 (Colinus virginianus (Bobwhite quail)): > 2,000 mg/kg
		LD50 (Apis mellifera (bees)): > 250 µg/bee Exposure time: 48 h Remarks: Contact
		LD50 (Apis mellifera (bees)): > 25 µg/bee Exposure time: 48 h Remarks: Oral
propane-1,2-diol:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	(Mysidopsis bahia (opossum shrimp)): 18,800 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 34,100 mg/l Exposure time: 48 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 13,020 mg/l Exposure time: 7 d
Toxicity to microorganisms	:	EC50 (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h

SAFETY DATA SHEET



Rovral® Aquaflo Fungicide

Version 1.0 Revision Date: 10.11.2023 SDS Number: 50001560 Date of last issue: -
Date of first issue: 10.11.2023

Persistence and degradability

Components:

iprodione (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 146 d pH: 5
Degradation half life (DT50): 0.2 d pH: 8

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 23.6 %
Exposure time: 64 d
Method: OECD Test Guideline 306

Bioaccumulative potential

Components:

iprodione (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 70
Remarks: Bioaccumulation is unlikely.
See section 9 for octanol-water partition coefficient.

Partition coefficient: n-octanol/water : log Pow: 3 (20 °C)
pH: 7

propane-1,2-diol:

Partition coefficient: n-octanol/water : log Pow: -1.07

Mobility in soil

Components:

iprodione (ISO):

Distribution among environmental compartments : Remarks: Low mobility in soil

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET



Rovral® Aquaflo Fungicide

Version 1.0 Revision Date: 10.11.2023 SDS Number: 50001560 Date of last issue: -
Date of first issue: 10.11.2023

Section 13: Disposal considerations

Disposal methods

- Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
- Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
-

Section 14: Transport information

International Regulations

UNRTDG

- UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Iprodione)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

- UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Iprodione)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

- UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Iprodione)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : Environmentally hazardous substances/Marine Pollutants in single or combination packaging containing a net quantity per single or inner packaging of 5 kg or less for solids, or having a net quantity per single or inner packaging of 5 L or less for

SAFETY DATA SHEET



Rovral® Aquaflo Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10.11.2023	50001560	Date of first issue: 10.11.2023

liquids may be transported as non-dangerous goods as provided in special provision A197 of the IATA and section 2.10.2.7 of IMDG code.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iprodione)
Class	:	9
Packing group	:	III
Labels	:	9
Hazchem Code	:	3Z
Marine pollutant	:	no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number

HSR000623

ACVM Registered Number: P8000

The components of this product are reported in the following inventories:

TCSI	:	Not in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL. 3-(3,5-DICHLOROPHENYL)-N-ISOPROPYL-2,4-DIOXOIMIDAZOLIDINE-1-CARBOXAMIDE Ethylene oxide/propylene oxide block copolymer
ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory

SAFETY DATA SHEET



Rovral® Aquaflo Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10.11.2023	50001560	Date of first issue: 10.11.2023

KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory

Section 16: Other information

Revision Date	:	10.11.2023
Date format	:	dd.mm.yyyy

Full text of other abbreviations

NZ OEL	:	New Zealand. Workplace Exposure Standards for Atmospheric Contaminants
--------	---	--

NZ OEL / WES-TWA	:	Workplace Exposure Standard - Time Weighted average
------------------	---	---

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substances Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

SAFETY DATA SHEET



Rovral® Aquaflo Fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10.11.2023	50001560	Date of first issue: 10.11.2023

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

NZ / 6N