

Safety data sheet

Page: 1/13

BASF Safety data sheet
Date / Revised: 22.08.2022
Product: **Zampro®**

Version: 9.0

(30487372/SDS_CPA_NZ/EN)

Date of print): 17.11.2022

1. Substance/preparation and manufacturer/supplier identification

Product name:
Zampro®

Use: crop protection product, fungicide

Manufacturer/supplier:

BASF New Zealand Ltd.
5E City Works Depot
77 Cook Street
Auckland Central, Auckland 1010
NEW ZEALAND
Telephone: +64 9 255-4300
Telefax number: +64 9 255-4307

Emergency information:

National Poisons Centre: 0800 764 766
BASF Emergency Advice Number: 0800 944 955 (24 hour advice in an emergency only)
BASF Emergency Advice Number: +61 3 8855 6666 (If calling from outside New Zealand)

2. Hazard identification

Classification of the substance and mixture:

Acute toxicity: Cat.4 (oral)

Hazardous to the aquatic environment - acute: Cat.3

Hazardous to the aquatic environment - chronic: Cat.1

Label elements and precautionary statement:

Pictogram:



BASF Safety data sheet
Date / Revised: 22.08.2022
Product: **Zampro®**

Version: 9.0

(30487372/SDS_CPA_NZ/EN)

Date of print): 17.11.2022

Signal Word:
Warning

Hazard Statement:

H302 Harmful if swallowed.
H402 Harmful to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P270 Do not eat, drink or smoke when using this product.
P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P330 Rinse mouth
P391 Collect spillage.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste collection point.

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

May produce an allergic reaction. Contains: 2-METHYL-2H-ISOTHIAZOL-3-ONE

3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

crop protection product, fungicide, suspension concentrate (SC)

Hazardous ingredients

ametocradine (ISO); 5-ethyl-6-octyl[1,2,4]triazolo[1,5- α]pyrimidin-7-amine

Content (W/W): 26.93 %

Aquatic Chronic: Cat. 1

CAS Number: 865318-97-4

Dimethomorph techn.

BASF Safety data sheet
Date / Revised: 22.08.2022
Product: **Zampro®**

Version: 9.0

(30487372/SDS_CPA_NZ/EN)

Date of print): 17.11.2022

Content (W/W): 20.2 %
CAS Number: 110488-70-5

Acute Tox.: Cat. 5 (oral)
Repr.: Cat. 2 (fertility)
Repr.: Cat. 2 (unborn child)
Aquatic Acute: Cat. 2
Aquatic Chronic: Cat. 2

Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt

Content (W/W): < 5 %
CAS Number: 102980-04-1

Eye Dam./Irrit.: Cat. 2A
Aquatic Acute: Cat. 3
Aquatic Chronic: Cat. 3

propane-1,2-diol

Content (W/W): < 10 %
CAS Number: 57-55-6

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

Unsuitable extinguishing media for safety reasons:

water jet

Specific hazards:

carbon monoxide, carbon dioxide, hydrogen chloride, nitrogen oxides, halogenated compounds, silica compounds, sulfur oxides

The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

The substance/product is non-combustible. Product is not explosive. No special precautions necessary.

Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 60 Months

Protect from temperatures below: -5 °C

The product can crystallize below the limit temperature.

Protect from temperatures above: 40 °C

BASF Safety data sheet
Date / Revised: 22.08.2022
Product: **Zampro®**

Version: 9.0

(30487372/SDS_CPA_NZ/EN)

Date of print): 17.11.2022

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure controls and personal protection

Components with occupational exposure limits

propane-1,2-diol, 57-55-6;

TWA value 10 mg/m³ (OEL (NZ)), Particulate

TWA value 474 mg/m³ ; 150 ppm (OEL (NZ)), Vapor and particulates

dimethomorph, 110488-70-5;

TWA value 0.67 mg/m³ (BASF recomm. occupational exposure limit)

ametoctradin, 865318-97-4;

TWA value 28.21 mg/m³ (BASF recomm. occupational exposure limit)

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: liquid
Colour: white
Odour: faintly aromatic

BASF Safety data sheet
Date / Revised: 22.08.2022
Product: **Zampro®**

Version: 9.0

(30487372/SDS_CPA_NZ/EN)

Date of print): 17.11.2022

Odour threshold:	Not determined due to potential health hazard by inhalation.	
pH value:	approx. 6 - 8 (CIPAC standard water D, 1 %(m), 20 °C)	(other)
Freezing point:	approx. -6.2 °C	
Boiling point:	approx. 100 °C (1,013 hPa)	
Flash point:	(Directive 92/69/EEC, A.9) No flash point - Measurement made up to the boiling point.	
Evaporation rate:	not applicable	
Flammability (solid/gas):	not applicable	
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Ignition temperature:	463 °C	(Directive 92/69/EEC, A.15)
Thermal decomposition:	220 °C , 20 kJ/kg	(DSC (OECD 113))
	285 °C , 340 kJ/kg	(DSC (OECD 113))
Explosion hazard:	Not a substance liable to self- decomposition according to UN transport regulations, class 4.1. Based on the chemical structure there is no indication of explosive properties.	(Directive 92/69/EEC, A.14)
Fire promoting properties:	not fire-propagating	(Directive 2004/73/EC, A.21)
Vapour pressure:	approx. 23 hPa Information applies to the solvent.	
Density:	approx. 1.11 g/cm ³ (approx. 20 °C)	(OECD Guideline 109)
Relative vapour density (air):	not applicable	
Solubility in water:	dispersible	

BASF Safety data sheet
Date / Revised: 22.08.2022
Product: **Zampro®**

Version: 9.0

(30487372/SDS_CPA_NZ/EN)

Date of print): 17.11.2022

Partitioning coefficient n-octanol/water (log Pow):

The statements are based on the
properties of the individual
components.

Information on: Dimethomorph techn.

Partitioning coefficient n-octanol/water (log Pow): 2.63 - 2.73
(20 °C)

Viscosity, dynamic: approx. 81 mPa.s (OECD 114)
(20 °C, 100 1/s)

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:

See SDS section 7 - Handling and storage.

Thermal decomposition: 220 °C, 20 kJ/kg (DSC (OECD 113))

Thermal decomposition: 285 °C, 340 kJ/kg (DSC (OECD 113))

Thermal decomposition: Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:

LD50rat (oral): > 500 - < 2,000 mg/kg (OECD Guideline 423)

Acute inhalation toxicity

LC50 rat (by inhalation): > 5.1 mg/l 4 h (OECD Guideline 403)

No mortality was observed. An aerosol was tested.

Acute dermal toxicity

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402)

Assessment of acute toxicity

Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:

Not irritating to the eyes. Not irritating to the skin.

Experimental/calculated data:

Skin corrosion/irritation rabbit: (OECD Guideline 404)

Serious eye damage/irritation rabbit: (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

Buehler test guinea pig: (OECD Guideline 406)

Mouse Local Lymph Node Assay (LLNA) mouse: (OECD Guideline 429)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Assessment of reproduction toxicity:

The results of animal studies suggest a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Assessment of teratogenicity:

Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Specific target organ toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Assessment of repeated dose toxicity:

The substance may cause damage to the prostate after repeated ingestion. Based on available data, the classification criteria are not met.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Harmful to aquatic life. Very toxic to aquatic life with long lasting effects.

Toxicity to fish:

LC50 (96 h) 23.2 mg/l, *Oncorhynchus mykiss* (OECD 203; ISO 7346; 92/69/EEC, C.1, static)

Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1)

Aquatic plants:

EC50 (72 h) 74.2 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Chronic toxicity to fish:

EC10 (60 d) 0.116 mg/l, Oncorhynchus mykiss

No observed effect concentration (34 d) 0.107 mg/l, Pimephales promelas

Information on: ametoctradine (ISO); 5-ethyl-6-octyl[1,2,4]triazolo[1,5- α]pyrimidin-7-amine

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d), 0.044 mg/l, Daphnia magna (OECD Guideline 211, semistatic)

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d), 0.22 mg/l, Daphnia magna

EC10 (21 d), 0.421 mg/l, Daphnia magna

Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: ametoctradine (ISO); 5-ethyl-6-octyl[1,2,4]triazolo[1,5- α]pyrimidin-7-amine

Assessment transport between environmental compartments:

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Assessment transport between environmental compartments:

The substance will not evaporate into the atmosphere from the water surface.

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

BASF Safety data sheet
Date / Revised: 22.08.2022
Product: **Zampro®**

Version: 9.0

(30487372/SDS_CPA_NZ/EN)

Date of print: 17.11.2022

Information on: ametoctradine (ISO); 5-ethyl-6-octyl[1,2,4]triazolo[1,5- α]pyrimidin-7-amine
Assessment biodegradation and elimination (H₂O):
According to OECD criteria the product is not readily biodegradable but inherently biodegradable.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine
Assessment biodegradation and elimination (H₂O):
Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine
Assessment bioaccumulation potential:
Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Information on: ametoctradine (ISO); 5-ethyl-6-octyl[1,2,4]triazolo[1,5- α]pyrimidin-7-amine
Bioaccumulation potential:
Bioconcentration factor: 197 - 202, *Lepomis macrochirus*
Accumulation in organisms is not to be expected.

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

UN number or ID number: UN 3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AMETOCTRADIN, DIMETHOMORPH)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes

BASF Safety data sheet
Date / Revised: 22.08.2022
Product: **Zampro®**

Version: 9.0

(30487372/SDS_CPA_NZ/EN)

Date of print): 17.11.2022

Special precautions for user: None known

Further information

Hazchem Code:3Z
IERG Number:47

Sea transport

IMDG

UN number or ID number: UN 3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AMETOCTRADIN, DIMETHOMORPH)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Marine pollutant: YES
Special precautions for user: EmS: F-A; S-F

Air transport

IATA/ICAO

UN number or ID number: UN 3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AMETOCTRADIN, DIMETHOMORPH)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

BASF Safety data sheet
Date / Revised: 22.08.2022
Product: **Zampro®**

Version: 9.0

(30487372/SDS_CPA_NZ/EN)

Date of print): 17.11.2022

Other regulations

ACVM Approval Number: P008177

A certified handler is not required for the handling of this substance.
Tracking requirements do not apply to this substance.

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.