









Composition (%w/w)

Calcium Oxide	8.4%
Calcium	6%
Sulphur Trioxide	25%
Sulphur	10%

Agronomical Targets



Compatibility

Compatible with other fertilizers, with the exception of Sulphate or Phosphate fertilizers. Therefore a separate tank is needed or fertilizers should be applied at different times.

Packaging





Iperen Flash Ca Liquid is a fast acting, pure and highly concentrated liquid Calcium fertilizer, with a high level of Sulfur. Our product is a transparent stable solution and is recommended as of fruit setting and until color break. The high level of Calcium in our formula improves cell wall strength and increases fruit quality as well as shelf-life. The specific composition in the product helps reduce salinity in the soil when used as a soil amendment in fertigation.

- Improves fruit quality and shelf-life
- Reduces salinity in the soil
- Easy to handle and apply
- Developed for fertigation in open field and greenhouses. Also suitable for foliar application

Product Characteristics

- Highly concentrated Calcium solution
- Low on heavy metals
- Low in Chloride
- Free of Nitrate





Iperen Flash Ca Liquid | STRAIGHTS

Sheet 2 / 2

Did you know?

Van Iperen offers the widest range of highly concentrated liquid sulfur products based on ThioSulphate and free of chloride.

Let's make the green switch!

We are Van Iperen International a Dutch producer of Specialty Fertilizers and Biostimulants. We are eager to change the rules of the game in plant nutrition, by providing highly innovative solutions to growers for more sustainable agriculture. Your local Van Iperen Sales Manager will help you and guide you to make the green switch together.

www.vaniperen.com

Dosage | Fertigation

Crop	Application date	Min L/ha/season	Max L/ha/season
Fruit trees	3 - 4 applications: • As of fruit setting • Until final fruit size	30	70
Vineyards	3 - 4 applications: • As of inflorescence appearance • Until veraison	25	60
Vegetables	4 applications:	30	50

Dosage | Foliar application

Crop	Min L/ha/appl	Max L/ha/appl	Conc. % (v/v)
Fruit trees	2	3	< 0.25
Vegetables	2	3	< 0.25

In case of foliar feeding as part of a mix with crop protection products or other fertilizers, a compatibility test has to be done prior to preparing the spray-mix.

The mentioned indicated dosages and application stages are given as a guideline. Exact dosages, concentration and application stage are subject to local conditions, use of other fertilizers and can only be given after an objective diagnosis.



