

Flint
Version 3 / NZ
Revision Date: 09.08.2022

102000007798 Print Date: 09.08.2022

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name Flint

Product code (UVP) 05584493

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide EPA-Nr. HSR000642

1.3 Details of the supplier of the safety data sheet

Supplier Bayer New Zealand Limited

Crop Science Division B:HIVE Building 74 Taharoto Rd Smales Farm Takapuna Auckland, 0622 New Zealand

Telephone 0800 428 246

Telefax (09) 441 8645

1.4 Emergency telephone no.

Emergency Number 0800 734 607 (24hr)

Global Incident Response

Hotline (24h)

+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classified as hazardous according to the criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2020 as amended

6.5 B

H317 May cause an allergic skin reaction.

6.9 B

H373 May cause damage to organs through prolonged or repeated exposure.

9.1 A

H410 Very toxic to aquatic life with long lasting effects.



Flint
Version 3 / NZ
Revision Date: 09.08.2022

2000007798 Print Date: 09.08.2022

2.2 Label elements

Labelling in accordance with the Hazardous Substances (Safety Data Sheets) Notice 2020 as amended

Hazard label for supply/use required.







Signal word: Warning Hazard statements

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P321 Specific treatment (see supplemental first aid instructions on this label).

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No additional hazards known beside those mentioned.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Water dispersible granules (WG) Trifloxystrobin 50 %

Hazardous components

Chemical name	CAS-No.	Conc. [%]
Trifloxystrobin	141517-21-7	50
Reaction product of naphthalene, butanol, sulfonated and neutralized by caustic soda	25417-20-3	> 1 - < 25
Diatomaceaous earth	61790-53-2	> 1
Sodium lignosulphonate	8061-51-6	> 1

Further information

Trifloxystrobin	141517-21-7	M-Factor: 100 (acute), 10 (chronic)
THIOXYSHODIT	141317-21-7	W-1 actor. 100 (actie), 10 (chilofile)

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures



 Flint

 Version 3 / NZ
 Revision Date: 09.08.2022

 102000007798
 Print Date: 09.08.2022

General advice Move out of dangerous area. Remove contaminated clothing

immediately and dispose of safely. Place and transport victim in stable

position (lying sideways).

Inhalation Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

Skin contact Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. Call a physician

or poison control center immediately.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation

develops and persists.

Ingestion Do NOT induce vomiting. Rinse mouth. Call a physician or poison

control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment In case of ingestion gastric lavage should be considered in cases of

significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always

advisable. There is no specific antidote.

Contact the National Poisons and Hazardous Chemicals Information center in Dunedin, PO Box 913,

Dunedin. Phone 0800 POISON (0800 764 766).

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable High volume water jet

5.2 Special hazards arising

from the substance or

mixture

In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Carbon

dioxide (CO2), Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective

equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.



Print Date: 09.08.2022

Flint 4/11 Version 3/NZ Revision Date: 09.08.2022 102000007798

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment.

6.2 Environmental

precautions

Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Sweep up or vacuum up spillage and collect in suitable container for

disposal. Clean contaminated floors and objects thoroughly.

observing environmental regulations. Collect and transfer the product

into a properly labelled and tightly closed container.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion Keep away from heat and sources of ignition.

Avoid contact with skin, eyes and clothing. Keep working clothes Hygiene measures

separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be

destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a place accessible by authorized persons only. Store in original

container. Keep containers tightly closed in a dry, cool and well-

ventilated place. Keep away from direct sunlight.

Keep away from food, drink and animal feedingstuffs. Advice on common storage

Suitable materials Aluminium composite film (min. 0,007 mm Aluminium)

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Trifloxystrobin	141517-21-7	2.7 mg/m3		OES BCS*
		(SK-SEN)		
Diatomaceaous earth	61790-53-2	10 mg/m3	06 2016	NZ OEL



 Flint

 Version 3 / NZ
 Revision Date: 09.08.2022

 102000007798
 Print Date: 09.08.2022

		(TWA)		
Silicon dioxide	7631-86-9	10 mg/m3 (TWA)	11 2020	NZ OEL
(Inhalable dust.)		,		
Silicon dioxide	7631-86-9	3 mg/m3 (TWA)	11 2020	NZ OEL
(Respirable dust.)		, ,		

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection Wear respirator with a particle filter mask (protection factor 4)

conforming to European norm EN149FFP1 or equivalent.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

Hand protection Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the

contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot

be removed. Wash hands frequently and always before eating,

drinking, smoking or using the toilet.

Material Nitrile rubber
Rate of permeability > 480 min
Glove thickness > 0.4 mm
Protective index Class 6

Directive Protective gloves complying with EN

374.

Eye protection Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection Wear standard coveralls and Category 3 Type 4 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form water-dispersible granules

Colour light brown



Flint 6/11 Version 3/NZ Revision Date: 09.08.2022 Print Date: 09.08.2022

Odour weak, characteristic **Odour Threshold** No data available

Hq 8.5 - 10.5 (1 %) (23 °C) (deionized water)

Melting point/range No data available **Boiling Point** No data available Flash point Not applicable **Flammability** does not ignite **Auto-ignition temperature** No data available

Minimum ignition energy No data available Self-accelarating

decomposition temperature

(SADT)

No data available

Upper explosion limit No data available Lower explosion limit No data available Vapour pressure No data available **Evaporation rate** No data available Relative vapour density No data available Relative density No data available No data available **Density**

Water solubility dispersible

Partition coefficient: n-

octanol/water

Trifloxystrobin: log Pow: 4.5 (25 °C)

Viscosity, dynamic No data available Viscosity, kinematic No data available Impact sensitivity Not impact sensitive. **Oxidizing properties** No oxidizing properties

Explosivity Not explosive

9.2 Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.

Self heating not self-heating

10.2 Chemical stability Stable under recommended storage conditions.



 Flint

 Version 3 / NZ
 Revision Date: 09.08.2022

 102000007798
 Print Date: 09.08.2022

10.3 Possibility of hazardous reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous

No decomposition products expected under normal conditions of use.

decomposition products

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 2,000 mg/kg

Test conducted with a similar formulation.

Acute inhalation toxicity

During intended and foreseen applications, no respirable aerosol is

formed.

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kg

Test conducted with a similar formulation.

Skin corrosion/irritation Slight irritant effect - does not require labelling. (Rabbit)

Test conducted with a similar formulation.

Serious eye damage/eye

irritation

Slight irritant effect - does not require labelling. (Rabbit)

Test conducted with a similar formulation.

Respiratory or skin

sensitisation

Skin: Sensitising (Guinea pig)

OECD Test Guideline 406, Magnusson & Kligman test

Test conducted with a similar formulation. Skin: Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Buehler test Test conducted with a similar formulation.

Assessment STOT Specific target organ toxicity - single exposure

Trifloxystrobin: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Trifloxystrobin did not cause specific target organ toxicity in experimental animal studies. Diatomaceous earth did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Trifloxystrobin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Diatomaceous earth was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Trifloxystrobin was not carcinogenic in lifetime feeding studies in rats and mice. Diatomaceous earth was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction



 Flint

 Version 3 / NZ
 Revision Date: 09.08.2022

 102000007798
 Print Date: 09.08.2022

Trifloxystrobin caused reduced body weight development in offspring during lactation only at doses also producing systemic toxicity in adult rats.

Diatomaceous earth did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Trifloxystrobin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Trifloxystrobin are related to maternal toxicity.

Diatomaceous earth did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

No further toxicological information is available.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 0.036 mg/l

Exposure time: 96 h

Toxicity to aquatic

EC50 (Daphnia magna (Water flea)) 0.01 mg/l

invertebrates

Exposure time: 48 h

LC50 (Mysidopsis bahia (mysid shrimp)) 0.00862 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient trifloxystrobin.

Toxicity to aquatic plants EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.15 mg/l

Growth rate; Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)) 0.0025 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient trifloxystrobin.

12.2 Persistence and degradability

Biodegradability Trifloxystrobin:

Not rapidly biodegradable

Koc Trifloxystrobin: Koc: 2377

12.3 Bioaccumulative potential

Bioaccumulation Trifloxystrobin: Bioconcentration factor (BCF) 431

Does not bioaccumulate.



Flint 9/11 Version 3/NZ Revision Date: 09.08.2022 102000007798 Print Date: 09.08.2022

12.4 Mobility in soil

Mobility in soil Trifloxystrobin: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

Trifloxystrobin: This substance is not considered to be persistent, PBT and vPvB assessment

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have **Assessment**

> endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological

information

No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product Dispose of this product only by using according to the label, or at an

approved landfill or other approved facility.

Triple rinse containers. Recycle if possible. If allowed under local Contaminated packaging

authority, burn if circumstances, especially wind direction permit, otherwise crush and bury in an approved local authority facility. Do not

use container for any other purpose.

SECTION 14: TRANSPORT INFORMATION

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

ADR/RID/ADN

14.1 UN number 3077

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(TRIFLOXYSTROBIN)

14.3 Transport hazard class(es)

9 14.4 Packaging Group Ш

14.5 Environm. Hazardous Mark YES Hazchem Code 2Z

IMDG

14.1 UN number 3077

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(TRIFLOXYSTROBIN)

14.3 Transport hazard class(es)



Flint
Version 3 / NZ
10/20000007798
Revision Date: 09.08.2022
Print Date: 09.08.2022

14.4 Packaging Group III
14.5 Marine pollutant YES

IATA

14.1 UN number **3077**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(TRIFLOXYSTROBIN)

14.3 Transport hazard class(es) 9
14.4 Packaging Group III
14.5 Environm. Hazardous Mark YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

HSNO approval-Nr. HSR000642

HSNO Controls See www.epa.govt.nz

ACVM Reg. P5112

ACVM Condition See www.foodsafety.govt.nz

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

ICx

ECx Effective concentration to x %

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code) Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %



Flint
Version 3 / NZ
102000007798
Revision Date: 09.08.2022
Print Date: 09.08.2022

LDx Lethal dose to x %

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

TWA Time weighted average

UN United Nations

WHO World health organisation

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.