

SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: WUXAL[®] Aminocal

Product No: 12111

Product Use: Fertiliser, preparation for plant nutrition.

Restriction of Use: Refer to Section 15

New Zealand Supplier: Horticentre Ltd Address: 10 Firth Street

Drury, 2113

Telephone: +64 9 294 8453 Fax Number: +64 9 294 7272

Emergency Telephone: 0800 764 766 (National Poison Centre)

Date of SDS Preparation: 25 July 2019 v2

Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

Group Standard & EPA Approval Code: Fertilisers (subsidiary) - HSR002571

Pictograms



Irritant / Toxic

Signal Word: WARNING

HSNO Class.	Hazard Code	Hazard Statement	GHS Category
6.1D	H302	Harmful if swallowed.	Acute Tox. 4
6.3A	H315	Causes skin irritation.	Skin Irrit. 2
6.4A	H319	Causes serious eye irritation.	Eye Irrit. 2A
9.3C	H433	Harmful to terrestrial vertebrates.	-

Prevention Code Prevention Statement

P102	Keep out of reach of children.
P103	Read label before use.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.

Product Name: WUXAL Aminocal Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 25 July 2019 Tel: 64 9 475 5240 www.techcomp.co.nz

Page 1

P280	Wear protective clothing.
------	---------------------------

Response Code Response Statement

P101	If medical advice is needed, have product container or label at hand.
P330	Rinse mouth.
P331	Do NOT induce vomiting.
P338	Remove contact lenses, if present and easy to do. Continue rinsing.
P362	Take off contaminated clothing and wash before re-use.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel
	unwell.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P305 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove
P351+P338	contact lenses, if present and easy to do. Continue rinsing.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Storage Statement Storage Code

None Allocated	

Disposal Code Disposal Statement

P501	Triple rinse container. Cleaned packaging maybe offered for recycling or landfill in accordance with local regulations. Dispose of unwanted product as
	a hazardous material according to Local Regulations.

Section 3. **Composition / Information on Ingredients**

Ingredients	Wt%	CAS NUMBER.
Calcium Chloride	20-40	10043-52-4
Zinc Chloride	<2	7646-85-7
Manganese Chloride	<2	64333-01-3

First Aid Measures Section 4.

Routes of Exposure:

If in Eyes Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice.

If on Skin Wash with plenty of soap and water. Take off contaminated clothing and

wash before re-use. If skin irritation occurs: get medical advice/attention.

If Swallowed Immediately rinse the mouth. DO NOT induce vomiting. Get medical

assistance if you feel unwell.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if

breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Ingestion: Harmful if swallowed

Inhalation: Not applicable

Skin: Causes skin irritation.

Eye: Causes severe eye irritation.

Product Name: WUXAL Aminocal Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 25 July 2019

Tel: 64 9 475 5240 www.techcomp.co.nz

Section 5. Fire Fighting Measures

Hazard Type	Non Flammable
Hazards from	The material itself is harmless and hardly inflammable. Ambient fire may
decomposition	liberate hazardous vapours. If larger quantities of the product are on
products	fire, the formation of nitrous gases and ammonia is possible.
Suitable	Water, carbon dioxide, dry extinguishing media.
Extinguishing	
media	
Precautions for	Do not stay in dangerous zone without suitable protecting clothes and
firefighters and	self-contained breathing apparatus. Contain escaping vapours with
special protective	water. Prevent fire-fighting water from entering surface water or
clothing	groundwater.
HAZCHEM CODE	None allocated

Section 6. Accidental Release Measures

Wear suitable protecting clothes as detailed in Section 8. Avoid product contact and formation of vapours/aerosols. Do not inhale vapours/aerosols. In event of vapours/aerosols wear respiratory protection, safety glasses and gloves.

Take up with absorption media. Disposal of contaminated material as waste according to section 13.

Ensure that the product does not reach the ground-water, water bodies or the drainage system.

Section 7. Handling and Storage

Handling

- Keep out of reach of children.
- · Read label before use.
- Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Avoid release to the environment.
- Wear protective clothing.

Storage

- Protect the product from impurity and drying up.
- Temperature in stockrooms not below 0°C and above +40°C.
- Keep containers tightly closed.
- Store locked up.
- Do not store in metal containers (corrosion risk).
- It is recommended to design stockrooms so that the product is well-protected from weather factors, solar radiation, heat up, dry up and impurities.
- Store away from incompatible materials listed in Section 10.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL Substance ppm mg/m³ ppm mg/m³

No ingredient has exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working

Product Name: WUXAL Aminocal Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 25 July 2019 Tel: 64 9 475 5240 www.techcomp.co.nz

day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2017 9TH EDITION.

Engineering

Ensure adequate ventilation to minimize exposure **Controls**

Personal Protection Equipment







Eyes	Safety goggles with side shields.	
Hands	Chemical resistance rubber or plastic gloves.	
Skin	Closed working clothes.	
Respiratory	Not required. Respiratory protection necessary at vapours/aerosol and wet	
	fog formation.	

Section 9 Physical and Chemical Properties

Appearance	Aqueous liquid
Colour	Brown
Odour	Product specific
Odour Threshold	Not applicable
pH (original state)	Approx 4
pH at 16g/l H2O and 20°C:	Approx 7
Change in physical state	> 100°C evaporation of water
Boiling Point	Not applicable
Melting Point	Not applicable
Freezing Point	Not applicable
Flash Point	Not applicable
Flammability	Not applicable
Upper and Lower	Not applicable
Explosive Limits	
Explosive hazards	Not applicable
Vapour Pressure	Not applicable
Vapour Density	Not applicable
Density @ 20°C	approx. 1.35 g/cm ³
Water Solubility @ 20°C	To a very high degree
Partition Coefficient:	Not applicable
Self-ignition	The product is not spontaneously flammable.
Decomposition	Not applicable
Temperature	
Kinematic Viscosity	Not applicable
Particle Characteristics	Not applicable

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.	
Possibility of hazardous	Reacts with alkalis setting ammonia free.	
reactions		
Conditions to Avoid Direct solar radiation, heat up and dry up. Temperatures a		
	+40° C.	
Incompatible Materials	Strong alkaline materials, strong acid materials.	
Hazardous Decomposition	mposition If larger quantities of the product are on fire, the formation of	

Product Name: WUXAL Aminocal Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 25 July 2019

Tel: 64 9 475 5240 www.techcomp.co.nz

Products	nitrous gases and ammonia is possible.
----------	--

Section 11 Toxicological Information

Acute Effects:

Swallowed	Harmful if swallowed.	
	Mixture calculation for this product = LD50 (oral): =1851mg/kg.	
Dermal	Not applicable.	
Inhalation	Not applicable.	
Eye	Cause serious eye irritation.	
Skin	Causes skin irritation.	

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive	Not applicable.
Toxicity	
Germ Cell	Not applicable.
Mutagenicity	
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

Section 12. Ecotoxicological Information

HSNO Classes: 9.3C = Harmful to terrestrial vertebrates.

Product:	
Persistence and degradability	No data available
Bioaccumulation	No data available
Mobility in Soil	No data available
Other adverse effects	No data available

Do not allow to enter waterways.

Section 13. Disposal Considerations



Disposal Method:

Triple rinse container. Add rinsate to waste container for disposal. Cleaned packaging maybe offered for recycling or landfill in accordance with local regulations. Dispose of unwanted product as a hazardous material according to Local Regulations.

Precautions or methods to avoid: Do not allow to enter waterways.

Section 14 Transport Information

This product is not classified as a Dangerous Good for transport in NZ; NZS 5433:2012

Section 15 Regulatory Information

EPA Approval Code: Fertilisers (subsidiary) - HSR002571

HSNO Classification: 6.1D(oral), 6.3A, 6.4A, 9.3C

HSW (HS) Regulations 2017 and EPA Notices	Trigger Quantity
Certified Handler	Not required

Product Name: WUXAL Aminocal Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 25 July 2019 Tel: 64 9 475 5240 www.techcomp.co.nz

Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	1000L(9.3C)
Emergency Response Plan	1000L (6.1D)
Secondary Containment	1000L (6.1D)
Restriction of Use	Only use for the intended purpose.

Section 16 Other Information

Glossary

 EC_{50} Median effective concentration. EEL Environmental Exposure Limit. **EPA Environmental Protection Authority**

HSNO Hazardous Substances and New Organisms.

Health and Safety at Work. **HSW**

 LC_{50} Lethal concentration that will kill 50% of the test organisms

inhaling or ingesting it.

Lethal dose to kill 50% of test animals/organisms. LD₅₀

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

Tolerable Exposure Limit. TEL

Threshold Limit Value-an exposure limit set by responsible TLV

authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017

Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition. 2.

3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).

Transport of Dangerous goods on land NZS 5433:2012 4.

5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-todate information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the Horticentre, if further information is required.

Issue Date: 25 July 2019 Review Date: 25 July 2024

Product Name: WUXAL Aminocal Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 25 July 2019

Tel: 64 9 475 5240 www.techcomp.co.nz