

SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: WUXAL [®] Super

Product No: 12707

Product Use: Fertiliser, preparation for plant nutrition.

Restriction of Use: Refer to Section 15

New Zealand Supplier: Horticentre Ltd Address: 10 Firth Street

Drury, 2113

Telephone: +64 9 294 8453 Fax Number: +64 9 294 7272

Emergency Telephone: 0800 764 766 (National Poison Centre)

Date of SDS Preparation: 25 July 2019 v2

Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

Group Standard & EPA Approval Code: Fertilisers (subsidiary) - HSR002571

Pictograms



Signal Word: WARNING

HSNO Class.	Hazard Code	Hazard Statement	GHS Category
6.3B	H316	Causes mild skin irritation.	Skin Irrit. 3
6.4A	H319	Causes serious eye irritation.	Eye Irrit. 2A

Prevention Code Prevention Statement

P103	Read label before use.
P264	Wash hands thoroughly after handling.
P280	Wear protective clothing.

Response Code Response Statement

P305 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove
P351+P338	contact lenses, if present and easy to do. Continue rinsing.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Product Name: WUXAL Super Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 25 July 2019 Tel: 64 9 475 5240 www.techcomp.co.nz

Storage Code Storage Statement

None Allocated

Disposal Code Disposal Statement

P501	Triple rinse container. Cleaned packaging maybe offered for recycling or landfill in accordance with local regulations. Dispose of unwanted product as
	a hazardous material according to Local Regulations.

Composition / Information on Ingredients Section 3.

Ingredients	Wt%	CAS NUMBER.
Ammonium Nitrate	3-10	6484-52-2
Potassium Nitrate	5-15	7757-79-1

Section 4. **First Aid Measures**

Routes of Exposure:

If in Eyes Rinse cautiously with water for several minutes. Remove contact lenses, if

> present and easy to do. Apply continuous irrigation with water for at least 15 minutes holding eyelids apart. If eye irritation persists: Get medical

advice.

If on Skin Wash with plenty of soap and water. If skin irritation occurs: get medical

advice/attention.

If Swallowed Immediately rinse the mouth with water, then drink a lot of water. Consult

the doctor in case of persistent trouble.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

> remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if

breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Ingestion: Not applicable **Inhalation:** Not applicable

Skin: Causes mild skin irritation. Eye: Causes severe eye irritation.

Section 5. **Fire Fighting Measures**

Hazard Type	Non Flammable
Hazards from decomposition products	The material itself is hardly inflammable. Ambient fire may liberate hazardous vapours. If larger quantities of the product are on fire, the formation of nitrous gases, ammonia and phosphoric acid gases is possible.
Suitable Extinguishing media	Water Unsuitable: Do not use chemical extinguishers or foams or attempt to smother the fire with steam or sand.
Precautions for firefighters and special protective clothing	Do not stay in dangerous zone without suitable protecting clothes and self-contained breathing apparatus. Contain escaping vapours with water. Prevent fire-fighting water from entering surface water or groundwater.
HAZCHEM CODE	None allocated

Product Name: WUXAL Super Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 25 July 2019

Section 6. **Accidental Release Measures**

Wear suitable protecting clothes. Avoid product contact and formation of vapours/aerosols. Do not inhale vapours/aerosols. In event of vapours/aerosols wear respiratory protection, safety glasses and gloves.

Take up with absorption media.

Disposal of contaminated material as waste according to section 13.

Ensure that the product does not reach the ground-water, water bodies or the drainage system.

Section 7. **Handling and Storage**

Handling

- Read label before use.
- Wash hands thoroughly after handling.
- Wear protective clothing.

Storage

- Do not store together with:
 - strong alkaline materials,
 - strong acid materials,
 - combustible materials,
 - substances, which form perilous reactions with ammonium nitrate.
- Do not store together with food and luxury food, beverage and animal feed.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA ppm mg/m³ **Substance** ppm mg/m³

No ingredient has exposure limits

Workplace Exposure Standard - Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard - Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2017 9TH EDITION.

Engineering

Controls Ensure adequate ventilation to minimize exposure

Personal Protection Equipment







Eyes	Safety goggles with side shields.	
Hands	Chemical resistance rubber or plastic gloves.	
Skin	Closed working clothes.	
Respiratory	Not required. Respiratory protection necessary at vapours/aerosol and wet	
	fog formation.	

Product Name: WUXAL Super Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 25 July 2019

Tel: 64 9 475 5240 www.techcomp.co.nz

Appearance	Aqueous liquid
Colour	Green
Odour	Product specific
Odour Threshold	Not applicable
pH (original state)	Approx 5.5
pH at 10g/l H2O and 20°C:	Approx 6.5
Change in physical	> 100°C decomposition
state	
Boiling Point	Not applicable
Melting Point	Not applicable
Freezing Point	Not applicable
Flash Point	Not applicable
Flammability	Not applicable
Upper and Lower	Not applicable
Explosive Limits	
Explosive hazards	Not applicable
Vapour Pressure	Not applicable
Vapour Density	Not applicable
Density @ 20°C	approx. 1.24 g/cm ³
Water Solubility @ 20°C	To a very high degree
Partition Coefficient:	Not applicable
Self-ignition	The product is not spontaneously flammable.
Decomposition	Not applicable
Temperature	
Kinematic Viscosity	Not applicable
Particle Characteristics	Not applicable

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Possibility of hazardous reactions	Reacts with alkalis setting ammonia free.
Conditions to Avoid	Direct solar radiation, heat up and dry up. Temperatures above +40° C.
Incompatible Materials	Strong alkaline materials, as alkalis, calcinated lime, slaked lime, cement, strong acid materials, as all acids, chlorate, chlorite, hypochloride, nitrite, combustible materials, as coal dust, oil, fuel, organic peroxide, metal powder, grain, paper, wood fiber, hay, straw, combustible packing materials.
Hazardous Decomposition Products	If larger quantities of the product are on fire, the formation of nitrous gases, ammonia, sufuric acid gases and phosphoric acid gases is possible. No decomposition if used correctly.

Section 11 **Toxicological Information**

Toxicological tests

Acute toxicity:

 LD_{50} (oral): =>5000 mg/kg = Non hazardous

Further toxicological information

After eye contact: Causes eye irritation. After skin contact: Causes mild skin irritation.

Acute Effects:

Product Name: WUXAL Super Date of SDS: 25 July 2019 Prepared by: Technical Compliance Consultants (NZ) Ltd

Tel: 64 9 475 5240 www.techcomp.co.nz

Swallowed	Not applicable. LD50 (oral): = >5000mg/kg.	
Dermal	Not applicable.	
Inhalation	Not applicable.	
Eye Cause serious eye irritation.		
Skin	Causes mild skin irritation.	

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive	Not applicable.
Toxicity	
Germ Cell	Not applicable.
Mutagenicity	
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

Section 12. Ecotoxicological Information

This product is not known to be a hazard to the environment.

Product:	
Persistence and degradability	No data available
Bioaccumulation	No data available
Mobility in Soil	No data available
Other adverse effects	No data available

Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of drinking- water supplies.

Section 13. Disposal Considerations



Disposal Method:

Triple rinse container. Add rinsate to waste container for disposal. Cleaned packaging maybe offered for recycling or landfill in accordance with local regulations. Dispose of unwanted product as a hazardous material according to Local Regulations.

Precautions or methods to avoid: None known.

Section 14 Transport Information

This product is not classified as a Dangerous Good for transport in NZ; NZS 5433:2012

Section 15 Regulatory Information

EPA Approval Code: Fertilisers (subsidiary) - HSR002571

HSNO Classification: 6.3B, 6.4A

Product Name: WUXAL Super

Date of SDS: 25 July 2019

HSW (HS) Regulations 2017 and EPA Notices	Trigger Quantity
Certified Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	1000L(9.3C)
Emergency Response Plan	1000L (6.1D)
Secondary Containment	1000L (6.1D)
Restriction of Use	Only use for the intended purpose.

Prepared by: Technical Compliance Consultants (NZ) Ltd

Tel: 64 9 475 5240 www.techcomp.co.nz

Section 16 Other Information

Glossary

EC₅₀ Median effective concentration.
EEL Environmental Exposure Limit.
EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC₅₀ Lethal concentration that will kill 50% of the test organisms

inhaling or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible

authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017

2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.

3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).

4. Transport of Dangerous goods on land NZS 5433:2012

5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the Horticentre, if further information is required.

Issue Date: 25 July 2019 Review Date: 25 July 2024

Product Name: WUXAL Super Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 25 July 2019 Tel: 64 9 475 5240 www.techcomp.co.nz