

1/12

LUNA EXPERIENCE

Version 1 / NZ
102000021448

Revision Date: 21.02.2024
Print Date: 21.02.2024

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name LUNA EXPERIENCE

Product code (UVP) 84476838

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide EPA-Nr. HSR101563

1.3 Details of the supplier of the safety data sheet

Supplier Bayer New Zealand Limited

CropScience Division B:HIVE Building 74 Taharoto Rd Smales Farm Takapuna Auckland, 0622 New Zealand

Telephone 0800 428 246

Telefax (09) 441 8645

1.4 Emergency telephone no.

Emergency Number 0800 734 607 (24hr)

Global Incident Response

Hotline (24h)

+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classified as hazardous according to the criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2020 as amended

STOT RE 2

H373 May cause damage to organs through prolonged or repeated exposure.

Repr. 2

H361 Suspected of damaging fertility or the unborn child.

Aquatic Chronic 1

H410 Very toxic to aquatic life with long lasting effects.



2/12

LUNA EXPERIENCE

Version 1 / NZ
102000021448

Revision Date: 21.02.2024
Print Date: 21.02.2024

2.2 Label elements

Labelling in accordance with the Hazardous Substances (Safety Data Sheets) Notice 2020 as amended

Hazard label for supply/use required.





Signal word: Warning Hazard statements

H373 May cause damage to organs through prolonged or repeated exposure.

H361 Suspected of damaging fertility or the unborn child. H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No additional hazards known beside those mentioned.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Suspension concentrate (=flowable concentrate)(SC) Tebuconazole/Fluopyram 200:200 g/l

Hazardous components

Chemical name	CAS-No.	Conc. [%]
Tebuconazole	107534-96-3	17.70
Fluopyram	658066-35-4	17.70
Alkyl polysaccharide	68515-73-1	> 3.0 - < 10.0
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	< 3.0
1,2-Benzisothiazol-3(2H)-one	2634-33-5	> 0.0050 - < 0.050
reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	55965-84-9	> 0.00015 - < 0.0015
1,2-Propanediol	57-55-6	>= 1.0
Polyethylene-polypropylene copolymer	9003-11-6	>= 1.0

Further information

1,2-Benzisothiazol-	2634-33-5	M-Factor: 1 (acute)
1,2-0611215011118201-	2034-33-3	i wi-racioi. I (acute)
0 (01.1)		,
3(2H)-one		



3/12

LUNA EXPERIENCE

Version 1 / NZ

102000021448

Revision Date: 21.02.2024

Print Date: 21.02.2024

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

Inhalation Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

Skin contact Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. Call a physician

or poison control center immediately.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation

develops and persists.

Ingestion Rinse mouth. Do NOT induce vomiting. Call a physician or poison

control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. In case of ingestion gastric lavage should be

considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium

sulphate is always advisable. There is no specific antidote.

Contact the National Poisons and Hazardous Chemicals Information center in Dunedin, PO Box 913,

Dunedin. Phone 0800 POISON (0800 764 766).

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Water spray, Carbon dioxide (CO2), Alcohol-resistant foam, Sand

Unsuitable High volume water jet

5.2 Special hazards arising

from the substance or

mixture

In the event of fire the following may be released:, Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride,

Carbon monoxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective

equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. Wear self-

contained breathing apparatus and protective suit.



4/12

LUNA EXPERIENCE

Version 1 / NZ

102000021448

Revision Date: 21.02.2024

Print Date: 21.02.2024

Further information Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment.

6.2 Environmental

precautions

Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning upSoak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Collect and transfer the product into a properly labelled and tightly closed

container.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly

before using again. Garments that cannot be cleaned must be

destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Store in a place accessible by authorized persons only. Store in original container. Keep containers tightly closed in a dry, cool and well-

ventilated place. Keep away from direct sunlight. Protect from frost.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials HDPE (high density polyethylene)

Coex HDPE/EVOH/HDPE

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters



5/12

LUNA EXPERIENCE

Version 1 / NZ
102000021448

Revision Date: 21.02.2024
Print Date: 21.02.2024

Components	CAS-No.	Control parameters	Update	Basis
Tebuconazole	107534-96-3	0.2 mg/m3 (SK-ABS)		OES BCS*
Fluopyram	658066-35-4	0.34 mg/m3 (TWA)		OES BCS*
1,2-Propanediol	57-55-6	10 mg/m3 (TWA)	07 2011	NZ OEL
(Particulate.)				
1,2-Propanediol	57-55-6	474 mg/m3/150 ppm (TWA)	07 2011	NZ OEL
(Vapor and particulates.)		. ,		

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection Respiratory protection is not required under anticipated

circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

Hand protection Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the

contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot

be removed. Wash hands frequently and always before eating,

drinking, smoking or using the toilet.

Material Nitrile rubber

Rate of permeability > 480 min

Glove thickness > 0.4 mm

Protective index Class 6

Directive Protective gloves complying with EN

374.

Eye protection Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection Wear standard coveralls and Category 3 Type 6 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

General protective measures If product is handled while not enclosed, and if contact may occur:

Complete suit protecting against chemicals



6/12

LUNA EXPERIENCE

Odour Threshold

Version 1 / NZ Revision Date: 21.02.2024 102000021448 Print Date: 21.02.2024

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

No data available

Form suspension

Colour white to beige

Odour characteristic

pH 5.0 - 8.0 (100 %) (23 °C)

Melting point/range No data available

Boiling Point $101 \,^{\circ}\text{C}$ **Flash point** $> 101 \,^{\circ}\text{C}$

No flash point - Determination conducted up to the boiling point.

Flammability No data available

Auto-ignition temperature 440 °C

Thermal decomposition No data available

Minimum ignition energyNo data availableSelf-accelaratingNo data available

decomposition temperature

(SADT)

Upper explosion limitNo data availableLower explosion limitNo data availableVapour pressureNo data available

Evaporation rateNo data availableRelative vapour densityNo data availableRelative densityNo data available

Density ca. $1.13 \text{ g/cm}^3 (20 \text{ °C})$

Water solubility completely miscible

Partition coefficient: n-

octanol/water

Tebuconazole: log Pow: 3.7

Fluopyram: log Pow: 3.3

Viscosity, dynamicNo data availableViscosity, kinematicNo data availableSurface tension28 mN/m (25 °C)

Oxidizing properties No oxidizing properties

Explosivity Not explosive

92/69/EEC, A.14 / OECD 113

9.2 Other information Further safety related physical-chemical data are not known.



7/12

LUNA EXPERIENCE

Version 1 / NZ

102000021448

Revision Date: 21.02.2024

Print Date: 21.02.2024

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

freezing

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous

decomposition products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 2,000 mg/kg

Test conducted with a similar formulation.

No deaths

Acute inhalation toxicity LC50 (Rat) > 1.9 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol. Highest attainable concentration.

No deaths

Test conducted with a similar formulation.

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kg

Test conducted with a similar formulation.

No deaths

Skin corrosion/irritation No skin irritation (Rabbit)

Test conducted with a similar formulation.

Serious eye damage/eye

irritation

Irritating to eyes. (Rabbit)

Respiratory or skin Skin: Non-sensitizing. (Mouse)

sensitisation OECD Test Guideline 429, local lymph node assay (LLNA)

Test conducted with a similar formulation.

Assessment STOT Specific target organ toxicity - single exposure

Tebuconazole: Based on available data, the classification criteria are not met. Fluopyram: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure



8/12

LUNA EXPERIENCE

Version 1 / NZ Revision Date: 21.02.2024 102000021448 Print Date: 21.02.2024

Tebuconazole did not cause specific target organ toxicity in experimental animal studies. Fluopyram did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Fluopyram was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Tebuconazole caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man. Fluopyram caused at high dose levels an increased incidence of tumours in rats in the following organ(s): Liver.

Fluopyram caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Thyroid.

The tumours seen with Fluopyram were caused through a non-genotoxic mechanism, which is not relevant at low doses. The mechanism that triggers these tumours is not relevant to humans.

Assessment toxicity to reproduction

Tebuconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Tebuconazole is related to parental toxicity.

Fluopyram caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Fluopyram is related to parental toxicity.

Assessment developmental toxicity

Tebuconazole caused developmental toxicity only at dose levels toxic to the dams. Tebuconazole caused an increased incidence of post implantation losses, an increased incidence of non-specific malformations.

Fluopyram caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Fluopyram are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment The substance/m

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 21.7 mg/l

static test; Exposure time: 96 h

Test conducted with a similar formulation.

Toxicity to aquatic EC50 (Daphnia magna (Water flea)) 56.9 mg/l



9/12

LUNA EXPERIENCE

Version 1 / NZ Revision Date: 21.02.2024 102000021448 Print Date: 21.02.2024

invertebrates Exposure time: 48 h

Test conducted with a similar formulation.

Chronic toxicity to aquatic

invertebrates

NOEC (Daphnia (water flea)): 0.01 mg/l

Exposure time: 21 d

The value mentioned relates to the active ingredient tebuconazole.

Toxicity to aquatic plants EC50 (Raphidocelis subcapitata (freshwater green alga)) 17.7 mg/l

Growth rate; Exposure time: 72 h

Test conducted with a similar formulation.

EC50 (Lemna gibba (gibbous duckweed)) 0.237 mg/l

Growth rate; Exposure time: 7 d

The value mentioned relates to the active ingredient tebuconazole.

12.2 Persistence and degradability

Biodegradability Tebuconazole:

Not rapidly biodegradable

Fluopyram:

Not rapidly biodegradable

Koc Tebuconazole: Koc: 769

Fluopyram: Koc: 279

12.3 Bioaccumulative potential

Bioaccumulation Tebuconazole: Bioconcentration factor (BCF) 35 - 59

Does not bioaccumulate.

Fluopyram: Bioconcentration factor (BCF) 18

Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Tebuconazole: Slightly mobile in soils

Fluopyram: Moderately mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Tebuconazole: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Fluopyram: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological

information

No other effects to be mentioned.



10/12

LUNA EXPERIENCE

Version 1 / NZ Revision Date: 21.02.2024 102000021448 Print Date: 21.02.2024

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product Dispose of this product only by using according to the label, or at an

approved landfill or other approved facility.

Contaminated packaging Triple rinse containers. Recycle if possible. If allowed under local

authority, burn if circumstances, especially wind direction permit, otherwise crush and bury in an approved local authority facility. Do not

use container for any other purpose.

SECTION 14: TRANSPORT INFORMATION

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

ADR/RID/ADN

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TEBUCONAZOLE SOLUTION)

14.3 Transport hazard class(es)
14.4 Packaging Group
14.5 Environm. Hazardous Mark
YES

Hazchem Code 3Z

IMDG

14.1 UN number 3082

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TEBUCONAZOLE SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packaging Group III
14.5 Marine pollutant YES

IATA

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TEBUCONAZOLE SOLUTION)

14.3 Transport hazard class(es)
14.4 Packaging Group
14.5 Environm. Hazardous Mark
YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.



11/12

LUNA EXPERIENCE

Version 1 / NZ
102000021448

Revision Date: 21.02.2024
Print Date: 21.02.2024

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

HSNO approval-Nr. HSR101563

HSNO Controls See www.epa.govt.nz

ACVM Reg. P9947

ACVM Condition See www.foodsafety.govt.nz

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

ECx Effective concentration to x %

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code)

ICx Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

TWA Time weighted average

UN United Nations

WHO World health organisation

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.

Reason for Revision: The following sections have been revised: Section 3: Composition /

Information on Ingredients. Section 8: Exposure Controls / Personal

Protection.



LUNA EXPERIENCE

Version 1 / NZ 102000021448 **12/12**Revision Date: 21.02.2024
Print Date: 21.02.2024

Changes since the last version are highlighted in the margin. This version replaces all previous versions