

SAFETY DATA SHEET

According to HSNO Hazardous Substances (Safety Data Sheets) Notice 2017

Section 1. Identification of the material and the supplier

Product: Procym
Product Use: Fungicide

Restriction of Use: Refer to Section 15

New Zealand Supplier: Agrisource 2000 Ltd
Address: 45 Kitchener Road
Pukekohe, Auckland

Telephone: +64 9 237 0422

Emergency No: 0800 764 766 (National Poison Centre)

Date of SDS Preparation: 24 November 2023

Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No: HSR000488

Pictograms





Signal Word: Warning

GHS Classification and Category	Hazard Code	Hazard Statement
Reproductive toxicity Cat. 2	H361	Suspected of damaging fertility or the unborn child.
Hazardous to the aquatic environment chronic Cat. 2	H411	Toxic to aquatic life with long lasting effects.

Prevention Code	Prevention Statement
P103	Read carefully and follow all instructions.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P273	Avoid release to the environment [if this is not the intended use].
P280	Wear protective clothing [as detailed in SDS Section 8].

Response Code	Response Statement
P391	Collect spillage.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.

Storage Code	Storage Statement
P405	Store locked up.

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Section 3. Composition / Information on Hazardous Ingredients

Ingredients	Wt%	CAS NUMBER.
Procymidone	50%	32809-16-8
Propylene glycol	1-10%	57-55-0
Non hazardous ingredients	To bal	

Section 4.	First Aid Measures
Jection T.	i ii st Aid riedsules

Routes of Exposure:

If in Eyes Check for and remove any contact lenses. Immediately flush eyes with

running water for at least 15 minutes, keeping eyelids open. Cold water

may be used. Get medical attention.

If on Skin In case of contact, immediately flush skin with plenty of water and soap.

Remove contaminated clothing. Cold water may be used. Wash clothing

before reuse. Get medical attention.

If Swallowed Do NOT induce vomiting unless directed to do so by medical personnel.

Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if

symptoms appear.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes

difficult.

Most important symptoms and effects, both acute and delayed

Symptoms: Suspected of damaging fertility or the unborn child.

Section 5. Fire Fighting Measures

Hazard Type	This product is non-flammable.
Hazards from decomposition products	May give off toxic fumes during fire.
Suitable Extinguishing media	Water fog, extinguishing powder, foam, carbon dioxide.
Precautions for firefighters and special protective clothing	Wear protective clothing and self-contained breathing apparatus. Do not breathe smoke or gases.
HAZCHEM CODE	2Z

Section 6. Accidental Release Measures

Avoid contact with skin and eyes. Do not inhale spray. Wear long sleeved shirt, long pants, waterproof gloves and safety goggles or face shield. Do not eat, drink or smoke when using. Wash hands and face before meals and after work.

Do NOT allow spilled product or wash solution to enter sewers, drains, dams, creeks or any other waterways.

In the case of spillage, Keep out unprotected persons. Contain spilled material and absorb with sand, soil or absorbent granules. Vacuum or shovel waste into a sealable drum. Keep material out of drains, streams and sewers. Dispose of drummed wastes in accordance with the requirements of Local Authorities detailed in Section 13.

Section 7. Handling and Storage

Precautions for Handling:

- Read carefully and follow all instructions.
- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Avoid release to the environment [if this is not the intended use].
- Wear protective clothing [as detailed in SDS Section 8].
- When mixing or applying, avoid breathing dust and contact with skin and eyes.
- Do not eat or drink while using.
- Wash hands and face before meals and after work.
- Wash protective clothing after work.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Store in original container tightly closed and in a locked, dry, cool, well ventilated area, away from feed, seeds and foodstuffs.
- Keep out of reach of children.
- Store in accordance with the New Zealand Standard for the Management of Agrichemicals (NZS8409).

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL Substance ppm mg/m³ ppm mg/m³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 13TH EDITION.

Engineering Controls

Ensure ventilation is adequate, generally natural ventilation is adequate.

Personal Protection Equipment



Eyes	Wear chemical goggles or face shield.
Skin	When opening the container, preparing spray and using prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length PVC gloves and goggles.
Respiratory	Where insufficient ventilation, use suitable respiratory protection.
General	Avoid inhaling aerosols and vapours. Avoid contact with eyes and skin.
Hygiene	Store work clothes and street clothes separately. Wash hand before breaks

and at the end of work. Change contaminated protective clothing. Keep away from food, drinks and tobacco.

Section 9 Physical and Chemical Properties

Appearance	Liquid
Colour	White
Odour	Faint
Odour Threshold	Not available
pH	8 (CIPAC MT 75.1)
Boiling Point	100°C
Melting /Freezing Point	Not available
Flash Point	Not available
Flammability	Not flammable
Upper and Lower	Not available
Explosive Limits	
Vapour Pressure	Not available
Vapour Density	Not available
Specific Gravity or	1.14 g/ml
Density	
Solubility	Not available
Octanol/water partition	Not available
coefficient:	
Auto-ignition	Not available
Temperature	
Decomposition	Not available
Temperature	
Kinematic Viscosity	Not available
Octanol/Water Particle	Not available
Coefficient	

Section 10. Stability and Reactivity

Stability of Substance	Stable under normal ambient and anticipated storage conditions (0° - 30° C.)
Possibility of hazardous reactions	None expected.
Conditions to Avoid	Extreme heat.
Incompatible Materials	Strong acids, alkalis and other oxidizing agents.
Hazardous Decomposition	Will not occur under normal storage and recommended
Products	conditions.

Section 11 Toxicological Information

Acute Effects:

Swallowed	Not applicable. LD50: 6800mg/kg (male rat)
Dermal	Not applicable.
Inhalation	Not applicable.
Eye	Not applicable.
Skin	Not applicable.

Chronic Effects:

Carcinogenicity	Not applicable.	
Reproductive	Suspected of damaging fertility or the unborn child.	
Toxicity		

Germ Cell	Not applicable.
Mutagenicity	
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

Section 12. Ecotoxicological Information

Toxic to aquatic life with long lasting effects.

Product:	
Persistence and degradability	No data available
Bioaccumulation	No data available
Mobility in Soil	No data available
Other adverse effects	No data available

Data for technical active ingredient:

Toxicity to fish: LC50 = 7.2 mg/L, 96 hr (Rainbow trout) Toxicity to daphnia: EC50 = 7.2 mg/L, 4.2mg/L daphnia magna

Toxcity to algae: LC50 (96 hr) 4.7mg/L

Toxcity to bees: Not toxic

Toxicity to Earthworms: LC50 (14 d) >1.000mg/kg dry soil

Do not allow to enter waterways.

Section 13. Disposal Considerations

Disposal Method:

Ideally, the product should be used for its intended purpose. If there is a need to dispose of the product, follow the recommendations in NZS 8409.

Container Disposal: Triple rinse container and add rinsate to spray tank. Dispose of cleaned container at your local AGRECOVERY container collection site.

Precautions or methods to avoid: Avoid release to the environment.

Section 14 Transport Information

This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2012



Road, Rail, Sea and Air Transport

UN No	3082	
Class - Primary	9	
Packing Group	III	
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,	
	LIQUID, N.O.S. (Procymidone)	
Marine Pollutant	Yes	
Special Provisions	. 5,	
	transported as a non-DG as long as the product packaging is still	
	labelled as per DG requirements and the driver is given safety	
	information in accordance with Chapter 3.4 of the UNRTDG.	

Section 15 Regulatory Information

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No: HSR000488

HSW (HS) Regulations 2017	Trigger Quantity
Signage Trigger Quantities (Schedule 3)	1000L
Emergency Response Plan (Schedule 5)	1000L
Secondary Containment (Schedule 5)	1000L
Tracking (Schedule 26)	Not required
Certified Handlers	Not required
Location Certificate	Not required
Restrictions of use	Refer to EPA website for full control details www.epa.govt.co.nz
ACVM Registration Number (See www.foodsafety.govt.nz for registration Conditions).	P9256

Section 16 Other Information

Glossary

EC₅₀ Median effective concentration.
EEL Environmental Exposure Limit.
EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC₅₀ Lethal concentration that will kill 50% of the test organisms

inhaling or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible

authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 edition.
- Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2020
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made. Please contact the Agrisource 2000 Ltd, if further information is required.

Issue Date: 24 November 2023 Review Date: 24 November 2028