

SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

WUXAI[®] Ferro Product:

22227 Product No:

Restriction of Use: Refer to Section 15

New Zealand Supplier: Horticentre Ltd 10 Firth Street Address:

Drury, 2113

Telephone: +64 9 294 8453 Fax Number: +64 9 294 7272

Emergency Telephone: 0800 764 766 (National Poison Centre)

Date of SDS Preparation: 25 July 2019 v2

Section 2. **Hazards Identification**

The manufacturer has stated this substance is NON hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

Composition / Information on Ingredients Section 3.

No hazardous product as specified in Directive 67/548/EEC.

Section 4. **First Aid Measures**

Routes of Exposure:

If in Eyes Rinse cautiously with water for several minutes. If eye irritation occurs:

Get medical advice.

If on Skin Wash with plenty of soap and water. If skin irritation occurs: get medical

advice.

If Swallowed Immediately rinse the mouth with water, then drink a lot of water. Consult

the doctor in case of persistent trouble. Get medical assistance if you feel

unwell.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

> remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if

breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms: None known

Section 5. Fire Fighting Measures

Hazard Type	Non Flammable
Hazards from	The material itself is hardly inflammable. If larger quantities of the

Product Name: Wuxal Ferro Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 25 July 2019 Tel: 64 9 475 5240 www.techcomp.co.nz

decomposition	product are on fire, the formation of nitrous gases and ammonia is
products	possible.
Suitable	Water, carbon dioxide, dry extinguishing media, foam.
Extinguishing	
media	
Precautions for	Do not stay in dangerous zone without suitable chemical protecting
firefighters and	clothes and self-contained breathing apparatus. Contain escaping
special protective	vapours with water.
clothing	
HAZCHEM CODE	None allocated

Section 6. Accidental Release Measures

Remove soiled clothes. Wear protective clothing.

Take up with absorption media. Disposal of contaminated material as waste according to section 13.

Ensure that the product does not reach the ground-water, water bodies or the drainage system.

Section 7. Handling and Storage

Handling

• Wear protective clothing.

Storage

- Protect the product from impurity or drying up.
- Do not store in metal containers (corrosion risk).
- Keep containers tightly closed.
- Do not store together with food and luxury food, beverage and animal feed.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance ppm mg/m³ ppm mg/m³

No ingredient has exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2017 9TH EDITION.

Engineering

Controls Ensure adequate ventilation is available to reduce exposure

Personal Protection Equipment







Eyes	Wear safety glasses.	
Hands	Chemical resistance rubber or plastic gloves.	
Skin	Closed working clothes.	
Respiratory	Not required.	

Product Name: Wuxal Ferro Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 25 July 2019 Tel: 64 9 475 5240 www.techcomp.co.nz

Hygiene	Do not eat and drink at work. Remove immediately soiled and soaked
	clothes. Wash hands and face after work.

Section 9 **Physical and Chemical Properties**

Appearance	Aqueous crystal suspension
Colour	Dark Olive-Green
Odour	Product specific
Odour Threshold	Not applicable
pH (original state)	Approx 6.5
pH at 16g/l H2O and 20°C:	Approx 6.7
Change in physical	> 100°C evaporation of water
state	
Boiling Point	Not applicable
Melting Point	Not applicable
Freezing Point	Not applicable
Flash Point	Not applicable
Flammability	Not applicable
Upper and Lower	Not applicable
Explosive Limits	
Explosive hazards	The product is not spontaneously inflammable.
Vapour Pressure	Not applicable
Vapour Density	Not applicable
Density @ 20°C	approx. 1.4 g/cm ³
Water Solubility @ 20°C	Approx 200 g/l
Partition Coefficient:	Not applicable
Self ignition	Not applicable
Decomposition	Not applicable
Temperature	
Kinematic Viscosity	Not applicable
Particle Characteristics	Not applicable

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Possibility of hazardous	Reacts with alkalis setting ammonia free.
reactions	
Conditions to Avoid	Temperatures above +30° C. Keep the product from drying up.
Incompatible Materials	Alkalis.
Hazardous Decomposition	No decomposition if correctly used.
Products	Thermic decomposition: Nitrous gases and ammonia.

Section 11 **Toxicological Information**

Acute Effects:

Swallowed	Not triggered, but the following applies after uptake of large quantities: Nausea and vomiting. Oral for this product = LD50 (oral): =>5000mg/kg = Non Hazardous
Dermal	Not applicable.
Inhalation	Not triggered however slightly irritations of the mucous membranes and coughing.
Eye	Not applicable.
Skin	Not applicable.

Chronic Effects:

Prepared by: Technical Compliance Consultants (NZ) Ltd Product Name: Wuxal Ferro Date of SDS: 25 July 2019

Tel: 64 9 475 5240 www.techcomp.co.nz

Carcinogenicity	Not applicable.
Reproductive	Not applicable.
Toxicity	
Germ Cell	Not applicable.
Mutagenicity	
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

Section 12. Ecotoxicological Information

This product is not known to be hazardous to the environment.

Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of drinking- water supplies.

Section 13. Disposal Considerations



Disposal Method:

Triple rinse container. Cleaned packaging maybe offered for recycling or landfill in accordance with local regulations.

Precautions or methods to avoid: Dispose of unwanted product as a hazardous material according to Local Regulations.

Section 14 Transport Information

This product is not classified as a Dangerous Good for transport in NZ; NZS 5433:2012

Section 15 Regulatory Information

The manufacturer has stated this substance is NON hazardous according to the EPA Hazardous Substances (Classification) Notice 2017.

Section 16 Other Information

Glossary

EC₅₀ Median effective concentration.
EEL Environmental Exposure Limit.
EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC₅₀ Lethal concentration that will kill 50% of the test organisms

inhaling or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible

authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017

2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.

Product Name: Wuxal Ferro Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 25 July 2019 Tel: 64 9 475 5240 www.techcomp.co.nz

- Assigning a hazardous substance to a HSNO Approval (Aug 2013). 3.
- Transport of Dangerous goods on land NZS 5433:2012 4.
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-todate information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, if further information is required.

Issue Date: 25 July 2019 Review Date: 25 July 2024

Product Name: Wuxal Ferro Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 25 July 2019

Tel: 64 9 475 5240 www.techcomp.co.nz