

SAFETY DATA SHEET

Section 1: IDENTIFICATION

Product Name:	APRON XL
Design Code:	A9642C
Recommended Use:	Fungicide, Seed Treatment
Company Details:	Syngenta Crop Protection Limited
Address:	Tower II, Level 7, 110 Symonds Street Private Bag 92618, Symonds Street AUCKLAND NEW ZEALAND
Telephone number:	(weekdays) 09 306 1500
Emergency Telephone number:	(24 Hours) 0800 734 607
National Poisons & Hazchem Information Centre :	0800 POISON (0800 764 766)

Section 2: HAZARDS IDENTIFICATION

Hazard classification:	6.1D, 6.4A, 6.5B, 6.9B, 9.1C, 9.3C
Priority Identifier:	WARNING KEEP OUT OF REACH OF CHILDREN
Secondary Identifiers:	<p>6.1D = May be harmful if swallowed, inhaled or absorbed through the skin.</p> <p>6.4A = May cause eye irritation</p> <p>6.5B = May cause sensitisation from prolonged skin contact.</p> <p>6.9B = May cause liver damage from repeated oral exposure at high doses.</p> <p>9.1C = Harmful to aquatic life.</p> <p>9.3C = Harmful to terrestrial vertebrates.</p>

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

Mixture:		
Chemical Identity of ingredients:		
Ingredient	CAS no.	Content (% w/w)
Metalaxyl-M	70630-17-0	35
Poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl]-hydroxy-	99734-09-5	<=2.5-<10
1,2-benzisothiazol-3(2H)-one	2634-33-5	>=0.0025=<0.025
other ingredients determined not to be hazardous	-	to 100%

Section 4: FIRST AID MEASURES

Description of First Aid measures:	
General Advice:	For advice contact the National Poisons Centre on 0800 POISON (0800 764 766) or a doctor immediately. Begin artificial respiration if the victim is not breathing. Use mouth to nose rather than mouth to mouth. Obtain medical attention.
If inhaled:	<p>Move the victim to fresh air.</p> <p>If breathing is irregular or stopped, administer artificial respiration.</p> <p>Keep patient warm and at rest.</p> <p>Call a Doctor or the National Poisons Centre immediately.</p>

In case of skin contact:	Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a doctor. Wash contaminated clothing before re-use.
In case of eye contact:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses (if present). Immediate medical attention is required.
If swallowed:	If swallowed seek medical advice immediately and show the container or label. DO NOT induce vomiting.
Important symptoms and effects, both acute and delayed:	
Symptoms:	No symptoms known or expected.
Indication of any immediate medical attention and special treatment needed:	
Treatment:	There is no specific antidote available. Treat symptomatically.

Section 5: FIRE-FIGHTING MEASURES

Extinguishing media:	
Suitable extinguishing media:	Small fires: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Large Fires: Alcohol resistant foam or water spray.
Unsuitable extinguishing media:	Do not use a solid water stream as it may scatter and spread fire.
Special hazards arising from the substance or mixture:	
Specific hazards during fire-fighting:	As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10) Exposure to decomposition products may be a hazard to health.
Advice for firefighters:	
Special protective equipment for firefighters:	Wear full protective clothing and self-contained breathing apparatus.
Further information:	Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	
Refer to protective measures listed in Sections 7 and 8. Avoid dust formation.	
Environmental Precautions:	
Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.	

Methods and material for containment and cleaning up:

Contain spillage, and then collect with non-combustible absorbent material, (eg, sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local regulations (see section 13).

Clean contaminated surface thoroughly.

If the product contaminates rivers and lakes or drains inform respective authorities.

Reference to other sections:

Refer to disposal considerations listed in Section 13.

Refer to protective measures listed in sections 7 and 8.

Section 7: HANDLING AND STORAGE

Precautions for Safe handling:

Advice on safe handling:

No special protective measures against fire required.

Avoid contact with skin and eyes.

When using do not eat, drink or smoke.

For personal protection see section 8.

Conditions for safe storage, including any incompatibilities:

Requirements for storage areas and containers:

No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of reach of children. Keep away from food, drink and animal feeding stuffs.

Further information on storage stability:

Physically and chemically stable for at least 2 years when stored in the original unopened sales container at ambient temperatures.

Specific end use(s)

Specific use(s)

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Section 8: EXPOSURE CONTROL / PERSONAL PROTECTION

Control Parameters

Occupational Exposure Limits:

Components	CAS No	Exposure limit	Type of exposure limit	Source
Metalaxyl-M	70630-17-0	5 mg/m ³	TWA (inhalable dust)	Syngenta

Exposure controls

Engineering measures:

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

Personal Protective Protection:

Eye protection:

Tightly fitting goggles.

Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.

Hand protection:

Remarks:

No special protective equipment required

Skin and body protection:

No special protective equipment normally required.

Select skin and body protection based on the physical job requirements.

Respiratory protection:	No personal respiratory protective equipment normally required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Protective measures:	The use technical measures should always have priority over the use of personal protective equipment. When selecting personal protective equipment, seek appropriate professional advice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties:	
Appearance:	Liquid
Colour:	Light red to dark red
Odour:	weak
Odour threshold:	No data
pH value	3-7, (20-25°), concentration: 1% w/v
Melting point / freezing point:	No data
Initial boiling point and boiling range:	>90°C (1,013.25 hPa)
Flash point:	103°C
Flammability:	No data
Upper / lower flammability / explosive limits:	No data
Vapour pressure:	No data
Vapour Density:	No data
Density:	1.096 g/cm ³ (25°C)
Solubility in other solvents:	Miscible
Partition co-efficient: n-octanol / water:	Log Pow: 1.71 (25°C)
Autoignition temperature	435°C
Decomposition temperature:	No data
Dynamic viscosity:	44.2 mPa.s (20°C) 16.2 mPa.s (40°C)
Explosive properties:	Not explosive
Oxidising properties:	Not oxidising
Surface tension:	27.1 mN/m, 100%, 20°C

Section 10: STABILITY AND REACTIVITY

Reactivity:	None reasonably foreseeable.
Chemical Stability:	The product is stable when used in normal conditions.
Possibility of Hazardous Reactions:	No dangerous reaction known under conditions of normal use.
Conditions to Avoid	No decomposition if used as directed.
Incompatible Materials:	No substances are known which lead to the formation of hazardous substances or thermal reactions.
Hazardous Decomposition Products:	No hazardous decomposition products are known.

Section 11: TOXICOLOGICAL INFORMATION

HSNO Classifications:	
6.1D =	May be harmful if swallowed, inhaled or absorbed through the skin.
6.4A =	May cause eye irritation
6.5B =	May cause sensitisation from prolonged skin contact.
6.9B =	May cause liver damage from repeated oral exposure at high doses.

Acute toxicity (product)	
Swallowed:	LD ₅₀ >1000 - <3000 mg/kg (rat, female)
Dermal absorption:	LD ₅₀ >4000 mg/kg (rat, male and female)
Inhaled:	Not applicable
Aspiration hazard:	Not classified
Respiratory irritation:	Not classified
Skin corrosion / irritation:	NON-IRRITANT (rabbit)
Eye damage / irritation:	NON-IRRITANT (rabbit)
Respiratory or Skin Sensitisation:	SENSITISER (HSNO Classification)
Chronic / Long Term Effects (active ingredient)	
Germ cell mutagenicity:	Animal testing did not show any mutagenic effects.
Carcinogenicity:	No evidence of carcinogenicity in animal studies.
Reproductive toxicity:	No toxicity to reproduction.
Specific Organ toxicity:	<i>Single exposure:</i> The substance or mixture is not classified as specific target organ toxicant, single exposure. <i>Repeated exposure:</i> The substance or mixture is classified as specific target organ toxicant, repeated exposure, Class 6.9B.
Narcotic Effects:	Not classified

Section 12: ECOLOGICAL INFORMATION

HSNO Classifications:	
9.1C =	Harmful to aquatic organisms.
9.3C =	Harmful to terrestrial vertebrates.
Ecotoxicity Effects – aquatic (product)	
Acute toxicity to fish:	LC ₅₀ (96 h) = >100 mg/L (<i>Onchorhynchus mykiss</i> [rainbow trout])
Toxicity to daphnia and other aquatic invertebrates:	EC ₅₀ (48h) = 54.4 mg/L (<i>Daphnia magna</i> (water flea))
Toxicity to algae:	EC ₅₀ (96 h) = >100 mg/L (<i>Desmodesmus subspicatus</i> [green algae]) NOEC (72h) = 32 mg/L (<i>Desmodesmus subspicatus</i> [green algae])
Ecotoxicity Effects – terrestrial (active ingredient)	
Toxicity to Birds:	LD ₅₀ (14 d) = 981-1419 mg/kg (bobwhite quail) LC ₅₀ (8 d) = >5620 mg/kg (bobwhite quail)
Toxicity to soil dwelling organisms:	LC ₅₀ (14 days) = 830 mg/kg (earthworms)
Toxicity to Bees:	LD ₅₀ (48 h; contact) = 25 µg/bee
Persistence and degradability:	
Biodegradability:	Not readily biodegradable
Stability in water:	Degradation half-life: 22.4-47.5 d Not persistent in water.
Bioaccumulative potential:	
Bioaccumulation:	Low bioaccumulation potential
Partition coefficient: n-octanol/water):	Log Pow: 1.71 (25°C)
Mobility in soil:	
Distribution among environmental compartments:	Metalaxyl-M has a range of low to very high mobility in soil depending on soil type.
Stability in soil:	Dissipation time: <50 d Percentage dissipation: 50% Not persistent in soil.
Other adverse effects:	
Results of PBT and vPvB assessment (product):	This substance contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Section 13: DISPOSAL CONSIDERATIONS

Product Disposal:	DO NOT contaminate ponds, waterways or ditches with chemical or used containers. DO NOT dispose of waste into sewer. Dispose of this product only by using according to the label. Otherwise, dispose of waste at an approved landfill or other approved facility that will ensure the substance does not exceed the tolerable exposure limit (TEL) or environmental exposure limit (EEL), where relevant, or will treat the substance so that it is rendered no longer hazardous.
Container Disposal:	Ensure the container is empty. Triple rinse empty container and add rinsate to the spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise crush and bury in a suitable landfill. DO NOT reuse this container for any other purpose.

Section 14: TRANSPORT INFORMATION

Rail / Road (NZS 5433)	Not classified as a dangerous good.
Sea (IMDG-Code)	Not classified as a dangerous good.
	MARINE POLLUTANT: No
Air (ICAO/IATA)	Not classified as a dangerous good.

Section 15: REGULATORY INFORMATION

HSNO Approval Number:	HSR000724
Tolerable Exposure Limit or Environmental Exposure Limit:	None set at this time.
Required Regulatory Controls:	
Certified handler:	No
Tracking:	No
Record Keeping:	No
ACVM Registration:	P 3289
ACVM Controls:	See www.foodsafety.govt.nz/industry/acvm for registration conditions.
International Agreements related to the substance (eg, Montreal Protocol, Stockholm Convention or Rotterdam Convention):	

Section 16: OTHER INFORMATION

Date of SDS Preparation / Review:	6 March 2018
Version number of SDS:	5
Key / Legend to abbreviations and acronyms used:	
AICS - Australian Inventory of Chemical Substances;	MARPOL - International Convention for the Prevention of Pollution from Ships;
ANTT - National Agency for Transport by Land of Brazil;	n.o.s. - Not Otherwise Specified;
ASTM - American Society for the Testing of Materials;	Nch - Chilean Norm;
bw - Body weight;	NO(A)EC - No Observed (Adverse) Effect Concentration;
CMR -Carcinogen, Mutagen or Reproductive Toxicant;	NO(A)EL - No Observed (Adverse) Effect Level;
CPR - Controlled Products Regulations;	NOELR - No Observable Effect Loading Rate;
DIN - Standard of the German Institute for Standardisation;	NOM - Official Mexican Norm;
DSL - Domestic Substances List (Canada);	NTP - National Toxicology Program;
ECx - Concentration associated with x% response;	NZIoC - New Zealand Inventory of Chemicals;
ELx - Loading rate associated with x% response;	OECD - Organization for Economic Co-operation and
EmS - Emergency Schedule;	

ENCS - Existing and New Chemical Substances (Japan);
ErCx - Concentration associated with x% growth rate response;
ERG - Emergency Response Guide;
GHS - Globally Harmonized System;
GLP - Good Laboratory Practice;
IARC - International Agency for Research on Cancer;
IATA - International Air Transport Association;
IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk;
IC50 - Half maximal inhibitory concentration;
ICAO - International Civil Aviation Organization;
IECSC - Inventory of Existing Chemical Substances in China;
IMDG - International Maritime Dangerous Goods;
IMO - International Maritime Organization;
ISHL - Industrial Safety and Health Law (Japan);
ISO - International Organisation for Standardization;
KECI - Korea Existing Chemicals Inventory;
LC50 - Lethal Concentration to 50 % of a test population;
LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose);

Development;
OPPTS - Office of Chemical Safety and Pollution Prevention;
PBT - Persistent, Bioaccumulative and Toxic substance;
PICCS - Philippines Inventory of Chemicals and Chemical Substances;
(Q)SAR - (Quantitative) Structure Activity Relationship;
REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals;
SADT - Self-Accelerating Decomposition Temperature;
SDS - Safety Data Sheet;
TCSI - Taiwan Chemical Substance Inventory;
TDG - Transportation of Dangerous Goods;
TSCA - Toxic Substances Control Act (United States);
UN - United Nations;
UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods;
vPvB - Very Persistent and Very Bioaccumulative;
WES - Workplace Exposure Standard (Worksafe NZ)
WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the test.

This version replaces all previous versions.

PRODUCT NAMES are a trademark or registered trademark of a Syngenta Group Company.