

1. IDENTIFICATION

Product Name	Copper Sulphate Pentahydrate
Other Names	Copper sulfate, pentahydrate; Sulfuric acid, copper(2+) salt (1:1), pentahydrate
Uses	<p>Uses by worker in industrial setting: Absorbents - Ceramics - Coating and Inks - Cosmetics - Electroplating and Galvanic (including use in electronics, printed wiring boards, engraving/lithography, metal surface treatment, wire coating) - Fertilizer - Glass - Laboratory Chemicals - Lubricants and Greases - Leather dyes - Mineral Flotation - Raw material for non-ferrous smelting - Non Metal surface treatment - Pigments - Processing aids - Putties, fillers, construction chemicals - Polishes and waxes - Photochemicals - Raw material for production of other compounds and fine chemicals - Rubber and plastic - Washing and clearing products - Catalyst - Textile dyes - Adhesives - Water treatment</p> <p>Uses by professional workers: Coating and Inks - Ceramics - Electroplating and Galvanic (including use in electronics, printed wiring boards, engraving/lithography, metal surface treatment, wire coating) - Fertilizer - Glass - Laboratory Chemicals - Lubricants and Greases - Putties, fillers, construction chemicals - Photochemicals -- Polishes and waxes - Rubber and plastic - Adhesives</p> <p>Uses by consumers: Coating and Inks - Ceramic - Cosmetics - Fertilizer - Glass - Laboratory Chemicals - Lubricants and Greases - Putties, fillers, construction chemicals - Photochemicals - Polishes and waxes - Rubber and plastic - Washing and clearing products - Catalyst - Textile dyes - Leather dyes - Adhesives</p>
Chemical Family	No Data Available
Chemical Formula	CuSO ₄ .5H ₂ O
Chemical Name	Copper Sulphate Pentahydrate
Product Description	No Data Available

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Pty Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Pty Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	2132A E. Dominguez Street Carson CA 90810 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	No. 8, Block G, Ground Floor, Taipan 2 Jalan PJU 1A/3 Ara Damansara 47301, Petaling Jaya, Selangor, Malaysia	+60-3-7843-6833

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

2. HAZARD IDENTIFICATION

Poisons Information Centre	New Zealand	131126
Poisons Schedule (Aust)	Australia	6 1800-127406 +64-4-9179888
Chemical Globally Harmonised System	Malaysia	+64-4-9179888
Chemical	New Zealand	0800-243622 +64-4-9179888
Hazard Classification	Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of	
National Poisons Centre	New Zealand	0800-764766

Hazard Categories

USA & Canada
 Acute Toxicity (Oral) - Category 4
 Skin Corrosion/Irritation - Category 2
 Serious Eye Damage/Irritation - Category 2A
 Acute Hazard To The Aquatic Environment - Category 1
 Long-term Hazard To The Aquatic Environment - Category 1

1-800-424-9300 CN723420
 +1-703-527-3887

Pictograms



Signal Word

Warning

Hazard Statements

H302 Harmful if swallowed.
H319 Causes serious eye irritation.
H315 Causes skin irritation.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

General	P102	Keep out of reach of children.
Prevention	P280	Wear protective gloves/eye protection/face protection.
	P273	Avoid release to the environment.
Response	P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337 + P313	If eye irritation persists: Get medical advice/attention.
	P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
Disposal	P501	Dispose of contents/container in accordance with local / regional / national / international regulations.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification

NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

HSNO Classifications

Health Hazards	6.1D	Substances that are acutely toxic - Harmful
	6.3A	Substances that are irritating to the skin
	6.4A	Substances that are irritating to the eye
	6.5B	Substances that are contact sensitisers
	6.9B	Substances that are harmful to human target organs or systems
Environmental Hazards	9.1A	Substances that are very ecotoxic in the aquatic environment
	9.3C	Substances that are harmful to terrestrial vertebrates

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Copper (II) Sulphate Pentahydrate	No Data Available	7758-99-8	>98.0 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed	If swallowed seek immediately for medical advice. Show this safety data sheet or the label.
Eye	Wash immediately with plenty of water for at least 15 minutes. Seek immediately for medical advice
Skin	Take off the contaminated clothes and wash with soap and plenty of water all the contaminated parts of the body. In case of irritation seek for medical advice.
Inhaled	If possible reduce exposure using fresh air. Remove from exposure take the person in a well aerated place and calm. Seek for medical advice.
Advice to Doctor	Therapy: Gastric lavage with milk-albumin solution, If the copper level in blood is high use chelants, penicillamine if the oral via is practicable otherwise CaEDTA intravenous and BAL intramuscular; for the remainder symptomatic therapy.
Medical Conditions Aggravated by Exposure	Most important symptoms and effects, both acute and delayed: May cause pain in mouth and pharynx, nausea, watery and bloody diarrhoeas and/or decrease of blood pressure. Desaturation of protein with damage at mucosa level, hepatic and renal damage and of the central nervous system, hemolysis. Vomiting with emission of green coloured material, gastric burning, haematic diarrhea, abdominal pain, hemolytic jaundice, hepatic and renal insufficiency, convulsion, collapse. Fever from metal inhalation. Possible eyes and skin irritation.

5. FIRE FIGHTING MEASURES

General Measures	Clear fire area of all non-emergency personnel. Stay upwind. Keep out of low areas. Eliminate ignition sources. Move fire exposed containers from fire area if it can be done without risk.
Flammability Conditions	Product is a non-flammable solid.
Extinguishing Media	Product is not flammable. Use extinguishing media appropriate for surrounding fire (micronized water, CO2, foam). Collect the contaminated water to avoid reaching of sewers or water courses. NON SUITABLE EXTINGUISHING MEDIA: None but avoid using plenty of water.
Hazardous Products of Combustion	Toxic gases / fumes of sulphur oxides SOx could be produced. The product decomposes over 560 deg C producing toxic gases of sulphur oxides (SOx).
Special Fire Fighting Instructions	Do NOT allow fire fighting water to reach waterways, drains or sewers. Store fire fighting water for treatment.
Personal Protective Equipment	Fire fighters should wear a positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots and gloves).
Flash Point	Not applicable to an inorganic solid
Lower Explosion Limit	No Data Available
Upper Explosion Limit	No Data Available
Auto Ignition Temperature	No Data Available
Hazchem Code	No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Protect adequately all the body parts. The air passages must be protected (suitable filter mask FFP2/P2) if the material form dust (microcrystals form has more probability to forms dust). Take away all the unauthorised people, children and animals. Avoid that the product could reach water bodies or sewage. In case this happend advise immediately competent Authorities
Clean Up Procedures	Use sand or soil to contain the loss of product. Avoid the possibility that significant quantity of product has entered water courses or sewer; if this should happen advise immediately the local competent authority.
Containment	Cover drains near the polluted area. Vacuum the product if possible otherwise cover the product with sand or soil and clean up accurately all the product. Put it into another clean and dry container, close and remove it from the

area. Do not clean contaminated area with water. If necessary arrange disposal in an authorised area. Contact local Waste Disposal Authority

Environmental Precautionary Measures

Do NOT let product reach drains or waterways. If product does enter a waterway, advise the Environmental Protection Authority or your local Waste Management.

Evacuation Criteria

Evacuate all unnecessary personnel.

Personal Precautionary Measures

Wear plastic disposable cloths, appropriated FFP2/P2 filter mask, rubber gloves and protective eye goggles or total face protection.

7. HANDLING AND STORAGE

Handling

Avoid dust formation. Do not breathe dust. Handle in a well ventilated area or wear adequate respiratory protection (FFP2/P2 filter mask). Avoid contact with skin and eyes wearing working clothes, gloves and protective glasses. Do not eat, smoke or drink during use. After use keep the packaging well closed. See also point 8.

Specific end uses:

Refer to point 1.2 and at the attached exposure scenario. An exposure scenario need to be requested by the user of this substances indicating the appropriate uses and destination

Storage

Keep in sealed containers away from humidity and sunlight. Store the product in well ventilated warehouse away from flammable product. Keep out of the reach of children, animal and unauthorised people. Keep away from food, drink and feeding stuff. Incompatibility: None known. Due to its chemical Cu++ in presence of water/humidity is corrosive to iron.

Incompatibility: None known. Due to its chemical Cu++ in presence of water/humidity is corrosive to iron. This product has a UN classification of 3077 and a Dangerous Goods Class 9 (Miscellaneous) according to The Australian Code for the Transport of Dangerous Goods by Road and Rail.

NOTE: This product is subject to special provision AU01 according to The ADG7.

SP No. AU01 Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to this Code when transported by road or rail in; (a) packagings; (b) IBCs; or (c) any other receptacle not exceeding 500 kg(L).

Container

Container type/packaging must comply with all applicable local legislation. Store in original packaging as approved by manufacturer. Packaging material: Polyethylene or polypropylene.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General

No exposure standard has been established for this product by the Australian Safety and Compensation Council (ASCC). However, the exposure standard for constituents:

Copper Dusts and Mists (as Cu) : 8hr TWA = 1 mg/m³

Copper (fume) : 8hr TWA = 0.2 mg/m³

NOTE: The exposure value at the TWA is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week.

These exposure standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Exposure Limits

No Data Available

Biological Limits

No information available on biological limit values for this product.

Engineering Measures

Industrial use of the product should to be conducted under LEV (Local Exhaust Ventilation) but please refer to the Exposure scenario (to be required for the intended uses and destination) for detailed conditions.

Personal Protection Equipment

RESPIRATOR: Use a suitable dust mask (FFP2/P2 filter mask) if the product forms dust. Do not breathe dust (AS1715/1716)

EYES: Avoid contact with eyes. Use protective glasses or total face protection (AS1336/1337).

HANDS: Protect the hands using suitable gloves (plastic, rubber or resistant to chemical product). Wash the hands after use (AS2161).

CLOTHING: Use appropriate clothes and avoid prolonged contact with skin and wear safety footwear (AS3765/2210).

Work Hygienic Practices

Wash deeply and daily the working clothes. After use wash the body with water and soap.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Solid
Appearance	Crystalline solid (crystals or microcrystals)
Odour	Odourless
Colour	Blue or Light Blue
pH	3.0 - 4.2 5% water solution
Vapour Pressure	Not applicable to inorganic solids at environmenta (@ No Data Available)
Relative Vapour Density	No Data Available
Boiling Point	No Data Available
Melting Point	No Data Available
Freezing Point	No Data Available
Solubility	266 g/100 ml 20°C
Specific Gravity	No Data Available
Flash Point	Not applicable to an inorganic solid
Auto Ignition Temp	No Data Available
Evaporation Rate	No Data Available
Bulk Density	1.1 - 1.3 Kg/L
Corrosion Rate	No Data Available
Decomposition Temperature	Substance loose crystallization water at 110 deg C and decompose above 560 deg C
Density	>=2.286 g/cm3 Relative
Specific Heat	No Data Available
Molecular Weight	No Data Available
Net Propellant Weight	No Data Available
Octanol Water Coefficient	No Data Available
Particle Size	No Data Available
Partition Coefficient	No Data Available
Saturated Vapour Concentration	No Data Available
Vapour Temperature	No Data Available
Viscosity	No Data Available
Volatile Percent	No Data Available
VOC Volume	No Data Available
Additional Characteristics	Solubility: Soluble in methanol (57-67 g/l at room temperature) and practically insoluble in most common organic solvent (< 1 g/L) Copper content: 25% w/w
Potential for Dust Explosion	No Data Available
Fast or Intensely Burning Characteristics	No Data Available
Flame Propagation or Burning Rate of Solid Materials	No Data Available
Non-Flammables That Could Contribute Unusual Hazards to a Fire	No Data Available
Properties That May Initiate or Contribute to Fire Intensity	No Data Available
Reactions That Release Gases or Vapours	No Data Available
Release of Invisible Flammable Vapours and Gases	No Data Available

10. STABILITY AND REACTIVITY

General Information Stable to the light, humidity and heat. Stable in the usual warehouse conditions and in the original bags for at least 2 years. Loss water of crystallization from 50-60 deg C and 250 deg C. Decomposes over 560 deg C.

Chemical Stability	The product is stable under normal ambient and anticipated storage and handling condition. Loss of water of crystallization could change the colour of the product to very light blue to white (anhydrous form)
Conditions to Avoid	The product could be corrosive for iron material in presence of humidity.
Materials to Avoid	Strong reducing agents.
Hazardous Decomposition Products	Toxic gases / fumes of sulphur oxides SO _x could be produced. The product decomposes over 560 deg C producing toxic gases of sulphur oxides (SO _x).
Hazardous Polymerisation	Reactivity: The substance is a water soluble inorganic salt of copper (2+) and sulfate ions . It is not considered to have a high reactivity. Due to the presence of copper (2+) ion the product results corrosive to iron in presence of water or humidity.

11. TOXICOLOGICAL INFORMATION

General Information

Oral: LD50 = 482 mg/kg bw (male and female rats). Test guideline OECD 401:
Copper sulphate pentahydrate meets the criteria for classification as harmful if swallowed.
Inhalation: Available information on particle size distribution indicates that exposure to copper sulphate pentahydrate will not occur by the inhalation route.
Copper sulphate pentahydrate does not meet the criteria for classification.
Dermal: LD50 > 2000 mg/kg (male and female rats). Test guideline OECD 402:
Copper sulphate pentahydrate does not meet the criteria for classification.
Negative effects on health:
Possible symptoms: Could cause sore throat, abdominal pains, diarrhoea, vomiting. Strongly irritating to eyes and irritating to skin and mucosa.

Most important symptoms and effects, both acute and delayed:
May cause pain in mouth and pharynx, nausea, watery and bloody diarrhoeas and/or decrease of blood pressure. Denaturation of protein with damage at mucosa level, hepatic and renal damage and of the central nervous system, hemolysis. Vomiting with emission of green coloured material, gastric burning, haematic diarrheal, abdominal pain, hemolytic jaundice, hepatic and renal insufficiency, convulsion, collapse. Fever from metal inhalation. Possible eyes and skin irritation.

Acute toxicity:
OECD 401 (Acute Oral Toxicity) Male/female LD50: 482 mg/kg b.w.
OECD 402 (Acute Dermal Toxicity) Male/female LD50: > 2000 mg/kg b.w.
LC50 Inhalation (rat): Despite the official classification (harmful by inhalation) due to its particle size the product contains negligible amounts of particles of inhalable size.

Skin corrosion/irritation:
OECD 404 (Acute Dermal Irritation / Corrosion):
Erythema: 0.22 (mean at 24, 48 and 72 hours across 3 animals).
Oedema: 0 (mean at 24, 48 and 72 hours across 3 animals).

Serious eye damage/irritation:
OECD 405 (Acute Eye Irritation/Corrosion):
Cornea: Average for 3 animals at 24, 48 and 72 h: 2.56
Iris: Average for 3 animals at 24, 48 and 72 h: 1.0
Conjunctivae: Average for 3 animals at 24, 48 and 72 h: 2.0
Chemosis: Average for 3 animals at 24, 48 and 72 h: 3.78. Lesions observed at 72 hours were still present in the three rabbits when examined on day 21. The test material was shown to elicit severe ocular irritation and other lesions.

Respiratory or skin sensitisation:
OECD 406 (Skin sensitisation): 0/20 test animals sensitised.

Germ cell mutagenicity
micronucleus assay mouse (CD-1) male/female oral: gavage 447 mg/kg EU Method B.12 (Mutagenicity - In Vivo Mammalian Erythrocyte Micronucleus Test) (Cited as Directive 2000/32/EC, B.12)
Evaluation of results: negative
Test results: Genotoxicity: negative (male/female)
Copper sulphate pentahydrate, copper and other copper compounds are not considered genotoxic.

Carcinogenicity:
Available data on the genotoxicity and carcinogenicity of copper and its compounds have been considered against EU classification criteria. The available data for copper and copper compounds do not meet the criteria requiring classification for carcinogenicity.

Reproductive toxicity
EPA OPPTS 870.3800 (Reproduction and Fertility Effects)
OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)
LOAEL (P): > 1500 ppm (male) based on: test mat. (No reproductive toxicity was seen at any concentration.)

LOAEL (P): 1500 ppm (female) based on: test mat. (Decreased spleen weight in P1 adult females. No reproductive toxicity was seen at any concentration.)
 LOAEL (F1): 1500 ppm (male) based on: test mat. (Decreased spleen weight in F1 male weanlings. No reproductive toxicity was seen at any concentration.)
 LOAEL (F1): 1500 ppm (female) based on: test mat. (Decreased spleen weight in F1 female weanlings. No reproductive toxicity was seen at any concentration.)
 LOAEL (F2): 1500 ppm (male) based on: test mat. (Decreased spleen weight in F2 male weanlings.)
 LOAEL (F2): 1500 ppm (female) based on: test mat. (Decreased spleen weight in F2 female weanlings.)
 NOAEL (P): 1500 ppm (male) based on: test mat. (Equivalent to 23.6 mg Cu/kg bw/day for P1 males during pre-mating.)
 NOAEL (P): 1000 ppm (female) based on: test mat. (No reproductive toxicity was seen at any concentration. Equivalent to 19.1, 17.0 and 33.8 mg Cu/kg bw/day for P1 females during pre-mating, gestation and the first 2 weeks of lactation, respectively.)
 NOAEL (F1): 1000 ppm (male) based on: test mat. (No reproductive toxicity was seen at any concentration. Effects were seen in F1 weanlings. Equivalent to 23.5 mg Cu/kg bw/day for adults at 1000 ppm.)
 NOAEL (F1): 1000 ppm (female) based on: test mat. (No reproductive toxicity was seen at any concentration. Effects were seen in F1 weanlings. 1000 ppm is equivalent to 26.7, 17.1 and 35.2 mg Cu/kg bw/day for F1 females during pre-mating, gestation and the first 2 weeks of lactation, respectively.)
 NOAEL (F2): 1000 ppm (male) based on: test mat. (No reproductive toxicity was seen at any concentration. Effects were seen in F2 weanlings.)
 NOAEL (F2): 1000 ppm (female) based on: test mat. (No reproductive toxicity was seen at any concentration. Effects were seen in F2 weanlings.)
 Conclusion:
 copper and copper compounds, are not classified as toxic to reproduction

Carcinogenicity

Based on a weight of evidence approach, it was concluded that copper compounds do not have carcinogenic potential.
 Copper sulphate pentahydrate does not meet the criteria for classification.

Eye/Irritant

Irritating to eyes.
 A test carried out in 3 male rabbits resulted in severe ocular irritation that was not reversible within the duration of the test. Test guideline OECD 405.
 Copper sulphate pentahydrate meets the criteria for causing serious eye damage. This is more severe than the harmonized classification as an eye irritant set out in Annex VI of Regulation EC 1272/2008

Ingestion

Harmful if swallowed.

Inhalation

Fever from metal inhalation.

Skin/Irritant

No skin irritation was seen in 3 male rabbits. Test guideline OECD 404.
 Copper sulphate does not meet the criteria for classification. However, classification as a skin irritant is included in Annex VI of Regulation EC 1272/2008.

Sensitisation

No sensitisation reaction was seen in any test animals in a guinea pig Maximisation test carried out in accordance with OECD 406. Copper sulphate pentahydrate does not meet the criteria for classification.

Reproduction

NOAEL for reproductive toxicity of copper sulphate pentahydrate in rats is > 1500 ppm in food. Test guideline OECD 416.
 Copper sulphate pentahydrate does not meet the criteria for classification.

Carcinogen Category

No Data Available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.
 The lowest species-specific acute L(E) C50 and chronic NOEC values at the three pH levels and across pHs were selected as final environmental classification reference values.

Acute and chronic reference values for soluble copper ions: pH range Cu/l)	Acute reference L(E) C50 (ug Cu/l)	Chronic reference NOEC (ug
pH 5.5-6.5	25	20
pH >6.5-7.5	35	7.4
pH >7.5-8.5	29.8	11.4
Across pHs	34.4	14.9

PNEC aquatic:
 PNEC aqua - freshwater (ug/l): Value 7.8; Assessment factor: 1
 Remarks/Justification: Extrapolation method: statistical extrapolation as agreed by the Competent Authorities for Biocides and Existing Substance Regulations

PNEC aqua - marine water (ug/l) : Value: 5.2; Assessment factor: 1
 Remarks/Justification: Extrapolation method: assessment factor in accordance to the discussions with the Competent Authorities for Biocides and Existing Substance Regulations

Persistence/Degradability	Copper ions derived from copper sulphate pentahydrate cannot be degraded. The fate of copper ions in the water column was modelled using the Ticket Unit World Model. Removal was also assessed using data from one mesocosm and three field studies. "Rapid" removal was demonstrated, defined as 70% removal within 28 days. Literature data confirm the strong binding of copper ions to sediment, with the formation of stable Cu-S complexes. Re-mobilisation of copper ions to the water column is therefore not expected. Copper does not meet the criteria as "persistent".
Mobility	In soil copper is mainly bounded to organic material naturally present in the soil. Organic material content and pH determine the bioavailability of copper. Copper is strongly bounded to various components of the soil so that the free copper is at a very low level in the soil. The mobility of copper towards the deeper layer is negligible. PNEC soil: PNEC soil (mg/kg dw): Value: 65; Assessment Factor: 1 Remarks/Justification: in accordance to the Competent Authorities for Biocides and Existing Substance Regulations.
Environmental Fate	The PBT and vPvB criteria of Annex XIII to the Regulation do not apply to inorganic substances, such as copper and its inorganic compounds. Copper (as copper sulphate pentahydrate) is not PBT or vPvB.
Bioaccumulation Potential	Aquatic bioaccumulation: The information demonstrates that copper is well regulated in all living organisms and that BCF and BAF values have no meaning for a hazard assessment. The available data demonstrate that waterborne exposure is most the critical exposure route and that copper is not biomagnified in aquatic ecosystems. Terrestrial bioaccumulation: The available information demonstrates that copper is well regulated in all living organisms and that the BCF and BAF values have no meaning for a hazard assessment The available data demonstrate that copper is not biomagnified in the terrestrial ecosystems and that there is no issue for secondary poisoning of copper
Environmental Impact	No Data Available

13. DISPOSAL CONSIDERATIONS

General Information	Dispose of in accordance with all local, state and federal regulations. All empty packaging should be disposed of in accordance with Local, State, and Federal Regulations or recycled/reconditioned at an approved facility. Waste treatment method: Product: Contact your supplier, local competent authorities or a serious disposal company to collect and dispose of the product or contaminated containers. The product has to be disposed of as hazardous waste. Packaging: Dispose according to current national or local legislation recommendations. Copper could be toxic for STP (sewage treatment plant) micro organism. Across endpoints/studies 0.23 mg dissolved Cu/L was considered as the most reliable NOEC Sewage disposal must be avoided. PNEC stp (ug/l): Value: 230; Assessment factor: 1 Remarks/Justification: Extrapolation method: statistical extrapolation as agreed by the Competent Authorities for Biocides and Existing Substance Regulations
Special Precautions for Land Fill	Contact a specialist disposal company or the local waste regulator for advice.

14. TRANSPORT INFORMATION

Land Transport (Australia)
ADG

Proper Shipping Name	COPPER SULPHATE PENTAHYDRATE
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available

Special Provision SPAU01

Land Transport (New Zealand)

NZS5433

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper Sulphate Pentahydrate)
Class 9 Miscellaneous Dangerous Goods and Articles
Subsidiary Risk(s) No Data Available
EPG 47 Low To Moderate Hazard Substances
UN Number 3077
Hazchem 2Z
Pack Group III
Special Provision No Data Available

Land Transport (Taiwan)

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper Sulphate Pentahydrate)
Class 9 Miscellaneous Dangerous Goods and Articles
Subsidiary Risk(s) No Data Available
ERG 171 Substances (Low to Moderate Hazard)
UN Number 3077
Hazchem 2Z
Pack Group III
Special Provision No Data Available

Land Transport (United States of America)

US DOT

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper Sulphate Pentahydrate)
Class 9 Miscellaneous Dangerous Goods and Articles
Subsidiary Risk(s) No Data Available
ERG 171 Substances (Low to Moderate Hazard)
UN Number 3077
Hazchem 2Z
Pack Group III
Special Provision No Data Available

Sea Transport

IMDG

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper Sulphate Pentahydrate)
Class 9 Miscellaneous Dangerous Goods and Articles
Subsidiary Risk(s) No Data Available
UN Number 3077
Hazchem 2Z
Pack Group III
Special Provision No Data Available
EMS FA,SF
Marine Pollutant Yes

Air Transport

IATA

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (copper sulphate pentahydrate)

Class	9 Miscellaneous Dangerous Goods and Articles
Subsidiary Risk(s)	No Data Available
UN Number	3077
Hazchem	2Z
Pack Group	III
Special Provision	No Data Available

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
---------------------------------------	---

15. REGULATORY INFORMATION

General Information	No Data Available
Poisons Schedule (Aust)	6

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code	HSR003126
----------------------	-----------

National/Regional Inventories

Australia (AICS)	Listed
Canada (DSL)	Not Determined
Canada (NDSL)	Not Determined
China (IECSC)	Not Determined
Europe (EINECS)	231-847-6
Europe (REACH)	01-2119520566-40-0000
Japan (ENCS/METI)	Not Determined
Korea (KECI)	Not Determined
Malaysia (EHS Register)	Not Determined
New Zealand (NZIoC)	Not Determined
Philippines (PICCS)	Not Determined
Switzerland (Giftliste 1)	Not Determined
Switzerland (Inventory of Notified Substances)	Not Determined
Taiwan (NCSR)	Not Determined
USA (TSCA)	Not Determined

16. OTHER INFORMATION

Related Product Codes

COPSUB1000, COPSUF0500, COPSUF1000, COPSUL0100, COPSUL0200, COPSUL0300, COPSUL0400, COPSUL0500, COPSUL0501, COPSUL0502, COPSUL0600, COPSUL0601, COPSUL0602, COPSUL0700, COPSUL0701, COPSUL0800, COPSUL0801, COPSUL0900, COPSUL1000, COPSUL1001, COPSUL1002, COPSUL1003, COPSUL1004, COPSUL1005, COPSUL1006, COPSUL1007, COPSUL1008, COPSUL1009, COPSUL1010, COPSUL1011, COPSUL1012, COPSUL1013, COPSUL1014, COPSUL1015, COPSUL1016, COPSUL1017, COPSUL1018, COPSUL1019, COPSUL1020, COPSUL1021, COPSUL1022, COPSUL1023, COPSUL1024, COPSUL1025, COPSUL1026, COPSUL1027, COPSUL1028, COPSUL1029, COPSUL1030, COPSUL1031, COPSUL1032, COPSUL1033, COPSUL1034, COPSUL1035, COPSUL1036, COPSUL1037, COPSUL1038, COPSUL1039, COPSUL1040, COPSUL1041, COPSUL1042, COPSUL1043, COPSUL1044, COPSUL1045, COPSUL1046, COPSUL1100, COPSUL1101, COPSUL1102, COPSUL1200, COPSUL1300, COPSUL1301, COPSUL1302, COPSUL1303, COPSUL1400, COPSUL1500, COPSUL1501, COPSUL1502, COPSUL1600, COPSUL1601, COPSUL1602, COPSUL1700, COPSUL1701, COPSUL1702, COPSUL1800, COPSUL1900, COPSUL1901, COPSUL2000, COPSUL2001, COPSUL2002, COPSUL2003, COPSUL2004, COPSUL2005, COPSUL2100, COPSUL2101, COPSUL2102, COPSUL2200, COPSUL2201, COPSUL2202, COPSUL2203, COPSUL2300, COPSUL2301, COPSUL2302, COPSUL2303, COPSUL2304, COPSUL2400, COPSUL2401, COPSUL2500, COPSUL2501, COPSUL2502, COPSUL2600, COPSUL2601, COPSUL2700, COPSUL2701, COPSUL2800, COPSUL2900, COPSUL2901, COPSUL3000, COPSUL3001, COPSUL3002, COPSUL3003, COPSUL3004, COPSUL3005, COPSUL3006, COPSUL3007, COPSUL3008, COPSUL3100, COPSUL3200, COPSUL3201, COPSUL3300, COPSUL3301, COPSUL3400, COPSUL3401, COPSUL3402, COPSUL3500, COPSUL3501, COPSUL3502, COPSUL3503, COPSUL3600, COPSUL3601, COPSUL3700, COPSUL3701, COPSUL3702, COPSUL3800, COPSUL3801, COPSUL3900, COPSUL3901, COPSUL4000, COPSUL4001, COPSUL4002, COPSUL4003, COPSUL4100, COPSUL4101, COPSUL4102, COPSUL4200, COPSUL4201, COPSUL4202, COPSUL4203, COPSUL4204, COPSUL4205, COPSUL4206, COPSUL4300, COPSUL4301, COPSUL4302, COPSUL4400, COPSUL4500, COPSUL4600, COPSUL4700, COPSUL4800, COPSUL4801, COPSUL4802, COPSUL4900, COPSUL4901, COPSUL4902, COPSUL5000, COPSUL5001, COPSUL5002, COPSUL5003, COPSUL5100, COPSUL5101, COPSUL5102, COPSUL5200, COPSUL5201, COPSUL5202, COPSUL5300, COPSUL5301, COPSUL5400, COPSUL5401, COPSUL5500, COPSUL5501, COPSUL5600, COPSUL5700, COPSUL5800, COPSUL5801, COPSUL5900, COPSUL6000, COPSUL6001, COPSUL6100, COPSUL6101, COPSUL6200, COPSUL6201, COPSUL6300, COPSUL6301, COPSUL6400, COPSUL6500, COPSUL6501, COPSUL6502, COPSUL6600, COPSUL6700, COPSUL6701, COPSUL6800, COPSUL6801, COPSUL6900, COPSUL7000, COPSUL7100, COPSUL7200, COPSUL7300, COPSUL7400, COPSUL7500, COPSUL7600, COPSUL7601, COPSUL7602, COPSUL7603, COPSUL7604, COPSUL7605, COPSUL7606, COPSUL7607, COPSUL7608, COPSUL7609, COPSUL7610, COPSUL7611, COPSUL7612, COPSUL7613, COPSUL7614, COPSUL7615, COPSUL7616, COPSUL7617, COPSUL7618, COPSUL7619, COPSUL7620, COPSUL7621, COPSUL7622, COPSUL7623, COPSUL7624, COPSUL7625, COPSUL7626, COPSUL7627, COPSUL7628, COPSUL7700, COPSUL7800, COPSUL7900, COPSUL8000, COPSUL8001, COPSUL8002, COPSUL8003, COPSUL8004, COPSUL8005, COPSUL8006, COPSUL8100, COPSUL8200, COPSUL8300, COPSUL8400, COPSUL8500, COPSUL8600, COPSUL8700, COPSUL8800, COPSUL8900, COPSUL9000, COPSUL9100, COPSUL9101, COPSUL9200, COPSUL9300, COPSUL9400, COPSUL9500, COPSUL9501, COPSUL9600, COPSUL9700, COPSUL9800, COPSUL9900, COPSUL2210, COPSUL6310, COPSUL2212, COPSUL1510, COPSUL1520, COPSUL1801, COPSUL1802, COPSUL1803, COPSUL1804, COPSUL1805, COPSUL1806, COPSUL1807, COPSUL1808, COPSUL1410, COPSUF0600, COPSUL3050, COPSUL1201, COPSUL1420, COPSUL1220, COPSUL1809, COPSUL9950, COPSUL9951, COPSUL9952, COPSUL9953, COPSUL5310, COPSUL1401, COPSUL2402, COPSUL0101, COPSUL6802, COPSUL9955, COPSUL1202, COPSUL0510, COPSUL0520, COPLIQ6802, COPSUL8101, COPSUL0102, COPSUL6803, COPSUL5303, COPLIQ0102, COPSUL0401, COPLIQ5300, COPSUL1402, COPSUF0700, COPSUL6804, COPSUL9960, COPSUL9970, COPSUL0103, COPSUL9971, COPSUL0512, COPSUL9961, COPSUL2405, COPSUL6805, COPSUL2403, COPSUL1210

Revision 3

Revision Date 16 Jun 2015

Reason for Issue update sds

Key/Legend

< Less Than
> Greater Than
AICS Australian Inventory of Chemical Substances
atm Atmosphere
CAS Chemical Abstracts Service (Registry Number)
cm² Square Centimetres
CO₂ Carbon Dioxide
COD Chemical Oxygen Demand
deg C (°C) Degrees Celcius
EPA (New Zealand) Environmental Protection Authority of New Zealand
deg F (°F) Degrees Fahrenheit
g Grams
g/cm³ Grams per Cubic Centimetre
g/l Grams per Litre
HSNO Hazardous Substance and New Organism

IDLH Immediately Dangerous to Life and Health

immiscible Liquids are insoluble in each other.

inHg Inch of Mercury

inH₂O Inch of Water

K Kelvin

kg Kilogram

kg/m³ Kilograms per Cubic Metre

lb Pound

LC₅₀ LC stands for lethal concentration. LC₅₀ is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.

LD₅₀ LD stands for Lethal Dose. LD₅₀ is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.

ltr or **L** Litre

m³ Cubic Metre

mbar Millibar

mg Milligram

mg/24H Milligrams per 24 Hours

mg/kg Milligrams per Kilogram

mg/m³ Milligrams per Cubic Metre

Misc or **Miscible** Liquids form one homogeneous liquid phase regardless of the amount of either component present.

mm Millimetre

mmH₂O Millimetres of Water

mPa.s Millipascals per Second

N/A Not Applicable

NIOSH National Institute for Occupational Safety and Health

NOHSC National Occupational Health and Safety Commission

OECD Organisation for Economic Co-operation and Development

Oz Ounce

PEL Permissible Exposure Limit

Pa Pascal

ppb Parts per Billion

ppm Parts per Million

ppm/2h Parts per Million per 2 Hours

ppm/6h Parts per Million per 6 Hours

psi Pounds per Square Inch

R Rankine

RCP Reciprocal Calculation Procedure

STEL Short Term Exposure Limit

TLV Threshold Limit Value

tne Tonne

TWA Time Weighted Average

ug/24H Micrograms per 24 Hours

UN United Nations

wt Weight