

# SAFETY DATA SHEET

## DEAL 510 RF

### 1: Identification of the Substance and Supplier

Product Name	DEAL 510 RF
Recommended Use	Herbicide
Company Details	Orion AgriScience Ltd Unit 1, 15 Sir Gil Simpson Drive, Harewood, Christchurch, 8053 PO Box 39 071, Harewood, Christchurch, 8545 www.orionagriscience.co.nz
Web Address	www.orionagriscience.co.nz
Email Address	orders@orionagriscience.co.nz
Telephone Number	(03) 928 2386 (office hours), 0800 674 6627 (free phone)
Emergency Telephone	0800 CHEMCALL (0800 243 622) (24 hours)
National Poison Centre	0800 POISON (0800 764 766) (24 hours)
Date of Issue/Revision	July 2015

### 2: Hazards Identification

#### Hazard Pictograms



Priority Identifiers:	Ecotoxic
HSNO Classes:	Secondary Identifiers:
6.3A	May cause skin irritation
9.1B	Ecotoxic to some aquatic plants

### 3: Composition/ Information on Ingredients

Ingredient	CAS No	Content (% w/v)
Glyphosate isopropylamine(active ingredient)	38641-94-0	69
Other ingredients, surfactants, water, etc	Proprietary	Remainder

### 4: First Aid Measures

Skin Contact:	In case of contact, immediately wash affected area with soap and water. Wash contaminated clothing before reuse. Seek medical advice if irritation persists.
Eye Contact:	Hold eyes open and rinse with water for at least 15 minutes. Remove contact lenses if easy to do so. Seek medical advice if irritation persists.
Ingestion:	Do not induce vomiting. Seek medical advice immediately.
Inhalation:	Immediately move to fresh air and rest. Maintain half upright position if breathing is difficult. Seek medical advice if feeling unwell.
Workplace Facilities:	Hand wash facility. Eye wash facility.
Advice to Doctor:	No specific antidote. Treat symptomatically.
National Poison Centre	0800 POISON (0800 764 766) (24 hours)

### 5: Fire-Fighting Measures

Fire/Explosion Hazard	Non-Flammable.
HAZCHEM Code	3Z
ERP Guide No	47
Extinguishing Media	Water spray, foam, dry chemical or CO2. Avoid water jet.
Fire Fighting Instructions	During a fire, toxic fumes may be emitted. Wear self-contained breathing apparatus. Contain runoff.

### 6: Accidental Release Measures

**Caution:** Floors may be slippery if wet. When dealing with spills wear personal protective clothing and equipment as described in section 8. Prevent further spillage or leakage. Keep bystanders away. Absorb spillage with inert material such as spill kit, sand or cat litter. Collect and place in a sealable container for disposal. Wash down affected area with water and detergent. Absorb and collect washings for disposal. Dispose of safely to a suitable landfill.



# SAFETY DATA SHEET

## DEAL 510 RF



Sensitisation Effects	None
Mutagenic Effects	None
Carcinogenic Effects	None
Reproductive Effects	None
Teratogenic (Birth) Effects	None
Systemic Effects	None

### 12: Ecotoxicity Information

This section describes effects which could occur if this material is not handled in accordance with this data sheet.

The following information is presented in respect of the active ingredient:

Ecotoxic Effects	<ul style="list-style-type: none"><li>LC50 (96 hr) (Rainbow trout) 38 mg/l</li><li>LC50 (48 hr) (Daphnia) 40 mg/l</li><li>LC50 (72 hr) (Algae) 4.4 mg/l</li><li>Very toxic to plant species (herbicide)</li><li>Non - toxic to bees.</li></ul>
Environmental Fate	Biodegradable. DT50 (soil) 12 days (typical)
Partition Co-Efficient (Kow)	LogP = <-3.2 (low)
Environmental Exposure Limit:	<b>Product:</b> None set <b>Active Ingredient:</b> 3.6 mg/l as glyphosate (in water); equivalent to 1 ml Deal 510RF per 140 litres of water

### 13: Disposal Considerations

Product	Dispose of product by using it in accordance with the label. Waste product should be disposed of to a suitable landfill. For disposal of large quantities contact Orion AgriScience Ltd.
Container	Dispose of to a suitable landfill or agricultural recycling scheme. Do not burn. Do not use packaging for any other purpose.

### 14: Transport Information

Dangerous Goods	
UN Number	3082
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (GLYPHOSATE ISOPROPYLAMINE 69%)
Class	9
Subsidiary Class	None
Packing Group	III
Additional Information	MARINE POLLUTANT
MTQ (Non-Commercial)	1000 litres
Passenger Service Vehicle:	Maximum quantity 1 litre

### 15: Regulatory

HSNO Approval No	HSR000133
ACVM Registration No	P7340

### 16: Other Information

Glossary	
Approved Handler	For some hazardous substances, persons storing, handling and using must be trained and certified
DT50	Time (days) for 50% reduction in concentration
EC50	Concentration required to produce an effect in 50% of organisms
Environmental Exposure Limit	Maximum concentration limit of a substance in an environmental medium, e.g., water, soil.
ERP Guide	Dangerous Goods – Initial Emergency Response Guide SNZ HB 76:2008
HAZCHEM Code	Emergency action code for emergency services
HSNO	Hazardous Substances and New Organisms
LC50	Concentration that will kill 50% of organisms
LD50	Dose that will kill 50% or organisms
MTQ	Maximum Transport Quantity. The maximum amount of dangerous goods that can be transported by road by the

# SAFETY DATA SHEET

## DEAL 510 RF



<b>Partition Co-Efficient Kow</b>	user Ratio of concentration between octanol and water. Values are given as the log value. A high value indicates a substance may bioaccumulate
<b>Record Keeping</b>	Includes a spray diary
<b>REI</b>	Restricted Entry Interval – The length of time after application before entry into the treated area is permitted without the use of protective equipment. For indoor environments, this time period commences once ventilation after treatment begins.
<b>Safety Note</b>	A brief document providing hazardous substance information for transport, storage and emergency management purposes
<b>STEL</b>	Short term exposure level
<b>Tolerable Exposure Limit</b>	Maximum concentration limit of a substance above which persons must not be exposed
<b>Tracking</b>	For some hazardous substances, a record must be kept of the transport, storage, sale and use of the product
<b>TWA</b>	Time weighted average
<b>Workplace Exposure Standard</b>	An occupational health standard limiting concentrations of specified substances to which persons are exposed
<b>Wide Dispersive Use</b>	A method of application involving equipment such as boom sprayers, mist blowers, vine sprayers, row sprayers, etc., as well as aerial application. Hand gunning within 30m of a property boundary is also classed as wide dispersive use. Knapsack sprayers are not classed as wide dispersive use

### Please Note

Users must ensure that the most up to date version of this safety data sheet is used.

This Safety Data Sheet summarises information on this product, and how to safely handle and use the product. Each user should familiarise themselves with the product label, Safety Note and Safety Data Sheet, and consider the information in the context of how the product will be handled and used, including in conjunction with other products. Orion AgriScience Ltd assumes no responsibility for the accuracy, completeness or suitability of this information. The user is responsible for determining the suitability and accuracy of this information for their particular purposes.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Always read the product label before use.