

SAFETY DATA SHEET

Section 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND SUPPLIER

Product Name:	MATCH
Design Code:	A7814A
Recommended Use:	An insect growth inhibitor for the control of codling moth and leafrollers on apples and pears.
Company Details:	Syngenta Crop Protection Limited
Address:	Tower II, Level 7, 110 Symonds Street Private Bag 92618, Symonds Street AUCKLAND NEW ZEALAND
Telephone number:	(weekdays) 09 - 306 1500
Emergency Telephone number:	(24 Hours) 0800 734 607
National Poisons & Hazchem Information Centre :	0800 POISON (0800 764 766)
Date of Preparation:	6 March, 2013

Section 2: HAZARDS IDENTIFICATION

Hazard classification:	3.1C, 6.1E, 6.3A, 6.4A, 6.9B, 9.1B, 9.2D
Priority Identifier:	WARNING KEEP OUT OF REACH OF CHILDREN
Secondary Identifiers:	3.1C = Flammable liquid and vapour 6.1E = May be harmful if swallowed, inhaled or absorbed through the skin. 6.3A = May cause skin irritation 6.4A = May cause eye irritation 6.9B = May cause organ damage from repeated oral exposure at high doses. 9.1B = Toxic to aquatic organisms. 9.2D = Harmful to the soil environment.

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

<i>Pure Substance:</i>	
Chemical Identity of pure substance:	<i>N</i> -[[[2,5-dichloro-4-(1,1,2,3,3,3-hexafluoropropoxy)phenyl]amino]carbonyl]-2,6-difluorobenzamide
Common Name:	Lufenuron
Synonyms:	CGA 184699
CAS number:	103055-07-8

<i>Mixture:</i>		
Chemical Identity of ingredients:		
Ingredient	CAS no.	Content (% w/w)
Lufenuron (technical grade)	103055-07-8	5.32
cyclohexanone	108-94-1	20-30
solvent naphtha (petroleum), heavy arom.	64742-94-5	60-70
benzenesulfonic acid, dodecyl-branched, calcium salts	70528-83-5	1-5
other ingredients determined not to be hazardous	-	to 100%

Section 4: FIRST AID MEASURES

Necessary First Aid measures:	<p>For advice contact the National Poisons Centre on 0800 POISON (0800 764 766) or a doctor immediately. Begin artificial respiration if the victim is not breathing. Use mouth to nose rather than mouth to mouth. Obtain medical attention.</p> <p>Swallowed: If swallowed DO NOT induce vomiting.</p> <p>Eye: If concentrate or spray solution enters the eyes wash it out immediately with water. Remove contact lenses.</p> <p>Skin: If skin contact occurs remove contaminated clothing and wash affected areas thoroughly with running water.</p> <p>Inhaled: If inhaled move the victim to fresh air immediately</p>
Poisoning symptoms:	<p>No case of human poisoning due to this product is on record. The poisoning symptoms observed for laboratory mammals were non-specific.</p>
Workplace facilities:	<p>No specific facilities required. Standard emergency equipment must be available.</p>
Hygiene Practices:	<p>Avoid contact with skin and eyes and inhalation of concentrate or spray mist. When mixing or applying, wear protective clothing, including face shield, impervious gloves and footwear. If clothing becomes contaminated with product, remove clothing immediately. DO NOT eat, drink or smoke while using. Wash hands and exposed skin thoroughly with soap and water before meals and after work. Wash protective clothing daily after work.</p>
Notes for Medical Personnel:	<p>No specific antidote is available. If poisoning is suspected apply symptomatic therapy.</p>

Section 5: FIRE-FIGHTING MEASURES

Type of Hazard:	<p>This product is combustible at elevated temperatures.</p>
Fire Hazard Properties:	<p>Combustion products are toxic and or irritant. Measures have to be taken to prevent the contaminated extinguishing agent from seeping into the ground or from spreading uncontrollably.</p>
Regulatory Requirements:	<p>3.1C = Flammable liquid and vapour Stores with quantities of 500 litres or more require 2 fire extinguishers. Hazardous Substances (Emergency Management) Regulations 2001. Code EM10 (Regs 21-24), Code EM11 (Regs 25-34), Code EM12 (Regs 35-41) and Code EM13 (Reg 42)</p> <p>A hazardous atmosphere zone is required for quantities greater than or equal to 100L closed, 25L decanting, 5L open occasionally, 1L open continuously.</p> <p>Hazardous substance location and transit depot requirements for quantities 500L in containers >5L (closed), 1500L in containers <5L (closed), >250L (open) Hazardous Substances (Classes 1 to 5) Regulations 2001. Regs 55, 58,62, 63,64, 67,69, 70,77,83</p>

Section 5: FIRE-FIGHTING MEASURES continued

Extinguishing Media and methods:	Extinguish warehouse and factory fires using dry chemical extinguisher, alcohol-resistant foam, carbon dioxide or fine-water spray. DO NOT use direct jet of water.
Hazchem Code:	3[Y]
Recommended Protective Clothing:	When fighting a major fire wear an air-supplied respirator. Wear protective equipment.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Emergency Procedures: Ensure suitable personal protection during removal of spillages. This means wearing eye protection, chemically resistant gloves, boots and overalls.
Environmental Precautions:	Washings must be prevented from entering surface water drains or waterways.
Procedure for spill:	<ol style="list-style-type: none">(1) Keep all bystanders away.(2) Wear goggles, half face-piece respirator with combined dust and vapour cartridge, full length clothing and PVC gloves.(3) Reposition any leaking containers so as to minimise further leakage.(4) Dam and absorb spill with an absorbent material (e.g. sand or soil).(5) Shovel the absorbed spill into drums.(6) Decontaminate the spill area with detergent and water and rinse with the smallest volume of water practicable.
Procedure for Disposal:	Disposal of the absorbed material will depend upon the extent of the spill. Contaminated material must be disposed of in accordance with all local authority requirements. It is suggested: <ul style="list-style-type: none">• For quantities up to 50 litres of product bury in a secure approved landfill site.• For quantities greater than 50 litres seek advice from the manufacturer (use emergency contact number below) before attempting disposal. Contain in a secure location until disposal method is established.

Section 7: HANDLING AND STORAGE

Handling:	
Precautions for safe handling:	No special technical protective measures required. No special handling advice required.
Regulatory Requirements:	<p>3.1C = Flammable liquid and vapour Stores with quantities of 500 litres or more require 2 fire extinguishers. Hazardous Substances (Emergency Management) Regulations 2001. Code EM10 (Regs 21-24), Code EM11 (Regs 25-34), Code EM12 (Regs 35-41) and Code EM13 (Reg 42)</p> <p>A hazardous atmosphere zone is required for quantities greater than or equal to 100L closed, 25L decanting, 5L open occasionally, 1L open continuously.</p> <p>Hazardous substance location and transit depot requirements for quantities 500L in containers >5L (closed), 1500L in containers <5L (closed), >250L (open) Hazardous Substances (Classes 1 to 5) Regulations 2001. Regs 55, 58,62, 63,64, 67,69, 70,77,83</p>
Handling practices:	Avoid contact with skin and eyes and inhalation of concentrate or spray mist. When using, do not eat, drink or smoke. Wash face and hands before eating, drinking or smoking.
Approved Handlers:	Approved Handlers not required.
Storage:	
Conditions for Safe Storage:	Keep out of reach of children. Keep in original containers and tightly closed. Keep away from food, drink and animal feeding stuffs. Store in a cool, dry, well ventilated place and protect from sunlight. Avoid temperatures below -5°C or above 35°C.
Store Site Requirements:	Signage and secondary containment will be required at sites holding 1000 litres or more of any product classified as 9.1B (eg MATCH)
Packaging:	Store in original container, tightly closed, away from foodstuffs.

Section 8: EXPOSURE CONTROL / PERSONAL PROTECTION

ALWAYS READ AND FOLLOW THE LABEL INSTRUCTIONS AND WARNINGS

Workplace Exposure Guidelines:				
Workplace Exposure Standards:	Component	Exposure limit	Value Type	Source
	Lufenuron	5 mg/m ³	8 h TWA	Syngenta
	naphthalene	15 ppm	15 min STEL	ACGIH
		10 ppm	8 h TWA	ACGIH
		10 ppm	8 h TWA	SUVA
		10 ppm	8 h TWA	DFG
	cyclohexanone	100 mg/m ³	8 h TWA	SUVA
		200 mg/m ³	15 min STEL	SUVA
		80 mg/m ³	8 h TWA	DFG
		100 mg/m ³	8 h TWA	ACGIH
		700 ppm	IDLH	NIOSH
		10 ppm	8 h TWA	UK HSE
		20 ppm	15 min STEL	
	solvent naphtha (petroleum), heavy arom.	100 mg/m ³	8 h TWA	Supplier
	2-methylpropan-1-ol	1600 ppm		NIOSH
		50 ppm		SUVA
		150 mg/m ³	15 min STEL	SUVA
		100 ppm		ACGIH
		300 mg/m ³	8 h TWA	DFG
		50 ppm		
		152 mg/m ³		
		100 ppm		
		300 mg/m ³		
Application in the workplace:	not required.			
Exposure standards outside the workplace:	not applicable at this time.			
Engineering controls:	<p>No special requirements. Product is used outdoors. Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use. If airborne mists or vapors are generated, use local exhaust ventilation controls. Assess exposure and use any additional measures to keep airborne levels below any relevant exposure limit.</p> <p>Follow precaution statements on the label and the use and safety directions in Code of Practice for the Management of Agrichemical NZS8409.</p>			
Personal Protection:	Use only protective equipment bearing the mark of the Standards Association with Australia/ New Zealand. In case of heavy exposure, wear half face-piece respirator with combined dust and vapour cartridge, chemical resistant gloves and heavy duty cotton overalls.			
General Hygiene:	Change work clothes daily. May irritate the eyes and skin. Avoid contact with eyes and skin. Do not inhale spray mist. If product gets on skin immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.			

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	yellow to brownish liquid
pH value	3-7 (1% in deionised water)
Boiling Point / Range:	>143°C
Flashpoint:	47°C at 1,013 hPa DIN 51755
Oxidising properties:	not oxidising
Explosive properties:	not explosive
Density:	0.92-0.96 g/cm ³ (20°C)
Water Solubility:	miscible
Viscosity, Dynamic:	2.86 mPa.s at 20°C 1.97 mPa.s at 40°C
Surface Tension:	30.3 mN/m at 25°C

Section 10: STABILITY AND REACTIVITY

Stability of the Substance:	Stable under standard conditions.
Conditions to Avoid:	none known
Material to Avoid:	none known
Hazardous decomposition products	none known
Hazardous polymerisation	not known
Specific Data	not applicable

Section 11: TOXICOLOGICAL INFORMATION

HSNO Classifications:

- 6.1E = May be harmful if swallowed, inhaled or absorbed through the skin.
 6.3A = May cause skin irritation
 6.4A = May cause eye irritation
 6.9B = May cause organ damage from repeated oral exposure at high doses.

Acute Effects

Swallowed:	LD ₅₀	>3000 mg/kg (rat)
Dermal absorption:	LD ₅₀	>4000 mg/kg (rat)
Inhaled:	LC ₅₀ (4 h)	>5300 mg/m ³ (rat)
Irritation		
Eye:	IRRITANT (rabbit)	
Skin:	IRRITANT (rabbit)	
Sensitization	NOT A SENSITISER (HSNO Classification)	

Chronic / Long Term Effects (Active Ingredient)

Lufenuron technical has been extensively tested on laboratory mammals and in test-tube systems. The liver and kidney were identified as target organs. No evidence of neurotoxic, mutagenic, teratogenic or reproductive effects was obtained. No carcinogenic potential was noticed in rats.

Section 12: ENVIRONMENTAL INFORMATION

HSNO Classifications:

9.1B = Toxic to aquatic organisms.
9.2D = Harmful to the soil environment.

Environmental Risk and Safety Phrases: Avoid contamination of any water supply with chemical or empty container.

The information presented below is for the active ingredient, lufenuron. A thorough review of environmental information is not possible in this document.

Ecotoxicity Effects

Acute toxicity to birds:	LD ₅₀ = >2000 mg/kg (bobwhite quail, mallard ducks)
Acute toxicity to fish:	LC ₅₀ (96 h) >20 mg/L (<i>Lepomis macrochirus</i> (bluegill)) LC ₅₀ (96 h) >73 mg/L (rainbow trout) LC ₅₀ (96 h) >63 mg/L (carp)
Growth inhibition, Algae:	ErC ₅₀ (72 h) = >30 mg/L (<i>Selenastrum capricornutum</i> (green algae))
Toxicity to aquatic Invertebrates:	EC ₅₀ (48h) = 0.0072 mg/L (<i>Daphnia magna</i> (water flea)); 48 h
Toxicity to soil dwelling organisms:	No adverse effects on earthworms.
Toxicity to bees:	LC ₅₀ (oral) = >197 µg/bee LC ₅₀ (topical) = >200 µg/bee

Environmental Fate

The information provided here is for the active ingredient, lufenuron.

Lufenuron bioaccumulates. Lufenuron is not persistent in water. Lufenuron is not persistent in soil. Lufenuron is immobile in soil. Lufenuron was rapidly degraded in biologically active soils under aerobic conditions. DT₅₀ 13-20 days. Lufenuron showed a very strong adsorption onto soil particles: K_{oc} (mean value) 38 mg/g o.c. K_{ow} logP = 5.12 (25°C)

Section 13: DISPOSAL CONSIDERATIONS

Product Disposal: Dispose of this product only by using according to the label, or at an approved landfill or other approved facility.

Container Disposal: Ensure the tank is empty. Triple rinse empty container and add rinsate to the spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise crush and bury in a suitable landfill. DO NOT reuse this container for any other purpose.

Section 14: TRANSPORT INFORMATION

Rail / Road (RID/ADR)	UN-No:	1993
	Class:	3
	Packaging Group:	III
	Proper shipping name:	FLAMMABLE LIQUID, N.O.S. (cyclohexanone and solvent naptha and lufenuron)
Sea (IMDG-Code)	UN-No:	1993
	Class:	3
	Packaging Group:	III
	Proper shipping name:	FLAMMABLE LIQUID, N.O.S. (cyclohexanone, solvent naptha, lufenuron)
	MARINE POLLUTANT:	yes
Air (ICAO/IATA)	UN-No:	1993
	Class:	3
	Packaging Group:	III
	Proper shipping name:	FLAMMABLE LIQUID, N.O.S. (cyclohexanone and solvent naptha and lufenuron)

Section 15: REGULATORY INFORMATION

HSNO Approval Number:	HSR000407
HSNO Controls (inc. Tracking and Record Keeping):	See http://www.epa.govt.nz/search-databases/Pages/controls-search.aspx for controls.
ACVM Registration:	P 4422
ACVM Controls:	See www.foodsafety.govt.nz/industry/acvm for registration conditions.

Section 16: OTHER INFORMATION

Note: This product is a registered agricultural chemical and must therefore be used in accordance with the container label directions. A comprehensive package of toxicological and environmental data for the active ingredients of this product has been submitted to the Government health and environment authorities and has been evaluated by expert toxicologists and environmental scientists.

CONTACT POINT: Business Manager - Crop Protection: (09) 306 1503
24 HOURS EMERGENCY CONTACT: 0800 734 607

This Material Safety Data Sheet summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

®Registered Trade Mark of a Syngenta Group Company.

DISCLAIMER

This product complies with the specifications in its statutory registration. Implied terms and warranties are excluded. Syngenta's liability for breach of the express or any non-excludable implied warranty is limited to product replacement or purchase price refund. The purchaser must determine suitability for intended purpose and take all proper precautions in the handling, storage and use of the product including those on the label and/or safety data sheet failing which Syngenta shall have no liability.