



# SAFETY DATA SHEET



## MESUROL 200SC

Version 1 / NZ  
102000020853

2/10  
Revision Date: 13.11.2017  
Print Date: 13.11.2017

### 2.2 Label elements

#### Labelling in accordance with Hazardous Substances Identification Regulations 2001

Hazard label for supply/use required.



**Signal word:** Warning

#### Hazard statements

- H302 + H332 Harmful if swallowed or if inhaled.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.  
H421 Very toxic to the soil environment.  
H431 Very toxic to terrestrial vertebrates.  
H441 Very toxic to terrestrial invertebrates.

#### Precautionary statements

- P102 Keep out of reach of children.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.  
P391 Collect spillage.  
P501 Dispose of contents/container in accordance with local regulation.

### 2.3 Other hazards

No other hazards known.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

#### Chemical nature

Suspension concentrate (=flowable concentrate)(SC)  
Methiocarb 200 g/l

#### Hazardous components

Name	CAS-No.	Conc. [%]
Methiocarb	2032-65-7	18.0
Ethoxylated polyarylphenol	99734-09-5	> 1 – < 25
Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one	55965-84-9	> 0.0002 – < 0.0015
1,2-Benzisothiazol-3(2H)-one	2634-33-5	> 0.005 – < 0.05
Glycerine	56-81-5	> 1

#### Further information

Methiocarb	2032-65-7	M-Factor: 100 (acute)
------------	-----------	-----------------------

# SAFETY DATA SHEET



## MESUROL 200SC

Version 1 / NZ  
102000020853

3/10  
Revision Date: 13.11.2017  
Print Date: 13.11.2017

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

<b>General advice</b>	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
<b>Inhalation</b>	Move to fresh air in case of accidental inhalation of vapours or decomposition products. Oxygen or artificial respiration if needed. Call a physician or poison control center immediately.
<b>Skin contact</b>	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. Induce vomiting only, if: 1. patient is fully conscious, 2. medical aid is not readily available, 3. a significant amount (more than a mouthful) has been ingested and 4. time since ingestion is less than 1 hour. (Vomit should not get into the respiratory tract.) Call a physician or poison control center immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	Temporary blurred vision due to contraction of the pupils (miosis) following contact with the eyes., Bradycardia, Low blood pressure, Salivation, Bronchial hypersecretion, Vomiting, Diarrhoea, Sweating, Muscular fasciculation, Spasm, Breathing difficulties, Respiratory paralysis, Somnolence, Coma, Respiratory failure, Hypothermia, Convulsions, Nausea
-----------------	--

#### 4.3 Indication of any immediate medical attention and special treatment needed

<b>Risks</b>	This product is a cholinesterase inhibitor carbamate.
<b>Treatment</b>	Monitor: respiratory, cardiac and central nervous system. Monitor: blood picture. Monitor: red blood cell and plasma cholinesterase. ECG - monitoring (Electrocardiogram). Oxygen or artificial respiration if needed. Keep respiratory tract clear. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. The following antidote is generally accepted: atropine. Before antidote is administered, either clear symptoms of poisoning have to be present or the cholinesterase activity is inhibited to below 30% of normal. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. Contraindications: oximes (pralidoxime, obidoxime).

Contact the National Poisons and Hazardous Chemicals Information center in Dunedin, PO Box 913, Dunedin. Phone 0800 POISON (0800 764 766).

# SAFETY DATA SHEET



## MESUROL 200SC

Version 1 / NZ  
102000020853

4/10

Revision Date: 13.11.2017  
Print Date: 13.11.2017

---

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

**Suitable** Water spray, Carbon dioxide (CO<sub>2</sub>), Foam, Sand

**5.2 Special hazards arising from the substance or mixture** In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Methyl isocyanate, Sulphur oxides, Nitrogen oxides (NO<sub>x</sub>)

#### 5.3 Advice for firefighters

**Special protective equipment for firefighters** In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

---

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water.

#### 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

---

### SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

#### 7.2 Conditions for safe storage, including any incompatibilities

# SAFETY DATA SHEET



## MESUROL 200SC

Version 1 / NZ  
102000020853

5/10

Revision Date: 13.11.2017  
Print Date: 13.11.2017

<b>Requirements for storage areas and containers</b>	Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight.
<b>Advice on common storage</b>	Keep away from food, drink and animal feedingstuffs.
<b>Suitable materials</b>	HDPE (high density polyethylene)
<b>7.3 Specific end use(s)</b>	Refer to the label and/or leaflet.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Methiocarb	2032-65-7	0.14 mg/m <sup>3</sup> (TWA)		OES BCS*
Glycerine (Mist.)	56-81-5	10 mg/m <sup>3</sup> (TWA)	06 2016	NZ OEL

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### 8.2 Exposure controls

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

#### Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

#### Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

#### Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

#### Skin and body protection

Wear standard coveralls and Category 3 Type 6 suit.  
If there is a risk of significant exposure, consider a higher protective type suit.

# SAFETY DATA SHEET



## MESUROL 200SC

Version 1 / NZ  
102000020853

6/10  
Revision Date: 13.11.2017  
Print Date: 13.11.2017

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.  
If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

<b>Form</b>	suspension
<b>Colour</b>	white
<b>Odour</b>	weak, characteristic
<b>pH</b>	4.0 - 4.8 at 100 % (23 °C)
<b>Flash point</b>	> 100 °C No flash point - Determination conducted up to the boiling point.
<b>Ignition temperature</b>	> 580 °C
<b>Density</b>	ca. 1.11 g/cm <sup>3</sup> at 20 °C
<b>Water solubility</b>	miscible
<b>Partition coefficient: n-octanol/water</b>	Methiocarb: log Pow: 3.08 at 20 °C Unbuffered
<b>Viscosity, dynamic</b>	500 - 900 mPa.s Velocity gradient 7.5 /s 300 - 470 mPa.s Velocity gradient 20 /s 100 - 180 mPa.s Velocity gradient 100 /s
<b>Surface tension</b>	44.9 mN/m at 20 °C Determined as a 0,1% solution in distilled water (1 g/l).
<b>Oxidizing properties</b>	No oxidizing properties
<b>Explosivity</b>	Not explosive 92/69/EEC, A.14 / OECD 113
<b>9.2 Other information</b>	Further safety related physical-chemical data are not known.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

**Thermal decomposition** Stable under normal conditions.

**10.2 Chemical stability** Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.

# SAFETY DATA SHEET



## MESUROL 200SC

Version 1 / NZ  
102000020853

7/10  
Revision Date: 13.11.2017  
Print Date: 13.11.2017

- 10.4 Conditions to avoid** Extremes of temperature and direct sunlight.
- 10.5 Incompatible materials** Store only in the original container.
- 10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

- Acute oral toxicity** LD50 (Rat) > 300 mg/kg
- Acute inhalation toxicity** LC50 (Rat) > 1.571 mg/l  
Exposure time: 4 h  
Determined in the form of a respirable aerosol.  
Test conducted with a similar formulation.
- Acute dermal toxicity** LD50 (Rat) > 2,000 mg/kg  
Test conducted with a similar formulation.
- Skin irritation** No skin irritation (Rabbit)  
Test conducted with a similar formulation.
- Eye irritation** No eye irritation (Rabbit)  
Test conducted with a similar formulation.
- Sensitisation** Non-sensitizing. (Mouse)  
OECD Test Guideline 429, local lymph node assay (LLNA)  
Test conducted with a similar formulation.

### Assessment STOT Specific target organ toxicity – single exposure

Methiocarb: Based on available data, the classification criteria are not met.

### Assessment STOT Specific target organ toxicity – repeated exposure

Methiocarb did not cause specific target organ toxicity in experimental animal studies.

### Assessment mutagenicity

Methiocarb was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

### Assessment carcinogenicity

Methiocarb was not carcinogenic in lifetime feeding studies in rats and mice.

### Assessment toxicity to reproduction

Methiocarb caused reproduction toxicity in generation studies in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Methiocarb is related to parental toxicity.

### Assessment developmental toxicity

Methiocarb caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Methiocarb are related to maternal toxicity.

# SAFETY DATA SHEET



## MESUROL 200SC

Version 1 / NZ  
102000020853

8/10  
Revision Date: 13.11.2017  
Print Date: 13.11.2017

---

### SECTION 12: ECOLOGICAL INFORMATION

#### 12.1 Toxicity

<b>Toxicity to fish</b>	LC50 (Lepomis macrochirus (Bluegill sunfish)) 0.65 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient.
<b>Toxicity to aquatic invertebrates</b>	EC50 (Daphnia magna (Water flea)) 0.0434 mg/l Exposure time: 48 h
<b>Toxicity to aquatic plants</b>	IC50 (Desmodismus subspicatus (green algae)) 2.2 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient.

#### 12.2 Persistence and degradability

**Biodegradability** Methiocarb:  
Not rapidly biodegradable

**Koc** Methiocarb: Koc: 660

#### 12.3 Bioaccumulative potential

**Bioaccumulation** Methiocarb:  
Does not bioaccumulate.

#### 12.4 Mobility in soil

**Mobility in soil** Methiocarb: Slightly mobile in soils

#### 12.5 Results of PBT and vPvB assessment

**PBT and vPvB assessment** Methiocarb: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

#### 12.6 Other adverse effects

**Additional ecological information** No other effects to be mentioned.

---

### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

<b>Product</b>	Dispose of this product only by using according to the label, or at an approved landfill or other approved facility.
<b>Contaminated packaging</b>	Triple rinse containers. Recycle if possible. If allowed under local authority, burn if circumstances, especially wind direction permit, otherwise crush and bury in an approved local authority facility. Do not use container for any other purpose.

---

### SECTION 14: TRANSPORT INFORMATION

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation



# SAFETY DATA SHEET



## MESUROL 200SC

Version 1 / NZ  
102000020853

9/10  
Revision Date: 13.11.2017  
Print Date: 13.11.2017

---

requirements.

### ADR/RID/ADN

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (METHIOCARB SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazchem Code	3Z

### IMDG

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (METHIOCARB SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

### IATA

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (METHIOCARB SOLUTION )
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

---

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Further information

HSNO approval-Nr.	HSR100895
HSNO Controls	See <a href="http://www.epa.govt.nz">www.epa.govt.nz</a>
ACVM Reg.	EXEMPT
ACVM Condition	See <a href="http://www.foodsafety.govt.nz">www.foodsafety.govt.nz</a>

---

## SECTION 16: OTHER INFORMATION

### Abbreviations and acronyms

# SAFETY DATA SHEET



## MESUROL 200SC

Version 1 / NZ  
102000020853

10/10  
Revision Date: 13.11.2017  
Print Date: 13.11.2017

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.