

SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: **PERsanMAX 5%**
 Item Code: 60367-1000, 60367-200, 60367-20
 Product Use: Liquid sanitiser, cleaner
 Restriction of Use: Refer to Section 15

New Zealand Supplier: Horticulture Ltd
 Address: 10 Firth Street
 Drury, 2113

Telephone: +64 9 294 8453
 Fax Number: +64 9 294 7272

Emergency Telephone: 0800 764 766 (National Poison Centre)

Date of SDS Preparation: 21 January 2019

Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval No: Cleaning Products (Oxidising, Corrosive) – HSR002591

Pictograms



Oxidising



Chronic



Corrosive



Ecotoxic

Signal Word: **DANGER**

HSNO Classification	Hazard Code	Hazard Statement	GHS Category
5.1.1C	H272	May intensify fire oxidiser.	Ox. Liq. 3
6.1E (oral)	H303	May be harmful if swallowed.	Acute Tox. 5
6.1E (dermal)	H313	May be harmful in contact with skin.	Acute Tox. 5
6.9B	H373	May cause damage to organs through prolonged or repeated exposure.	STOT RE 2
8.1A	H290	May be corrosive to metals.	Met. Corr. 1
8.2B	H314	Causes severe skin burns and eye damage.	Skin Corr. 1B
8.3A	H318	Causes serious eye damage.	Eye Corr. 1
9.1B	H411	Toxic to aquatic life with long lasting effects.	Aquatic Chronic 2

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read label before use.
P210	Keep away from heat, sparks, open flames or hot surfaces. No smoking.
P220	Keep/Store away from clothing or combustible materials.
P221	Take any precaution to avoid mixing with combustibles or incompatible materials.
P234	Keep only in original container.
P260	Do not breathe fumes, vapours or spray.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective clothing as detailed in Section 8.

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P310	Immediately call a POISON CENTER or doctor/physician.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P391	Collect spillage.
P301 + P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P370 + P378	In case of fire: Use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder) for extinction.

Storage Code	Storage Statement
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Section 3. Composition / Information on Ingredients

Ingredients	Wt%	CAS NUMBER.
Hydrogen peroxide	1-10	7722-84-1
Peracetic acid	1-10	79-21-0
Acetic acid	10-30	64-19-7

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists call doctor/physician.

If on Skin This material, or a component of the material, can be absorbed through the skin with resultant toxic effects. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance. For gross contamination, immediately drench with water and remove

clothing. Continue to flush skin and hair with plenty of water (and soap if material is insoluble). For skin burns, cover with a clean, dry dressing until medical help is available. If blistering occurs, do NOT break blisters. If swelling, redness, blistering, or irritation occurs seek medical assistance.

If Swallowed Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything to the mouth of an unconscious person. If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs. Call a POISON CENTER or doctor/physician if you feel unwell.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Ingestion: May be harmful if swallowed. Swallowing can result in nausea, vomiting, diarrhoea, abdominal pain and chemical burns to the gastrointestinal tract.

Inhalation: Material is an irritant to mucous membranes and respiratory tract.

Skin: May be harmful if in contact with skin. Causes skin burns. Can be absorbed through the skin with resultant toxic effects.

Eyes: Causes severe eye damage. Contact can cause corneal burns.

Contamination of eyes can result in permanent injury.

Chronic: Causes damage to organs through repeated or prolonged exposure.

Treatment: Treat symptomatically. Can cause corneal burns.

Section 5. Fire Fighting Measures

Hazard Type	May intensify fire; oxidiser.
Hazards from combustion products	On burning or decomposing may emit toxic fumes.
Suitable Extinguishing media	Water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).
Precautions for firefighters and special protective clothing	Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion or decomposition.
HAZCHEM CODE	2P

Section 6. Accidental Release Measures

SMALL SPILLS

Wear protective equipment to prevent skin and eye contamination as detailed in Section 8. Avoid inhalation of vapours or dust. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

LARGE SPILLS

If safe to do so, shut off all possible sources of ignition. Clear area of all unprotected personnel. Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours as detailed in Section 8. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Use a spark-free shovel. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services. Dispose of according to Local Regulations.

Section 7. Handling and Storage

Precautions for Handling:

- Read label before use.
- Keep away from heat, sparks, open flames or hot surfaces. No smoking.
- Keep/Store away from clothing or combustible materials.
- Take any precaution to avoid mixing with combustibles or incompatible materials.
- Keep only in original container.
- Do not breathe fumes, vapours or spray.
- Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Avoid release to the environment.
- Wear protective clothing as detailed in Section 8.

Precautions for Storage:

- Keep out of reach of children.
- Store locked up.
- Store in corrosive resistant container with a resistant inner liner.
- Store in a cool, dry, well-ventilated place and out of direct sunlight.
- Store away from foodstuffs.
- Store away from incompatible materials described in Section 10.
- Store away from sources of heat and/or ignition.
- Keep container standing upright.
- Keep containers closed when not in use - check regularly for leaks.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA		STEL	
	ppm	mg/m ³	ppm	mg/m ³
Hydrogen peroxide [7722-84-1]	1	1.4		
Acetic acid [64-19-7]	10	25	15	37

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2017 9TH EDITION.

Engineering Controls

Ensure ventilation is adequate to maintain air concentrations below Exposure Standards. Use only in well ventilated areas. Use with local exhaust ventilation or while wearing appropriate respirator.

Personal Protection Equipment



Eyes	Tightly fitting safety goggles.
Hands and Skin	Wear gloves and apron and rubber boots. Available information suggests that gloves made from butyl rubber should be suitable for intermittent contact.
Respiratory	Use with adequate ventilation. If inhalation risk exists wear organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
General	Always wash hands before smoking, eating, drinking or using the toilet.

	Wash contaminated clothing and other protective equipment before storing or re-using. Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and skin contact. Avoid inhalation of vapour, mist or aerosols. Ensure that eyewash stations and safety showers are close to the workstation location.
--	---

Section 9 Physical and Chemical Properties

Appearance	Liquid (aqueous solution)
Colour	Clear
Odour	Acrid
Odour Threshold	Not available
pH	<1.0
Boiling Point	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Non flammable
Upper and Lower Explosive Limits	Not available
Vapour Pressure	Not available
Vapour Density	Not available
Specific Gravity	1.10 @20°C
Solubilities	Fully water soluble.
Partition Coefficient:	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Kinematic Viscosity	Not available
Particle Size	Not available

Section 10. Stability and Reactivity

Stability of Substance	This material is thermally stable when stored and used as directed.
Hazardous Reactions	No known hazardous reactions.
Conditions to Avoid	Elevated temperatures and sources of ignition.
Incompatible Materials	Oxidising agents.
Hazardous Decomposition Products	Oxides of carbon and nitrogen, smoke and other toxic fumes.

Section 11 Toxicological Information

Acute Effects:

Swallowed	May be harmful if swallowed. Swallowing can result in nausea, vomiting, diarrhoea, abdominal pain and chemical burns to the gastrointestinal tract.
Dermal	May be harmful if in contact with skin.
Inhalation	Not applicable. Material is an irritant to mucous membranes and respiratory tract.
Eye	Causes severe damage to eyes. Contact can cause corneal burns. Contamination of eyes can result in permanent injury.
Skin	Causes skin burns. Can be absorbed through the skin with resultant toxic effects.

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive Toxicity	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Causes damage to organs through repeated or prolonged exposure.

Section 12. Ecotoxicological Information

HSNO Classes: 9.1B = Toxic to aquatic life.
9.3C = Harmful to terrestrial vertebrates.

Persistence and degradability	The product is readily biodegradable. Aerobic degradation
Bioaccumulation	Risk of bioaccumulation in an aquatic species is low. Not potentially bioaccumable.
Mobility in Soil	No data available.
Other adverse effects	No data available.

Do not allow to enter waterways.

Section 13. Disposal Considerations

Disposal Method:

Spent media that has removed toxic chemicals should be examined for specific hazards. Spilled product may be recovered for use if it has not come in contact with liquids or been exposed to significant amounts of gaseous contaminants. Dispose of according to Local Regulations.

Ensure any container holding waste product or contaminated spill media is labelled "Hazardous Waste – Oxidising, Corrosive, Ecotoxic" and that the label also has the Oxidiser, Corrosive Ecotoxic Pictogram, waste type identifier, and the business name, address, and phone number.

Precautions or methods to avoid: Avoid release to the environment.

Section 14 Transport Information

This product is classified as a Dangerous Good for transport in NZ ; NZS 5433:2012



Road, Rail, Sea and Air Transport

UN No	3149
Class - Primary	5.1
Subsidiary Risk	8
Packing Group	II
Proper Shipping Name	HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE STABILIZED
Marine Pollutant	YES
Special Provisions	If the product's individual container is below 1L, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.

Section 15 Regulatory Information

Product Name: PERsanMAX 5%
Date of SDS: 21 January 2019

Prepared by: Technical Compliance Consultants (NZ) Ltd
Tel: 64 9 475 5240 www.techcomp.co.nz

HSWA & EPA Controls	Trigger Quantity
Certified Handler	Not required
Location Certificate	100L (5.1.1C) – if only stored: 250L
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	250L (8.2B)
Emergency Response Plan	1000L (8.2B, 9.1B)
Secondary Containment	1000L (8.2B, 9.1B)
Fire Extinguisher	500L requires 2 x
Restriction of Use	None

Section 16 Other Information

Glossary

EC ₅₀	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
LC ₅₀	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD ₅₀	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2012
5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, if further information is required.

Issue Date: 21 January 2019

Review Date: 21 January 2024