




Safety Data Sheet



TopStar®

1) Identification of Substance:		
Product name:	Topstar	
Active Ingredient(s):	480 g/litre thiacloprid	
ACVM Approval:	P7814	
EPA Approval:	HSR000715	
Distributed by:	Adria Crop Protection P.O. Box 535, Kumeu 0841, Auckland Ph: 09-412-9817 Fax: 09-412-9807 www.adria.nz	
Emergency Number:	National Poisons Centre 0800 POISON 0800 764 766	
2) Hazards Identification:		
HSNO Classifications:	6.1D 6.7B, 6.8B, 6.9B, 9.1A, 9.2C, 9.3C, 9.4C	
Risk and safety phrases:	R20, R40, R50, R62	
3) Composition Details:		
Chemical identity:	Thiacloprid	
Chemical identity of ingredients:		
Ingredient:	CAS No.:	Content (%w/v)
Thiacloprid	111988-49-9	48.00
4) First Aid Measures:		
General Information:		
Skin contact:	After contact with skin, wash immediately with soap and water.	
Eye contact:	If product or spray enters eyes, wash out immediately and continue rinsing with clean water for at least 15 minutes. Obtain medical attention.	
Ingestion:	If swallowed do NOT induce vomiting. For advice, contact the National Poisons Centre on 0800 POISON (0800 764766) or a doctor immediately.	
Inhalation:	Keep patient calm. Remove to fresh air and seek medical attention.	
Further Information:	Treatment: Treat according to symptoms (decontamination, vital functions). No known specific antidote.	

5) Fire-Fighting Measures:	
Specific hazards:	If involved in a fire, it may emit: Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Sulphur dioxide (SO ₂), Nitrous gases (NO _x)
Extinguishing media and methods:	Dry chemical, water spray, foam, carbon dioxide.
Recommended protective clothing:	Wear SCBA and chemical-protective clothing.
6) Accidental Release Measures:	
Personal precautions:	Use protective clothing. Avoid contact with skin, eyes and clothing. Remove contaminated clothes and shoes immediately.
Environmental precautions:	Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.
Spill procedures:	Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material.
Disposal procedures:	Dispose of waste safely, according to local Council regulations.
7) Handling & Storage:	
Handling:	Avoid contact with skin and eyes. Ventilation required. Keep away from: sparks, open flame and direct sunlight.
Storage:	Keep away from heat and protect from sunlight. Protect against freezing.
8) Exposure Control / Personal Protection:	
Engineering measures:	
Respiratory protection:	Wear respiratory protection if ventilation is inadequate. Particle filter with medium efficiency for solid and liquid particles.
Eye protection:	Safety goggles with side-shields.
Hand protection:	Suitable chemical resistant safety gloves (e.g. nitrile rubber (.4mm)).
Other protective equipment:	Body protection (chemical protection suit, boots) must be chosen depending on activity and possible exposure.
General Safety & Hygiene measures:	Keep away from food, drink and animal feedstuffs. No eating, drinking or smoking during use. Wash hands and face before breaks and after work.
9) Physical & Chemical Properties:	
Form:	Liquid
Colour:	White
Odour:	Non-specific

Date of revision: February 23, 2017

Melting point/boiling point:	N/A
Density:	± 1,2 kg/L
Surface tension:	N/A
pH:	± 5,5
Flash point:	N/A
Ignition Temperature:	N/A
Explosive Limits:	N/A
10) Stability & Reactivity:	
Conditions to avoid:	Stable under normal conditions.
Materials to avoid:	None known.
Hazardous reactions:	None known.
11) Toxicological Information:	
Acute oral toxicity:	> 500 mg/kg
Acute inhalation toxicity:	± 2 mg/L
Acute dermal toxicity:	> 4 000 mg/kg
Skin irritation:	Not an irritant
Eye irritation:	Not an irritant
Sensitisation:	May cause sensitisation
12) Ecological Information:	
Acute fish toxicity:	LC50 (96 h) for rainbow trout 30.5, bluegill sunfish 25.2 mg/l.
Toxicity for daphnia:	EC50 (48 h, 20 °C) >=85.1 mg/l.
Toxicity to algae:	ErC50 (72 h, 20 °C) for Scenedesmus subspicatus 97 mg/l; EC50 for Pseudokirchneriella subcapitata >100 mg/l.
13) Disposal Considerations:	
Disposal: 	Triple rinse container and add residue to spray tank. Return empty container to an AgRecovery collection point for disposal.
Empty container precautions:	Avoid contamination of any water supply with chemical or empty container.
14) Transportation Information:	
Rail/road (RID/ADR):	UN 2902 PESTICIDE, LIQUID, TOXIC, N.O.S. (Thiacloprid solution) Class 6 Packing group III Hazchem 2X  

Sea (IMDG code):	<p>UN 2902 PESTICIDE, LIQUID, TOXIC, N.O.S. (Thiacloprid solution) Class 6 Packing group III Hazchem 2X</p> 
Air (ICAO/IATA):	<p>UN 2902 PESTICIDE, LIQUID, TOXIC, N.O.S. (Thiacloprid solution) Class 6 Packing group III Hazchem 2X</p> 

15) Regulatory Information:

Approved handlers:	This product must be under the care of an approved handler during use.
ACVM controls:	See www.foodsafety.govt.nz for registration conditions.

16) Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

The data contained in this safety data sheet is based on our current knowledge and describes the product only with regard to safety requirements. The data does not describe the product's properties. Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any existing laws and legislation are observed.